



Rewarding Learning

ADVANCED SUBSIDIARY (AS)  
General Certificate of Education  
2012

---

## Mathematics

Assessment Unit F1

*assessing*

Module FP1: Further Pure Mathematics 1

[AMF11]



MONDAY 25 JUNE, AFTERNOON

---

### TIME

1 hour 30 minutes.

### INSTRUCTIONS TO CANDIDATES

Write your Centre Number and Candidate Number on the Answer Booklet provided.

Answer **all six** questions.

Show clearly the full development of your answers.

Answers should be given to three significant figures unless otherwise stated.

You are permitted to use a graphic or a scientific calculator in this paper.

### INFORMATION FOR CANDIDATES

The total mark for this paper is 75

Figures in brackets printed down the right-hand side of pages indicate the marks awarded to each question or part question.

A copy of the **Mathematical Formulae and Tables booklet** is provided.

Throughout the paper the logarithmic notation used is  $\ln z$  where it is noted that  $\ln z \equiv \log_e z$ .



7123

**Answer all six questions.**

**Show clearly the full development of your answers.**

**Answers should be given to three significant figures unless otherwise stated.**

**1** A system of equations is given by

$$\begin{aligned}\lambda x + 5y &= 11 \\ 4x + 5\lambda y &= \mu\end{aligned}$$

**(i)** Find the values of  $\lambda$  for which the system of equations does not have a unique solution. [6]

**(ii)** If  $\lambda = 2$ , find the value of  $\mu$  for which there are infinitely many solutions. [2]

**2** The matrix  $\mathbf{M}$  is given by

$$\mathbf{M} = \begin{pmatrix} 2 & 1 & -1 \\ 1 & 3 & 1 \\ 1 & 0 & 4 \end{pmatrix}$$

**(i)** Find the eigenvalues of  $\mathbf{M}$ . [7]

**(ii)** For the eigenvalue 2, find a corresponding unit eigenvector. [5]

- 3 (i) Define clearly the symmetries of the non-square rhombus ABCD as shown in Fig. 1 below.




Fig. 1

[4]

- (ii) Hence construct the table for the symmetry group  $G$  of this shape. [4]

The set  $\{1, 4, 11, 14\}$  forms a group  $H$  under multiplication modulo 15

- (iii) Draw up a table for the group  $H$ . [4]

- (iv) Determine whether groups  $G$  and  $H$  are isomorphic. Justify your answer. [2]

- 4 (a) Describe fully the transformation represented by the matrix

$$\begin{pmatrix} \frac{\sqrt{3}}{2} & -\frac{1}{2} \\ \frac{1}{2} & \frac{\sqrt{3}}{2} \end{pmatrix}$$

[4]

- (b) Find the image of the line  $y = 3x - 2$  under the transformation represented by the matrix

$$\begin{pmatrix} 1 & 2 \\ 4 & -1 \end{pmatrix}$$

[4]

5 The circles  $C_1$  and  $C_2$  are given by the following equations.

$$\begin{aligned}C_1: & x^2 + y^2 + 2x - 4 = 0 \\C_2: & x^2 + y^2 + 8x + 2y - 8 = 0\end{aligned}$$

(i) Find the points of intersection of the circles  $C_1$  and  $C_2$  [8]

(ii) The line  $y = 2x + k$  is a tangent to the circle  $C_1$   
Find the possible values of  $k$ . [6]

6 (a) The complex numbers  $z_1$  and  $z_2$  are given as

$$z_1 = 3 + 4i \quad \text{and} \quad z_2 = 1 + pi$$

where  $p$  is a real number.

Given that the value of  $z_1 + 2z_2$  is real, find the value of  $p$ . [3]

(b) Simplify the number

$$\frac{5 - 2i}{3 + i}$$

giving the answer in the form  $a + bi$ , where  $a$  and  $b$  are real numbers. [4]

(c) (i) Sketch on an Argand diagram the locus of those points  $z$  which satisfy

$$|z - 3| = |z - (7 + 2i)|$$
 [3]

(ii) On the same diagram, sketch the locus of those points  $w$  which satisfy

$$\arg \{w - (3 + 2i)\} = \frac{\pi}{4}$$
 [3]

(iii) Find the point of intersection of these loci. [6]