

Mark Scheme (Results)

January 2015

Pearson Edexcel International Advanced Subsidiary Level in Biology (WBI01) Paper 01

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

January 2015
Publications Code IA040373*
All the material in this publication is copyright
© Pearson Education Ltd 2015

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

| Question Number | Answer | | Mark |
|--------------------|--------|------------------------------|------|
| 1(a)(i) | C; | ribose | (1) |
| | | | • |
| Question Number | Answer | | Mark |
| 1(a)(ii) | C; | hydrogen bonds between bases | (1) |
| | | | |
| Question Number | Answer | | Mark |
| 1(a)(iii) | D; | uracil | (1) |
| | | | |
| Question | Answer | | Mark |
| Number | | | |
| 1(a)(iv) | D ; | phosphodiester bonds | (1) |
| | | | |
| Question Number | Answer | | Mark |
| 1(a)(v) | В; | cytosine | (1) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|---|--------------------------|------|
| 1(b)(i) | 1. idea that (new) DNA is synthesised ; | IGNORE DNA is replicated | |
| | 2. idea of a new DNA contains original strand and new strand; | | (2) |

| Question Number | Answer | Additional Guidance Mark |
|--------------------|--|--|
| 1(b)(ii) | 1. one band in correct position in B; | IGNORE width of bands |
| _(~)() | 2. two bands in correct position in C; | B one band higher than the band in A |
| | | C one band at the same level as the band in B and also one band higher |
| | | |
| | A B C | |
| | | |

| Question Number | | Answer | Additional Guidance | Mark |
|--------------------|----|---|---------------------|------|
| 2(a)(i) | A; | an ester bond formed by a condensation reaction | | |
| | _ | , | | (1) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|--|--|------|
| 2(a)(ii) | carbon – carbon double bond present in unsaturated lipid OR saturated lipid has only single bonds between carbons; | | |
| | 2. idea that hydrogen to carbon ratio is larger in saturated lipid; | 2. IGNORE more hydrogen ACCEPT more hydrogen on each carbon | |
| | 3. idea that unsaturated FA chain is bent / saturated FA chain is straight; | 3. ACCEPT unsaturated fatty acid chain has kinks IGNORE lipids are bent / have kinks | (2) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|--|--|------|
| 2(b) | 1. consists of (a) glucose / eq; | DO NOT ACCEPT β-glucose | |
| | 2. (joined) by glycosidic bonds / eq; | | |
| | 3. 1,4 and 1,6 (glycosidic bonds);4. branched structure / eq; | 1,4 and 1,6 glycosidic bonds would also gain mp2 | |
| | | | (3) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|---|---------------------|------|
| 2(c | 1. increasing intensity decreased lipid use / eq; | | |
| | 2. increasing intensity increased carbohydrate use / eq; | | |
| | 3. correct use of figures to support both mp1 and mp2; | | (3) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|--|--|------|
| 3(a) | 1. plaques / atheroma; | | |
| | 2. arteries / artery ; | 2 ICNORE constrict / loss of | |
| | 3. narrow / thicken / block / eq ; | 3. IGNORE constrict / loss of elasticity | |
| | 4. blood / oxygen / 0 ₂ / nutrients / glucose / eq; | 4. ACCEPT metabolite | |
| | 5. brain / carotid artery ; | 5. ACCEPT artery to brain OR in brain | (5) |
| | | | (5) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|---|---------------------|------|
| 3(b)(i) | positive correlation between risk of death and blood cholesterol concentration / as blood cholesterol concentration increases the risk of death from CHD increases / eq ; | | (1) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|--|---|------|
| 3(b)(ii) | for each cholesterol level the risk is higher for people living in Asia (up to 5.8 blood cholesterol); idea that in Asia there is a continual increase in risk and in Australia and New Zealand it is not linear; | 1. ACCEPT idea that higher concentrations of cholesterol are required to bring about same increase in risk in Australians and New Zealanders; | (2) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|---|---------------------|------|
| 3(b)(iii) | Any one risk from: | | |
| | 1. more smoking in Asia | | |
| | 2. idea of differences in diet | | |
| | 3. idea of differences in health care | | |
| | 4. genetic differences (between Asians and Australians / New Zealanders) | | |
| | 5. idea of different level of activity; | | (1) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|--|--|------|
| 3(b)(iv) | 1. idea of identifying higher (CVD) risk in Asia and suggest or implement a change to reduce the risk; | Need to link risk and what to do about it to gain mark | (1) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|--|--|------|
| 4(a) | correctly drawn amino and carboxylic acid groups; central carbon with R group and hydrogen; | ACCEPT -NH ₃ ⁺ and -COO ⁻ | (2) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|--|---|------|
| 4(b)* | *QWC Emphasis on spelling | QWC - Emphasis on spelling. penalise once only for the entire response | |
| | 1. transcription of mRNA (takes place in the nucleus); | 1 .ACCEPT a description of mRNA synthesis | |
| | 2. mRNA contains the code for new {protein / polypeptide / eq} / eq; | | |
| | 3. mRNA {moves to the <i>cytoplasm</i> / leaves the <i>nucleus</i> }; | | |
| | 4. idea that mRNA associates with a <i>ribosome</i> ; | | |
| | idea that tRNA molecules attached to {specific / eq } amino acids; | | |
| | 6. idea that tRNA molecules transport amino acids to the {ribosome / mRNA}; | | (|

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|--|---|------|
| 4(c) | idea of (change in DNA sequence leads to) change in primary structure; | ACCEPT change in the amino acids | |
| | 2. idea of polypeptide chain will fold differently ; | 2. ACCEPT change in 3D / protein shape | |
| | idea that active site will have a different {shape / charge / ionisation}; | | |
| | idea that {substrate / phenylalanine} will no longer bind to active site; | Alternative answer: Mp2 reference to stop codons Mp3 could result in no enzyme being synthesised Mp4 substrate has nothing to bind with | |
| | | 2 | (3) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|--|---|------|
| 4(d) | idea that (recessive condition so individual) 8 must have inherited one copy of the recessive allele from each parent; | ACCEPT individual person 8 is homozygous recessive / aa | |
| | idea that neither 5 or 6 is affected so {they can't be homozygous / must be heterozygous} for the condition; | 2. ACCEPT (therefore) 5 and 6 are both Aa | (2) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|---|--|------|
| 5(a) | | IGNORE reference to moisture | |
| | 1. many (small) alveoli ; | 1. ACCEPT "air sacs"; | |
| | 2. covered by extensive network of capillaries / eq; | | |
| | 3. ensuring large surface area (for gas exchange) / eq; | | |
| | 4. idea of thin {capillary walls / alveolar walls}; | 4. DO NOT ACCEPT thin lining | |
| | 5. increases diffusion ; | 5. ACCEPT any correct reference to diffusion | (4) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|---|---|------|
| 5(b) | 1. idea that only a short distance from surface of C. elegans to cells inside body; | ACCEPT large surface area to volume ratio ; | |
| | 2. idea that diffusion (alone) is sufficient; | | |
| | 3. idea that <i>C. elegans</i> has low activity ; | | (2) |

| Question Number | Answer | Additional Guidance | Mark | |
|--------------------|---|---|------|--|
| 6(a) | fatty acid chains (on phospholipid) are hydrophobic / eq; and {aggregate / group / eq} together; | ACCEPT tails / hydrocarbon chains in place of fatty acid chains; ACCEPT orientate away from water; | | |
| | 3. phosphate groups (on the phospholipid) are hydrophilic / eq; | 3. ACCEPT heads in place of phosphate group; | | |
| | 4. and associate with water ; | | | |
| <u>I</u> | 5. two monolayers form a bilayer ; | | (3) | |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|---|---|------|
| 6(b) | phospholipids can move (in the plasma membrane); | ACCEPT {proteins / molecules / eq} can move around within the phospholipid (mono)layer; | |
| | 2. proteins randomly inserted (in plasma membrane) / eq ; | ACCEPT variety of different {proteins / glycoproteins}; ACCEPT proteins scattered in the membrane; | (2) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|--|--|------|
| 6(c)(i) | idea that colour intensity increases as the permeability of the membrane increases; as the concentration (of alcohol above 10%) increases, the permeability of the cell membranes increases / eq; | MP2 and MP3 ACCEPT answers in terms of intensity of colour only if correct correlation between colour intensity and permeability has been made for MP1 | |
| | 3. concentrations (of alcohol) up to 10% have no effect the permeability of the membrane; | | (2) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|---|--|------|
| 6(c)(ii) | Temperature | | |
| | if (temperature) increased the rate of diffusion increases / permeability increases / eq; | | |
| | 2. and the solution may be darker / eq; | 2. and 4. ACCEPT correct reference to colorimeter reading | |
| | Size of single cube | ALTERNATIVE candidates might use several smaller cubes but it must be clear this is the case | |
| | 3. smaller surface area / less tissue ; | 3. ACCEPT increased surface area (to volume) | |
| | 4. solution will be less dark ; | 4. ACCEPT solution will be darker | (4) |

| Question Number | | Answer | Additional Guidance | Mark |
|--------------------|-----|--------|---------------------|------|
| 7(a) | A ; | aorta | | (1) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|--|---|------|
| 7(b) | | paired marks for MP1 and MP2 or MP3 and MP4 | |
| | 1. thin walls e.g. one layer of cells | 1. NOT thin membranes / thin lining / | |
| | 2. so increased diffusion / short diffusion distance ; | capillary is one cell thick | |
| | OR | | |
| | 3. gaps between cells | 3. ACCEPT "has pores" ACCEPT "is permeable" | |
| | 4. so allows exchange (of materials) ; | | (2) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|--|---|------|
| 7(c) | *QWC Emphasis on logical sequence | Emphasis on logical sequence | |
| | 1. atria contract / reference to atrial systole; | penalise once only for entire response | |
| | | candidates can start their answer at any point in the cycle, but must follow the correct sequence although mark point 4 and 5 are interchangeable | |
| | atrioventricular valves open so blood flows from atria to ventricles; | 2. and 4. ACCEPT named AV valve e.g. mitral (or bicuspid) and tricuspid | |
| | 3. ventricles contract / reference to ventricular systole; | and tricuspid | |
| | 4. atrioventricular valve closes to prevent backflow of blood into atria; | | |
| | 5. semilunar valves open so blood {leaves ventricles / enters named artery}; | | |
| | 6. ventricles relax / reference to ventricular diastole; | 6. ACCEPT complete diastole | |
| | 7. semi lunar valves close ; | | |
| | 8. to prevent backflow of blood {from the aorta or pulmonary arteries / to the ventricle}; | | (6) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|---|---------------------|------|
| 7(d) | idea of oxygen rich and oxygen depleted blood mix / eq; idea that less blood pumped around body / blood pumped around body has a lower oxygen concentration / less oxygen delivered to body; OR blood pumped to lungs has a higher oxygen concentration / less efficient gas exchange; | | |
| | 3. idea that (systemic) blood pressure will be low; | | (2) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|------------------------------------|---------------------|------|
| 8(a)(i) | idea of repeating the experiment ; | | (1) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|---|---|------|
| 8(a)(ii) | 1. use additional concentration(s) of salt; | stated concentration(s) between 4.0 and 4.5 g dm ⁻³ gains both | |
| | 2. between 4.0 and 4.5 g dm ⁻³ ; | marks | (2) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|---|--|------|
| 8(a)(iii) | (they are swelling) as water is entering the cell; by osmosis; | | |
| | 3. from an area of {high water / low solute / eq} concentration;OR to one of {low water / high solute / eq} concentration; | 3. ACCEPT salt concentration is higher inside the cells (than outside cells); ACCEPT description of water potential gradient e.g. water moves into the cell down a water potential gradient gains mp1 and mp3; | (3) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|--|-------------------------------------|------|
| 8(b)(i) | cell membrane is (selectively) permeable to potassium ions / eq; | 1. ACCEPT potassium leaves the cell | |
| | 2. potassium ions diffuse ; | | |
| | 3. cell membrane is impermeable to haemoglobin / eq; | | (3) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|---|--|------|
| 8(b)(ii) | 1. in the presence of glucose, potassium enters the cell / eq ; | | |
| | 2. potassium taken up against a concentration gradient / eq ; | | |
| | 3. need for glucose suggests energy is required / eq; | 3. ACCEPT glucose as a respiratory substrate | |
| | 4. (suggesting) active transport of potassium ions; | 4. ACCEPT pumping of potassium ions | |
| | | | (3) |

Pearson Education Limited. Registered company number 872828 with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE