



Pearson

# **Mark Scheme (Results)**

October 2017

Pearson Edexcel International Advanced Level  
In Biology (WBI03) Paper 01  
Practical, Biology and Research Skills

edexcel 

## **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please visit our website at [www.edexcel.com](http://www.edexcel.com).

Our website subject pages hold useful resources, support material and live feeds from our subject advisors giving you access to a portal of information. If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

[www.edexcel.com/contactus](http://www.edexcel.com/contactus)

## **Pearson: helping people progress, everywhere**

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at:

[www.pearson.com/uk](http://www.pearson.com/uk)

October 2017

Publications Code WBI03\_01\_1710\_MS

All the material in this publication is copyright

© Pearson Education Ltd 2017


## General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Question Number	Answer	Additional Guidance	Mark
<b>1(a)(i)</b>	<p>1. {diameter / radius / area / width} of {zone of inhibition / clear zone / eq} ;</p> <p>2. method of measurement described ;</p>	<p>Look at the answer as a whole. If mp1 not awarded (e.g. they say 'size of zone of inhibition') but they go and say 'measure the diameter with callipers' , then both marks could be awarded</p> <p>Mp 2. e.g. using callipers, ruler {with suitably small divisions / eq}, take several diameters and find the mean, graph paper</p>	<b>(2)</b>

Question Number	Answer	Additional Guidance	Mark
<b>1(a)(ii)</b>	<p>1. filter paper discs soaked in {solvent / eq} / filter paper disc with no extract / use {plain water / solvent / eq} ;</p>		<b>(1)</b>

Question Number	Answer	Additional Guidance	Mark
<b>1(a)(iii)</b>	<ol style="list-style-type: none"> <li>1. temperature (of incubation) ;</li> <li>2. incubator / eq ;</li> <li>3. pH ;</li> <li>4. use a buffer ;</li> <li>5. same {mass / age} of frits used ;</li> <li>6. balance OR from {same plant / source / eq} ;</li> <li>7. same {size / thickness / material / eq} filter paper disc ;</li> <li>8. ref. hole punch / choice of material to use / stated appropriate diameter ;</li> <li>9. volume of solution placed on disc ;</li> <li>10. use of suitable measuring equipment, e.g pipette ;</li> </ol>	<p>If variable stated is inappropriate a mark can still be awarded for a correct method of control</p> <p>Mp2 ACCEPT oven / thermostatically controlled {chamber / room} a {chamber / room / eq} at {fixed / sensible stated temp.} Do not accept an form of water bath</p>	<b>(2)</b>

Question Number	Answer	Additional Guidance	Mark															
<b>1(b)(i)</b>	<p>B bar chart</p> <p>A axes correctly labelled as (x – has bars identified as each bacterial species, y- diameter of {zone of inhibition / Z I} with units ;</p> <p>K phenols and alkaloids identified ;</p> <p>P correct plotting ;</p> <p>S suitable scale ;</p>	 <table border="1" data-bbox="1137 375 1809 821"> <caption>Data from Bar Chart</caption> <thead> <tr> <th>Bacterial Species (Infection Source)</th> <th>Alkaloids (mm)</th> <th>Phenols (mm)</th> </tr> </thead> <tbody> <tr> <td><i>E. coli</i> from (urinary tract infection)</td> <td>50</td> <td>53</td> </tr> <tr> <td><i>Staphylococcus aureus</i> (from a skin infection)</td> <td>35</td> <td>48</td> </tr> <tr> <td><i>Streptococcus agalactiae</i> (from a urinary tract infection)</td> <td>30</td> <td>53</td> </tr> <tr> <td><i>Streptococcus pyogenes</i> (from a blood infection)</td> <td>51</td> <td>52</td> </tr> </tbody> </table> <p>S linear, half of grid minimum, do not accept discontinuity</p>	Bacterial Species (Infection Source)	Alkaloids (mm)	Phenols (mm)	<i>E. coli</i> from (urinary tract infection)	50	53	<i>Staphylococcus aureus</i> (from a skin infection)	35	48	<i>Streptococcus agalactiae</i> (from a urinary tract infection)	30	53	<i>Streptococcus pyogenes</i> (from a blood infection)	51	52	<b>(5)</b>
Bacterial Species (Infection Source)	Alkaloids (mm)	Phenols (mm)																
<i>E. coli</i> from (urinary tract infection)	50	53																
<i>Staphylococcus aureus</i> (from a skin infection)	35	48																
<i>Streptococcus agalactiae</i> (from a urinary tract infection)	30	53																
<i>Streptococcus pyogenes</i> (from a blood infection)	51	52																

Question Number	Answer	Additional Guidance	Mark
<b>1(b)(ii)</b>	<ol style="list-style-type: none"> <li>1. phenols are overall more effective ;</li> <li>2. (little / no) difference between alkaloids and phenols on {<i>E. coli</i> / <i>S. pyogenes</i>} ;</li> <li>3. big difference between alkaloids and phenols on {<i>Streptococcus agalactiae</i> / <i>Staphylococcus aureus</i>} ;</li> <li>4. manipulation of data to support ;</li> </ol>	<p>e.g. calculation of mean for each chemical (alkaloids 41.5, phenols 51.5)  any difference quoted  E. c. 3 (mm)  S aur 13 (mm)  S aga 23 (mm)  S pyo 1 (mm)  or any proportion correct  E.c A/P = 0.94, P/A = 1.06  S aur A/P = 0.73, P/A = 1.37  S aga A/P = 0.57, P/A = 1.77  S p A/P = 0.98, P/A = 1.02  or percentage  Ec P only 6% better than A, A  S aur P 37% better  S aga P 77% better  S p P only 2 % better (or vice versa)</p>	<b>(3)</b>

Question Number	Answer	Additional Guidance	Mark
<b>1(b)(iii)</b>	<ol style="list-style-type: none"> <li>each experiment should be repeated ;</li> <li>calculate {standard deviation / standard error} / find the range ;</li> </ol>	Allow explanation of how the variability of the data could be calculated	<b>(2)</b>

Question Number	Answer	Additional Guidance	Mark
<b>1(b)(iv)</b>	<ol style="list-style-type: none"> <li>idea of plotting a mean ;</li> <li>{range bars / error bars / standard deviation / standard error} plotted ;</li> </ol>		<b>(2)</b>

Question Number	Answer	Additional Guidance	Mark
<b>1(c)</b>	<p><b>Advantages</b></p> <ol style="list-style-type: none"> <li>Plant extracts are {cheap / readily available / easy to obtain / eq} ;</li> <li>idea that bacteria (may) not (become) resistant to plant extracts ;</li> </ol> <p><b>Disadvantages</b></p> <ol style="list-style-type: none"> <li>plant extracts have not been through (clinical) trials / (correct) dosage unknown / eq ;</li> <li>there may be {long term / side} effects of using plant extracts/ eq ;</li> </ol>		<b>(3)</b>



Question Number	Answer	Additional Guidance	Mark
<b>2(a)</b>	<p><b>main solution</b> implant the azot gene ;</p> <p><b>alternative solution</b> the use of {ibuprofen / modified virus / telomerase} ;</p>		<b>(1)</b>

Question Number	Answer	Additional Guidance	Mark												
<b>2(b)</b>	<ol style="list-style-type: none"> <li>one suitable {bar graph / table / pie chart} drawn ;</li> <li>{four / five} {bars / rows / columns / segments} ;</li> <li>{axes / headings / segments} correctly labelled ;</li> <li>suitable title giving the idea of effect of <b>(different) treatments</b> on {ageing / lifespan} of <b>organisms</b> ;</li> </ol>	<table border="1"> <caption>Percent by which life extended</caption> <thead> <tr> <th>Treatment</th> <th>Percent by which life extended</th> </tr> </thead> <tbody> <tr> <td>one-year-old mice with added telomerase</td> <td>~38</td> </tr> <tr> <td>two-year-old mice with added telomerase</td> <td>~25</td> </tr> <tr> <td>insects treated with ibuprofen</td> <td>~28</td> </tr> <tr> <td>yeast treated with ibuprofen</td> <td>~28</td> </tr> <tr> <td>fruit flies with the azot gene implanted</td> <td>~62</td> </tr> </tbody> </table>	Treatment	Percent by which life extended	one-year-old mice with added telomerase	~38	two-year-old mice with added telomerase	~25	insects treated with ibuprofen	~28	yeast treated with ibuprofen	~28	fruit flies with the azot gene implanted	~62	<b>(4)</b>
Treatment	Percent by which life extended														
one-year-old mice with added telomerase	~38														
two-year-old mice with added telomerase	~25														
insects treated with ibuprofen	~28														
yeast treated with ibuprofen	~28														
fruit flies with the azot gene implanted	~62														

Question Number	Answer	Additional Guidance	Mark
<b>2(c)(i)</b>	1. 7.8 ;	accept 7.7 , 7.9	<b>(1)</b>

Question Number	Answer	Additional Guidance	Mark																		
<b>2(c)(ii)</b>	<ol style="list-style-type: none"> <li>8 to 50 ;</li> <li>idea of using a horizontal line for age 22 or telomere length ;</li> <li>read ages from + and - 1 SD / see where SD lines cross horizontal line / eq ;</li> </ol>	<p>Look at the answer as a whole.</p> <p>Accept range: (7-9) to (49-51) Accept any correct subtraction to give range as a single figure</p> <table> <tr> <td><math>51-7 = 44</math></td> <td><math>50-7 = 43</math></td> <td></td> </tr> <tr> <td><math>49-7 = 42</math></td> <td></td> <td></td> </tr> <tr> <td><math>51-8 = 43</math></td> <td><math>50-8 = 42</math></td> <td>49-</td> </tr> <tr> <td><math>8 = 41</math></td> <td></td> <td></td> </tr> <tr> <td><math>51-9 = 42</math></td> <td><math>50-9 = 41</math></td> <td>49-</td> </tr> <tr> <td><math>9 = 40</math></td> <td></td> <td></td> </tr> </table>	$51-7 = 44$	$50-7 = 43$		$49-7 = 42$			$51-8 = 43$	$50-8 = 42$	49-	$8 = 41$			$51-9 = 42$	$50-9 = 41$	49-	$9 = 40$			<b>(3)</b>
$51-7 = 44$	$50-7 = 43$																				
$49-7 = 42$																					
$51-8 = 43$	$50-8 = 42$	49-																			
$8 = 41$																					
$51-9 = 42$	$50-9 = 41$	49-																			
$9 = 40$																					

Question Number	Answer	Additional Guidance	Mark
<b>2(d)(i)</b>	<ol style="list-style-type: none"> <li>correct explanation of what is meant by peer ;</li> <li>correct explanation of what is meant by a review ;</li> </ol>	<p>IGNORE any ref. to repeating the experiment</p> <p>peer in this context is someone with at least as much experience in the science involved as the people writing the paper ACCEPT "scientists" or "experts"</p> <p>to check the {paper / results} to see if {correct / valid / original / significant / reliable}</p>	<b>(2)</b>

Question Number	Answer	Additional Guidance	Mark
<b>2(d)(ii)</b>	<ol style="list-style-type: none"> <li>1. all 6 elements present with no extras i.e. names, date, article title, journal, volume number and pages do not award if "vol.", "pages", "pp" are included ;</li> <li>2. order correct ;</li> <li>3. reference has names followed by initial(s) ;</li> </ol>	<p>Savage, S A and Bertuch, A A. (2010) The genetics and clinical manifestations of telomere biology disorders. Genetics in Medicine, 12 (753-764).</p> <p>there must be a minimum of 4 elements in the correct order to judge this</p> <p>ACCEPT "et al" with one name</p>	<b>(3)</b>

Question Number	Answer	Additional Guidance	Mark
<b>2(e)(i)</b>	<ol style="list-style-type: none"> <li>1. changed views on marriage ;</li> <li>2. changed interaction between siblings and parent ;</li> <li>3. fall in incidence of depression / stress ;</li> </ol>		<b>(3)</b>

Question Number	Answer	Additional Guidance	Mark
<b>2(e)(ii)</b>	<ol style="list-style-type: none"><li>1. idea of religious objections ;</li><li>2. idea of objections to genetic engineering ;</li><li>3. idea of objections to use of animals ;</li><li>4. idea of objections to experimenting on humans ;</li></ol>		<b>(3)</b>