



Mark Scheme (Results)

June 2022

Pearson Edexcel International Advanced Level
In Biology (WBI13) Paper 01
Practical Skills in Biology I

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

June 2022

Question Paper Log Number P70962A

Publications Code WBI13_01_2206_MS

All the material in this publication is copyright

© Pearson Education Ltd 2022

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Question Number	Answer	Additional Guidance	Mark
1(a)(i)	<p>An explanation that includes 3 of the following points:</p> <ul style="list-style-type: none"> • it {carries / transports} the male {gametes / nuclei / generative nucleus} (1) • to the ovule / micropyle / ovary / ovum / female gamete (1) • to {fuse with / fertilise} {ovum / egg (cell) / female gamete / female nucleus / polar nuclei} (1) • digest tissue of style (1) 	Accept sperm	(3)

Question Number	Answer	Additional Guidance	Mark
1(a)(ii)	<p>An explanation that includes the following points:</p> <ul style="list-style-type: none"> • the tubes grow towards the {micropyle / ovule / ovary / ovum / female gamete} (1) • {due to chemicals (released by the embryo sac) / it is chemotropic} (1) 		(2)

Question Number	Answer	Additional Guidance	Mark
1(b)(i)	<p>An answer that includes the following:</p> <ul style="list-style-type: none"> • percentage germination / number germinating (1) • pollen tube length (1) 		(2)

Question Number	Answer	Additional Guidance	Mark
1(b)(ii)	<p>An answer that includes the following points:</p> <ul style="list-style-type: none"> • it involves {enzymes / (chemical) reactions} (1) • example of how {enzymes / (chemical) reactions} are affected by temperature (1) 	e.g kinetic energy / denaturation	(2)

Question Number	Answer	Additional Guidance	Mark
1(c) (i)	<p>An answer that includes the following points:</p> <ul style="list-style-type: none"> • description of method (1) • calculation of dilution factor / use of $C_1V_1=C_2V_2$ to calculate sucrose solution volume as 2 (cm³) (1) • stating the volume of sucrose solution and calcium ion solution to be used to make 10cm³ (1) 	<p>ACCEPT mixed / dilute</p> <p>5x / by 5/ 1:4 / 1 in 5</p> <p>e. g. 2 cm³ of sucrose solution to 8 cm³ calcium ion solution / allow removal of 10cm³ of bigger volume allow ecf</p>	(3)


Question Number	Answer	Additional Guidance	Mark
1(c)(ii)	<ul style="list-style-type: none"> varying the (concentration of) calcium ion solution (1) 	ACCEPT use of buffer (solution)	(1)

Question Number	Answer	Additional Guidance		Mark												
1(d)(i)	<p>An answer including the following:</p> <ul style="list-style-type: none"> suitable table drawn (1) all headings correct with units (1) all data for germination (only) and the 5 sucrose concentrations entered correctly (1) 	<table border="1"> <thead> <tr> <th>Sucrose concentration / solution / mol dm⁻³</th> <th>Germination (%)</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>6</td> </tr> <tr> <td>0.2</td> <td>46</td> </tr> <tr> <td>0.4</td> <td>70</td> </tr> <tr> <td>0.8</td> <td>23</td> </tr> <tr> <td>1.6</td> <td>0</td> </tr> </tbody> </table>	Sucrose concentration / solution / mol dm ⁻³	Germination (%)	0	6	0.2	46	0.4	70	0.8	23	1.6	0	<p>Allow ± 0.5 if they choose to quote germination % to 1 dp.</p>	(3)
Sucrose concentration / solution / mol dm ⁻³	Germination (%)															
0	6															
0.2	46															
0.4	70															
0.8	23															
1.6	0															

Question Number	Answer	Additional Guidance	Mark
1(d)(ii)	<p>An answer that includes the following points :</p> <ul style="list-style-type: none"> • both (appear to) have optimum <u>at 0.4 mol dm⁻³</u> (1) • (but for either) it could be anywhere between above 0.2 mol dm⁻³ and below 0.8 mol dm⁻³ (1) • values for optimum could be different (to each other) / they might not have the same optima / one optimum might not be 0.4 mol dm⁻³ (1) • more concentrations of sucrose (between 0.2 and 0.8 mol dm⁻³) should be investigated (1) 	ACCEPT 0.2 - 0.8 mol dm ⁻³	(3)

Question Number	Answer	Additional Guidance	Mark
2(a)	<p>An answer that includes the following points :</p> <ul style="list-style-type: none"> • cut root tip • (root tips) placed in (warm) acid (1) • (root tips) then placed in named stain (1) • (root tip placed on a microscope slide and) {macerated / teased / described} / squashed (1) • use of high power (on a microscope) (1) • correct ref to safety issue (1) 	<p>e.g. (acetic / ethanoic) orcein / toluidine blue / methylene blue</p> <p>e.g. rinsing tips in water / wearing gloves / goggles</p>	(5)

Question Number	Answer	Additional Guidance	Mark
2(b)	<p>An answer that includes the following steps:</p> <ul style="list-style-type: none"> • correct total cell count and total dividing cell count (1) • division of dividing cell count by total cell count (and multiply by 100) (1) 	<p>NO ecf</p> <p>e.g. $40 / 4$ ACCEPT 3 ACCEPT any figure in range 35 to 46</p> <p>e.g. $(4 \div 40) = 0.10$ ($\times 100 = 10.0$ (%))</p>	(2)

Question Number	Answer	Additional Guidance	Mark												
2(c)(i)	<p>A graph with the following features :</p> <ul style="list-style-type: none"> • A axes correct (x - appropriate to their graph , y - mitotic index) and y axis with no break in the axis (1) • L axes correctly labelled with units (1) • P correct plotting on a linear scale on y (1) • S bar chart (1) 	<p>e.g.</p>  <table border="1"> <caption>Mitotic Index Data</caption> <thead> <tr> <th>Treatment</th> <th>Mitotic Index</th> </tr> </thead> <tbody> <tr> <td>A 1 (mg cm⁻³)</td> <td>4.8</td> </tr> <tr> <td>A 7 (mg cm⁻³)</td> <td>1.2</td> </tr> <tr> <td>B 1 (mg cm⁻³)</td> <td>4.2</td> </tr> <tr> <td>B 7 (mg cm⁻³)</td> <td>1.9</td> </tr> <tr> <td>Control (mg cm⁻³)</td> <td>7.5</td> </tr> </tbody> </table>	Treatment	Mitotic Index	A 1 (mg cm ⁻³)	4.8	A 7 (mg cm ⁻³)	1.2	B 1 (mg cm ⁻³)	4.2	B 7 (mg cm ⁻³)	1.9	Control (mg cm ⁻³)	7.5	(4)
Treatment	Mitotic Index														
A 1 (mg cm ⁻³)	4.8														
A 7 (mg cm ⁻³)	1.2														
B 1 (mg cm ⁻³)	4.2														
B 7 (mg cm ⁻³)	1.9														
Control (mg cm ⁻³)	7.5														

Question Number	Answer	Additional Guidance	Mark
2(c)(ii)	<p>An answer that includes the following points :</p> <ul style="list-style-type: none"> • each treatment should be repeated (1) • {all conditions / named condition} should be kept constant (1) • (mean and) SD calculated / error bars (1) • look for overlap in SDs / perform t-test (1) 	<p>IGNORE standard conditions</p> <p>ALLOW range bars as ecf</p>	(4)


Question Number	Answer	Additional Guidance	Mark
3(a)	<p>An answer that includes the following points :</p> <ul style="list-style-type: none"> • serial dilution of stock solution / described (1) • describe method to measure out same volume of each dilution (into test tube) (1) • add same {volume / no. of drops} (of same concentration) iodine (solution to each test tube) (1) • description of method for observing colour of solution (1) • {observe / note down} the colour of the resultant solution (1) 	<p>e.g. putting solution in a test tube of the same diameter</p>	(4)

Question Number	Answer	Additional Guidance	Mark
3(b)	<p>An answer that includes the following points:</p> <ul style="list-style-type: none"> • Russet and King Edward show {high(er) level of starch / black and dark blue} and therefore best for baking (1) • Nicola and Purple Congo show {low(er) level of starch / pale blue } and therefore best for boiling (1) • King Edward better than Russet for baking / Nicola better than Purple Congo for boiling / King Edward best for baking, Nicola best for boiling(1) • therefore the suggestions are supported by the data (1) • a comment on the subjectivity of the colour differences (1) 	e.g. the results are semi-quantitative	(4)

Question Number	Answer	Additional Guidance	Mark
3(c)	<p>An answer including the following points :</p> <ul style="list-style-type: none"> • suitable method chosen (1) • further detail (1) 	<p>e.g colorimeter, looking down on test tubes and adjusting heights</p> <p>e.g. colorimeter, zeroing, use of same cuvette, measure absorbance or transmission</p> <p>looking down tubes, judging colour intensity by looking down and measure heights.</p>	(2)

Question Number	Answer	Additional Guidance	Mark
3(d)(i)	<p>An answer including the following steps :</p> <ul style="list-style-type: none"> • correct reading at day 23 minus correct reading at day 15 and correct subtraction(1) • division of answer by time (8 days) (1) 	<p>e.g. $14-5 = 9$ or $5-14 = -9$</p> <p>e.g. $9 \div 8 = 1.125 \text{ au day}^{-1}$ ACCEPT au / day, au per day ACCEPT 1.1, 1.13 IGNORE the sign</p>	(2)

Question Number	Answer	Additional Guidance	Mark
3(d)(ii)	<p>An answer including the following points :</p> <ul style="list-style-type: none"> • negative correlation / falls throughout / non-linear (1) • falls {very little / slowly / by 2 au} {between / up to} days 0 and {5 / 15} • falls {a lot / rapidly / by 9} {between / up to} days 15 and 23 (1) 		(2)

Question Number	Answer	Additional Guidance	Mark
3(d)(iii)	<p>A graph that shows the following features:</p> <ul style="list-style-type: none"> • overall rise (1) • an inflection at 15 and then steeper than anywhere else on their graph (1) 	<p>soluble sugar content / au</p>  <p>days in storage</p>	(2)

Pearson Education Limited. Registered company number 872828
with its registered office at 80 Strand, London, WC2R 0RL, United Kingdom