

Mark Scheme (Results)

Summer 2017

Pearson Edexcel IAL In Chemistry (WCH03) Paper 01 Chemistry Laboratory Skills I



https://xtremepape.rs/

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please visit our website at <u>www.edexcel.com</u>.

Our website subject pages hold useful resources, support material and live feeds from our subject advisors giving you access to a portal of information. If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

www.edexcel.com/contactus

Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2017 Publications Code WCH03_01_1706_MS All the material in this publication is copyright © Pearson Education Ltd 2017

General marking guidance

- This mark scheme provides a list of acceptable answers for this paper. Candidates will receive credit for all correct responses but will be penalised if they give more than one answer where only one is required (e.g. putting an additional cross in a set of boxes). If a candidate produces more written answers than the required number (two instead of one, three instead of two etc), only the first answers will be accepted. Free responses are marked for the effective communication of the correct answer rather than for quality of language but it is possible that, on some occasions, the quality of English or poor presentation can impede communication and loose candidate marks. It is sometimes possible for a candidate to produce a written response that does not feature in the mark scheme but which is nevertheless correct. If this were to occur, an examiner would, of course, give full credit to that answer.
- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Using the Mark Scheme

Examiners should look for qualities to reward rather than faults to penalise. This does NOT mean giving credit for incorrect or inadequate answers, but it does mean allowing candidates to be rewarded for answers showing correct application of principles and knowledge. Examiners should therefore read carefully and consider every response: even if it is not what is expected it may be worthy of credit.

The mark scheme gives examiners:

- an idea of the types of response expected
- how individual marks are to be awarded
- the total mark for each question
- examples of responses that should NOT receive credit.

/ means that the responses are alternatives and either answer should receive full credit.

() means that a phrase/word is not essential for the award of the mark, but helps the examiner to get the sense of the expected answer.

Phrases/words in **bold** indicate that the <u>meaning</u> of the phrase or the actual word is **essential** to the answer.

ecf/TE/cq (error carried forward) means that a wrong answer given in an earlier part of a question is used correctly in answer to a later part of the same question.

Candidates must make their meaning clear to the examiner to gain the mark. Make sure that the answer makes sense. Do not give credit for correct words/phrases which are put together in a meaningless manner. Answers must be in the correct context.

Quality of Written Communication

Questions which involve the writing of continuous prose will expect candidates to:

• write legibly, with accurate use of spelling, grammar and punctuation in order to make the meaning clear

• select and use a form and style of writing appropriate to purpose and to complex subject matter

• organise information clearly and coherently, using specialist vocabulary when appropriate.

Full marks will be awarded if the candidate has demonstrated the above abilities.

Questions where QWC is likely to be particularly important are indicated (QWC) in the mark scheme, but this does not preclude others.

Question Number	Acceptable Answers	Reject	Mark
1(a)(i)	K ⁺ /K ⁺¹ /K ¹⁺ IGNORE `potassium (ion)'	Just K	(1)

Question Number	Acceptable Answers		Reject	Mark
1(a)(ii)	Oxygen / O ₂	(1)		(2)
	KNO₃		K ₂ O/KO	
	IGNORE			
	Name/potassium nitrate			
	ALLOW			
	KClO3 / KMnO4 / KO2 / K2O2			
	ALLOW			
	TE on cation identified in (a)(i)	(1)		
	Mark independently			

Question Number	Acceptable Answers		Reject	Mark
1(b)(i)	Carbon dioxide / CO_2	(1)		(2)
	H+ / H₃O+	(1)	Just H, just H₃O	
	IGNORE `hydrogen'	(1)	CO3 ²⁻ H ⁺ / H3O ⁺ with any anions	

Question Number	Acceptable Answers	Reject	Mark
1(b)(ii)	If name and formula are given both must be correct		(2)
	Barium sulfate / BaSO ₄ (1)		
	Sulfuric acid / H_2SO_4 (1)		
	ALLOW		
	NaHSO ₄ / KHSO ₄		

Question Number	Acceptable Answers		Reject	Mark
1(c)	(With bromine water)			(6)
	(From) yellow / orange / brown / red brown	-	Just red	
	brown	(1)		
	(To) colourless / decolourised	(1)	Just `clear'	
	(With PCl ₅)			
	Steamy fumes / white fumes / misty fumes	(1)	White solid / white smoke	
	IGNORE HCI is formed			
	(Blue litmus paper turns) red	(1)	Pink / bleached	
	(Solution turns from) orange	(1)		
	To green			
	ALLOW blue			
		(1)		
	Mark all 6 points independently			

(Total for Question 1 = 13 marks)

Question Number	Acceptable Answers		Reject	Mark
2(a)	(Diagram 1) (Heat under) reflux (condenser) / refluxing	(1)		(2)
	(Diagram 2) (simple) distillation / distilling	(1)	Fractional distillation / fractionation	

Question Number	Acceptable Answers	Reject	Mark
2(b)(i)	Boiling / vaporising / evaporating (in the flask) / liquid to vapour/gas and (then) condensing (in the condenser) / vapour/gas back to liquid	solid to gas aqueous state to gas `It turns to gas'	(1)

Question Number	Acceptable Answers	Reject	Mark
2(b)(ii)	Reaction is slow OR	To ensure that the desired product is obtained	(1)
	time is needed for reaction to reach	Any reference to	
	completion	oxidation	
	OR		
	to ensure complete reaction OR		
	to ensure that all reactants are converted (into products)		
	OR		
	to obtain maximum/high yield		
	IGNORE		
	Any reference to activation energy		

Question Number	Acceptable Answers	Reject	Mark
2(c)(i)	Two layers shown with the upper layer 'aqueous' OR 'water'	No upper boundary for the aqueous layer	(1)
	and		
	lower layer 1-bromobutane / organic layer		
	ALLOW		
	Only one layer correctly labelled		
	IGNORE		
	Relative volumes of each layer		

Question Number	Acceptable Answers	Reject	Mark
2(c)(ii)	(The acid protonates butan-1-ol) forming an ionic species (that is much more soluble in water/hydrochloric acid than the alcohol itself)	Just 'butan-1-ol more soluble in acid than water'	(1)

Question Number	Acceptable Answers	Reject	Mark
2(c)(iii)	As a drying agent / to dry the 1-bromobutane / to remove/absorb (traces of) water ALLOW Moisture in place of water	Dehydrating agent	(1)

Question Number	Acceptable Answers	Reject	Mark
2(c)(iv)	Turns (from cloudy to) clear / stops being cloudy / cloudiness disappears / no longer turbid	Calcium chloride becomes clear	(1)

Question Number	Acceptable Answers	Reject	Mark
2(d)(i)	V (= 14.80 ÷ 0.81 = 18.2716) = 18.3 (cm ³) If units given they must be correct IGNORE SF except 1 SF	cm ⁻³	(1)

Question Number	Acceptable Answers	Reject	Mark
2(d)(ii)	V (= 14.80 ÷ 74		(1)
	= 0.200) = 0.2(00) (mol)		

Question Number	Acceptable Answers	Reject	Mark
2(d)(iii)	Mass (= 0.2(00) x 137) = 27.40 (g)		(1)
	TE from (d)(i) and/or (d)(ii)		
	IGNORE SF except 1 SF		

Question Number	Acceptable Answers	Reject	Mark
2(d)(iv)	$\frac{17.81}{27.40} \times 100\% = 65(\%)$ TE on (d)(iii), unless the yield > 100%		(1)
	IGNORE SF except 1 SF		

Question Number	Acceptable Answers	Reject	Mark
2(e)	 Any TWO from Competing/side reactions OR formation of by-products Incomplete reaction Product lost in purification Product lost in transfers / product lost when using separating funnel 	Not all of the 1-bromobutane reacts Incomplete oxidation Loss during refluxing	(2)
	 filter paper absorbs some product Br⁻/HBr gets oxidised by H₂SO₄ ALLOW 		
	<pre>`Equilibrium reaction' [2] IGNORE</pre>		
	Spillage Human error / lack of precise equipment Balance error Measurement error		

(Total for Question 2 = 14 marks)

Question Number	Acceptable Answers	Reject	Mark
3(a)	Density of water = $1(.0)$ g cm ⁻³ OR $1(.0)$ g/cm ³ OR $1(.0)$ g per cm ³	Incorrect units 200 cm ³ weighs 200 g	(1)
	ALLOW 1(.0) g ml ⁻¹	Mass = volume	
	OR		
	1 cm ³ /ml of water has a mass of 1g		
	OR ALLOW		
	1cm ³ equals 1g		

Question Number	Acceptable Answers	Reject	Mark
3(b)(i)	(Energy released = $200 \times 4.18 \times 24.5$) = 20482 (J)		(1)
	IGNORE		
	SF except 1 SF Sign (+ or -) in front of value		
	ALLOW		
	20.482 kJ		

Question Number	Acceptable Answers	Reject	Mark
3(b)(ii)	(Moles CH ₃ OH = 1.09 ÷ 32.0)		(1)
	= 0.0340625 (mol) = 0.0341 (mol)		
	IGNORE		
	SF except 1 SF		
	NOTE		
	$1.09 \times 32.0 = 34.88$		

Question Number	Acceptable Answers	Reject	Mark
3(b)(iii)	Correct final answer with correct sign, units and SF with or without working scores (3)		(3)
	-20.482 ÷0.0341		
	= -601.306422 (kJ mol ⁻¹)		
	= -601 kJ mol ⁻¹ (3SF)		
	-600 kJ mol ⁻¹ (2SF)		
	Value will depend on number of sig figs used in answers for (b)(i) and (b)(ii) E.g. –602 comes from using 0.034		
	TE on (b)(i) and b(ii)		
	1st mark		
	Answer to ((b)(i) ÷ (b)(ii)) / 1000		
	2nd mark		
	Minus sign and answer in kJ mol ⁻¹ / kJ/mol		
	ALLOW		
	Minus sign and answer in J mol ⁻¹ / J/mol		
	3rd mark		
	Final answer given to 2 SF or 3 SF		

Question Number	Acceptable Answers	Reject	Mark
3(c)(i)	(±) <u>1.0</u> x 100% 24.5		(1)
	= 4.08163	°C	
	$= (\pm)4.08(\%)$		
	IGNORE SF		

Question Number	Acceptable Answers	Reject	Mark
3(c)(ii)	(24.5 + 1.0 =) 25.5(°C)		(1)
	OR		
	(46.0 – 20.5 =) 25.5(°C)		
	OR		
	(24.5 x <u>104.08</u> =) 25.5(°C) 100		

uestion Number	Acceptable Answers	Reject	Mark
3(d)(i)	Evaporation/vaporisation (of methanol / alcohol) ALLOW a description of the liquid turning into a gas	Just "methanol is volatile"	(1)

Question Number	Acceptable Answers	Reject	Mark
3(d)(ii)	Carbon / soot	Any other additional substances with the correct answer. e.g. soot and CO	(1)

Question Number	Acceptable Answers	Reject	Mark
3(d)(iii)	Incomplete combustion/oxidation	Incomplete reaction	(1)
	Insufficient oxygen so that the reaction does not go to completion		
	less CO_2 produced so fewer (v. strong) C=O bonds formed		
	ALLOW layer of soot insulates the water from the flame / layer of soot absorbs heat		

(Total for Question 3 = 11 marks)

Question Number	Acceptable Answers	Reject	Mark
4(a)(i)	 beneath all three titres and 		(1)
	(22.90 + 22.85 + 22.95) ÷ 3		
	$= 22.9(0) (cm^3)$		

Question Number	Acceptable Answers	Reject	Mark
4(a)(ii)	(0.100 x 22.90 ÷ 1000)		(1)
	= $2.29 \times 10^{-3} / 0.00229$ (mol)		
	TE on (a)(i)		
	IGNORE SF except 1SF		

Question Number	Acceptable Answers	Reject	Mark
4(a)(iii)	Moles CH ₃ COOH in 25.0 cm ³ diluted solution		(2)
	= 2.29 x 10 ⁻³ / 0.00229 (mol)		
	Any mention of the value in (a)(ii) scores this mark (1)		
	Moles CH ₃ COOH in 25.0 cm ³ undiluted solution		
	= 2.29 x 10 ⁻² / 0.0229 (mol)		
	TE on (a)(ii) x <u>250</u> 25.0 (1) NOTE		
	2.29 x 10^{-2} / 0.0229 (mol) with or without working scores (2)		

Question Number	Acceptable Answers	Reject	Mark
4(a)(iv)	$(2.29 \times 10^{-2} / 0.0229 \div 0.0250)$ = 0.916 (mol dm ⁻³)		(1)
	TE on (a)(iii) ie (a)(iii) x (¹⁰⁰⁰ / _{25.0})		

Question Number	Acceptable Answers	Reject	Mark
4(a)(v)	Correct final answer with 3SF with or without working scores 3		(3)
	1st mark:		
	$M_{\rm r}$ (CH ₃ COOH) = 60(.0) (g mol ⁻¹)		
	Any mention of "60" or numbers adding to 60 scores M1		
	(1)		
	2nd mark:		
	0.916 x 60(.0) = 54.96 (g dm ⁻³)		
	TE Answer to (a)(iv) x 60(.0) (1)		
	3rd mark:		
	= 55.0 (g dm ⁻³)	Just 55 (g dm ⁻³) for 3rd mark	
	Units not required, but if wrong, do not award M3	Indik	
	TE Answer rounded correctly to 3 SF (1)		
	M3 dependent on M2 unless M2 lost through calculator error		

Question Number	Acceptable Answers	Reject	Mark
4(b)	1st mark:		(2)
	Dilute vinegar removes any water / other contaminants (present in pipette) / to ensure that pipette only contains vinegar		
	ALLOW		
	To clean the pipette (1)		
	IGNORE		
	Any references to accuracy		
	2nd mark:		
	Water (left in pipette) would dilute vinegar / acid		
	ALLOW	Just `Will affect the titre value'	
	Any reference to concentration being decreased / changed OR titre value decreased (1)		

Question Number	Acceptable Answers	Reject	Mark
A(c)	1st mark: (Titre) greater / too high/more/larger (1) IGNORE Any references to accuracy 2nd mark: More moles in a certain volume of acid/vinegar / more moles in the pipette / more moles of acid/vinegar transferred to conical flask ALLOW Just 'more acid' Stated pipette volume does not include quantity left in the tip (1) M2 dependent on M1		(2)

(Total for Question 4 = 12 marks)

TOTAL FOR PAPER = 50 MARKS

Further copies of this publication are available from Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467 Fax 01623 450481 Email <u>publication.orders@edexcel.com</u>

Order Code

For more information on Edexcel qualifications, please visit our website <u>www.edexcel.com</u>

Pearson Education Limited. Registered company number 872828 with its registered office at 80 Strand, London, WC2R 0RL, United Kingdom





