Please check the examination details below before entering your candidate information

Candidate surname	Other names

Pearson Edexcel
International
Advanced Level

Centre Number | | | | | |

Candidate Number | | | | |

Friday 18 January 2019

Afternoon (Time: 1 hour 15 minutes) | Paper Reference **WCH03/01**

Chemistry

Advanced

Unit 3: Chemistry Laboratory Skills I

Candidates must have: Scientific calculator

Total Marks

Instructions

- Use **black** ink or **black** ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
  – *there may be more space than you need.*

Information

- The total mark for this paper is 50.
- The marks for **each** question are shown in brackets
  – *use this as a guide as to how much time to spend on each question.*
- You will be assessed on your ability to organise and present information, ideas, descriptions and arguments clearly and logically, including your use of grammar, punctuation and spelling.
- A Periodic Table is printed on the back cover of this paper.

Advice

- Read each question carefully before you start to answer it.
- Show all your working in calculations and include units where appropriate.
- Check your answers if you have time at the end.

Turn over ▶

P51707A

2/2/2/1/1/

P 5 1 7 0 7 A 0 1 1 6

Pearson

Answer ALL the questions. Write your answers in the spaces provided.

1 A white solid **A** contains one cation and one anion.

(a) A small amount of solid **A** was placed in a test tube and aqueous sodium hydroxide added. The mixture was warmed gently.
Complete the inference column in the table.

(2)

Observation	Inference
A pungent smelling gas was evolved that turned damp red litmus paper blue	The gas formed is ..... The **formula** of the cation in **A** is .....

(b) (i) An aqueous solution of **A** was placed in a test tube and acidified with dilute nitric acid. A few drops of silver nitrate solution were added.
Complete the inference column in the table.

(1)

Observation	Inference
Cream precipitate formed	The precipitate is .....

(ii) Write the **ionic** equation, including state symbols, for the formation of the cream precipitate in (b)(i).

(2)

(iii) Describe how you would confirm the identity of the **anion** in the cream precipitate formed in (b)(i).

(2)

.....

.....

.....

.....

.....

.....

(Total for Question 1 = 7 marks)

2 (a) A student was provided with aqueous solutions of four compounds:

barium nitrate

hydrochloric acid

sodium carbonate

sulfuric acid

Four bottles, labelled **B**, **C**, **D** and **E**, each contained one of the solutions. The student mixed pairs of the solutions to determine which solution was in each bottle.

The results are shown.

Solutions mixed	Observations
B and **C**	Effervescence with bubbles of a colourless gas given off
B and **D**	No visible change
B and **E**	A white precipitate formed which did **not** dissolve on the addition of dilute nitric acid
C and **D**	Effervescence with bubbles of a colourless gas given off
C and **E**	A white precipitate formed which dissolved with effervescence on the addition of dilute nitric acid
D and **E**	No visible change

Use the observations in the table to deduce the identity of the compound in each bottle. Identify each compound by name or formula.

B .....

C .....

D .....

E .....

(3)

(b) (i) The identity of the **cations** present in barium nitrate and sodium carbonate can be confirmed with a flame test on the solid compounds.

Describe how you would carry out a flame test.

(3)

.....

.....

.....

.....

.....

.....

.....

.....

.....

(ii) State the flame colours produced by barium nitrate and sodium carbonate.

Barium nitrate .....

Sodium carbonate .....

(2)

(Total for Question 2 = 8 marks)

3 Chlorine-based bleaches contain sodium chlorate(I), NaClO, as the active ingredient. The concentration of NaClO in bleach was determined by a titration method using sodium thiosulfate.

Sodium chlorate(I) reacted with potassium iodide in acidic solution to produce iodine.

$$ClO^- + 2I^- + 2H^+ \rightarrow I_2 + Cl^- + H_2O$$

The iodine was then titrated with sodium thiosulfate.

$$2S_2O_3^{2-} + I_2 \rightarrow 2I^- + S_4O_6^{2-}$$

Procedure

1. A burette was filled with 0.0600 mol dm^{-3} sodium thiosulfate solution.
2. 10.0 cm^3 of bleach was pipetted into a 250.0 cm^3 volumetric flask and excess potassium iodide and sulfuric acid were added to release iodine. The volume was made up to the mark with distilled water.
3. 25.0 cm^3 of this solution was pipetted into a conical flask and titrated with the sodium thiosulfate solution using a suitable indicator.

(a) State the indicator used and give the colour change at the end-point.

(2)

Indicator	Colour change at the end-point
.....	From ..... to .....

(b) (i) Complete the table of results.

(1)

Number of titration	1	2	3	4
Burette reading (final) / cm^3	23.65	46.45	24.40	47.10
Burette reading (start) / cm^3	0.00	23.65	1.20	24.40
Titre / cm^3				

(ii) State with a reason which results should be used to calculate the mean titre value.

(2)

.....

.....

.....

(iii) Calculate the mean titre.

(1)

(iv) Calculate the number of moles of sodium thiosulfate in this mean titre.

(1)

(v) Calculate the number of moles of iodine in 25.0 cm^3 of the diluted solution.

(1)

(vi) Calculate the number of moles of sodium chlorate(I) in the 250.0 cm^3 volumetric flask.

(1)

(vii) Calculate the concentration of sodium chlorate(I) in the **undiluted** bleach in mol dm^{-3}.

(1)

(c) The 0.0600 mol dm^{-3} sodium thiosulfate solution used in this titration is known as a standard solution.

Describe the steps you would take to prepare this standard solution as accurately as possible. You are supplied with the appropriate mass of sodium thiosulfate and the usual laboratory glassware, including a volumetric flask.

No calculations are required.

(3)

(Total for Question 3 = 13 marks)

BLANK PAGE

4 Hydrogen peroxide, H_2O_2, decomposes according to the equation

$$2H_2O_2 \rightarrow 2H_2O + O_2$$

The rate of decomposition is increased by a catalyst.

A student tested three metal oxides to determine which was the best catalyst.
The oxides were manganese(IV) oxide, iron(III) oxide and lead(IV) oxide.
They are all solids.

The student used the following apparatus and experimental procedure.



Procedure

1. Hydrogen peroxide solution was poured into the conical flask.
2. Solid manganese(IV) oxide was added.
3. The bung was quickly replaced to connect the gas syringe to the conical flask.
4. The procedure was repeated using iron(III) oxide and lead(IV) oxide.

(a) Suggest **three** things you would do to ensure that the metal oxides are compared fairly, when using this procedure.

(3)

1 .....

.....

.....

2 .....

.....

.....

3 .....

.....

.....

(b) State the measurements the student should make to determine which is the best catalyst.

(2)

.....

.....

.....

.....

(c) The student thought that some of the gas escaped from the conical flask before the bung had been replaced.

Suggest how this experiment could be modified to prevent this loss.

(1)

.....

.....

.....

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(d) Another student thought that some of the oxygen produced may have come from the decomposition of the metal oxide.

Suggest how this idea could be tested.

(2)

.....

.....

.....

.....

.....

.....

.....

.....

.....

(Total for Question 4 = 8 marks)

5 Some organic reactions are shown.



(a) Reaction **1** and Reaction **2** use the same reagent but require different conditions.

Identify the reagent and give the conditions needed for Reaction **1**.

(2)

.....

.....

(b) (i) Give a chemical test and its positive result to show the presence of the double bond in $CH_3CH{=}CH_2$.

(2)

.....

.....

.....

.....

(ii) Give the structure of the organic product of the test in (b)(i).

(1)

(c) A student added phosphorus(V) chloride, PCl_5, to the product of Reaction **2**, $CH_3CH_2CH_2OH$. Hydrogen chloride was formed.

(i) State the observation the student would be expected to make.

(1)

.....

.....

(ii) Complete the table to show the hazard and the appropriate safety precaution for each chemical.

Do not include the wearing of eye protection and a laboratory coat.

(3)

Chemical	Hazard	Safety precaution
PCl_5		
$CH_3CH_2CH_2OH$		
HCl		

(d) In Reaction **3**, $CH_3CH_2CH_2OH$ is oxidised to CH_3CH_2CHO using aqueous potassium dichromate(VI) acidified with sulfuric acid.

(i) State the colour **change** that occurs during this oxidation reaction.

(1)

.....

.....

(ii) Draw a labelled diagram of the apparatus you would use to carry out Reaction **3** and collect the product.

(3)

(iii) Explain how infrared spectroscopy could be used to confirm that **all** the $CH_3CH_2CH_2OH$ has been oxidised to CH_3CH_2CHO in Reaction **3**.
You are not expected to give specific wavenumbers.

(1)

.....

.....

.....

.....

.....

(Total for Question 5 = 14 marks)

TOTAL FOR PAPER = 50 MARKS

The Periodic Table of Elements

1	2											3	4	5	6	7	0 (8) (18)
							1.0 H hydrogen 1										4.0 He helium 2
(1)	(2)											(13)	(14)	(15)	(16)	(17)	
6.9 Li lithium 3	9.0 Be beryllium 4											10.8 B boron 5	12.0 C carbon 6	14.0 N nitrogen 7	16.0 O oxygen 8	19.0 F fluorine 9	20.2 Ne neon 10
23.0 Na sodium 11	24.3 Mg magnesium 12	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	27.0 Al aluminium 13	28.1 Si silicon 14	31.0 P phosphorus 15	32.1 S sulfur 16	35.5 Cl chlorine 17	39.9 Ar argon 18
39.1 K potassium 19	40.1 Ca calcium 20	45.0 Sc scandium 21	47.9 Ti titanium 22	50.9 V vanadium 23	52.0 Cr chromium 24	54.9 Mn manganese 25	55.8 Fe iron 26	58.9 Co cobalt 27	58.7 Ni nickel 28	63.5 Cu copper 29	65.4 Zn zinc 30	69.7 Ga gallium 31	72.6 Ge germanium 32	74.9 As arsenic 33	79.0 Se selenium 34	79.9 Br bromine 35	83.8 Kr krypton 36
85.5 Rb rubidium 37	87.6 Sr strontium 38	88.9 Y yttrium 39	91.2 Zr zirconium 40	92.9 Nb niobium 41	95.9 Mo molybdenum 42	[98] Tc technetium 43	101.1 Ru ruthenium 44	102.9 Rh rhodium 45	106.4 Pd palladium 46	107.9 Ag silver 47	112.4 Cd cadmium 48	114.8 In indium 49	118.7 Sn tin 50	121.8 Sb antimony 51	127.6 Te tellurium 52	126.9 I iodine 53	131.3 Xe xenon 54
132.9 Cs caesium 55	137.3 Ba barium 56	138.9 La* lanthanum 57	178.5 Hf hafnium 72	180.9 Ta tantalum 73	183.8 W tungsten 74	186.2 Re rhenium 75	190.2 Os osmium 76	192.2 Ir iridium 77	195.1 Pt platinum 78	197.0 Au gold 79	200.6 Hg mercury 80	204.4 Tl thallium 81	207.2 Pb lead 82	209.0 Bi bismuth 83	[209] Po polonium 84	[210] At astatine 85	[222] Rn radon 86
[223] Fr francium 87	[226] Ra radium 88	[227] Ac* actinium 89	[261] Rf rutherfordium 104	[262] Db dubnium 105	[266] Sg seaborgium 106	[264] Bh bohrium 107	[277] Hs hassium 108	[268] Mt meitnerium 109	[271] Ds darmstadtium 110	[272] Rg roentgenium 111							

Key: relative atomic mass / **atomic symbol** / name / atomic (proton) number

Elements with atomic numbers 112-116 have been reported but not fully authenticated

* Lanthanide series	140 Ce cerium 58	141 Pr praseodymium 59	144 Nd neodymium 60	[147] Pm promethium 61	150 Sm samarium 62	152 Eu europium 63	157 Gd gadolinium 64	159 Tb terbium 65	163 Dy dysprosium 66	165 Ho holmium 67	167 Er erbium 68	169 Tm thulium 69	173 Yb ytterbium 70	175 Lu lutetium 71
* Actinide series	232 Th thorium 90	[231] Pa protactinium 91	238 U uranium 92	[237] Np neptunium 93	[242] Pu plutonium 94	[243] Am americium 95	[247] Cm curium 96	[245] Bk berkelium 97	[251] Cf californium 98	[254] Es einsteinium 99	[253] Fm fermium 100	[256] Md mendelevium 101	[254] No nobelium 102	[257] Lr lawrencium 103