

1. A bag contains a large number of counters of which 15% are coloured red. A random sample of 30 counters is selected and the number of red counters is recorded.

(a) Find the probability of no more than 6 red counters in this sample. **(2)**

A second random sample of 30 counters is selected and the number of red counters is recorded.

(b) Using a Poisson approximation, estimate the probability that the total number of red counters in the combined sample of size 60 is less than 13. **(3)**



Leave
blank

Question 2 continued

Handwritten response area consisting of 28 horizontal lines.

(Total 6 marks)

Q2



4. Past records suggest that 30% of customers who buy baked beans from a large supermarket buy them in single tins. A new manager questions whether or not there has been a change in the proportion of customers who buy baked beans in single tins. A random sample of 20 customers who had bought baked beans was taken.

(a) Using a 10% level of significance, find the critical region for a two-tailed test to answer the manager's question. You should state the probability of rejection in each tail which should be less than 0.05.

(5)

(b) Write down the actual significance level of a test based on your critical region from part (a).

(1)

The manager found that 11 customers from the sample of 20 had bought baked beans in single tins.

(c) Comment on this finding in the light of your critical region found in part (a).

(2)



6. The three independent random variables A , B and C each has a continuous uniform distribution over the interval $[0, 5]$.

(a) Find $P(A > 3)$. (1)

(b) Find the probability that A , B and C are all greater than 3. (2)

The random variable Y represents the maximum value of A , B and C .

The cumulative distribution function of Y is

$$F(y) = \begin{cases} 0 & y < 0 \\ \frac{y^3}{125} & 0 \leq y \leq 5 \\ 1 & y > 5 \end{cases}$$

(c) Find the probability density function of Y . (2)

(d) Sketch the probability density function of Y . (2)

(e) Write down the mode of Y . (1)

(f) Find $E(Y)$. (3)

(g) Find $P(Y > 3)$. (2)



Question 6 continued

Lined area for writing the answer to Question 6.

(Total 13 marks)

Q6

--	--



7.




Figure 1

Figure 1 shows a sketch of the probability density function $f(x)$ of the random variable X . The part of the sketch from $x = 0$ to $x = 4$ consists of an isosceles triangle with maximum at $(2, 0.5)$.

(a) Write down $E(X)$. (1)

The probability density function $f(x)$ can be written in the following form.

$$f(x) = \begin{cases} ax & 0 \leq x < 2 \\ b - ax & 2 \leq x \leq 4 \\ 0 & \text{otherwise} \end{cases}$$

(b) Find the values of the constants a and b . (2)

(c) Show that σ , the standard deviation of X , is 0.816 to 3 decimal places. (7)

(d) Find the lower quartile of X . (3)

(e) State, giving a reason, whether $P(2 - \sigma < X < 2 + \sigma)$ is more or less than 0.5 (2)



Question 7 continued

A series of horizontal lines for writing, consisting of 31 lines.



Question 7 continued

Lined area for writing answers to Question 7.

(Total 15 marks)

Q7



8. A cloth manufacturer knows that faults occur randomly in the production process at a rate of 2 every 15 metres.

(a) Find the probability of exactly 4 faults in a 15 metre length of cloth. (2)

(b) Find the probability of more than 10 faults in 60 metres of cloth. (3)

A retailer buys a large amount of this cloth and sells it in pieces of length x metres. He chooses x so that the probability of no faults in a piece is 0.80

(c) Write down an equation for x and show that $x = 1.7$ to 2 significant figures. (4)

The retailer sells 1200 of these pieces of cloth. He makes a profit of 60p on each piece of cloth that does not contain a fault but a loss of £1.50 on any pieces that do contain faults.

(d) Find the retailer's expected profit. (4)



Question 8 continued

Ruled writing area for Question 8 continued.



Question 8 continued

[Handwriting area with 26 horizontal lines]

Q8

(Total 13 marks)

TOTAL FOR PAPER: 75 MARKS

END

