Centre No.					Pape	r Refer	ence			Surname	Initial(s)
Candidate No.			6	6	6	7	/	0	1	Signature	

Paper Reference(s)

## 6667/01

# **Edexcel GCE**

## **Further Pure Mathematics FP1** Advanced/Advanced Subsidiary

Monday 1 February 2010 – Afternoon Time: 1 hour 30 minutes

|--|

Mathematical Formulae (Pink)

Items included with question papers

Candidates may use any calculator allowed by the regulations of the Joint Council for Qualifications. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

### **Instructions to Candidates**

In the boxes above, write your centre number, candidate number, your surname, initials and signature. Check that you have the correct question paper.

Answer ALL the questions.

You must write your answer to each question in the space following the question.

When a calculator is used, the answer should be given to an appropriate degree of accuracy.

### **Information for Candidates**

A booklet 'Mathematical Formulae and Statistical Tables' is provided.

Full marks may be obtained for answers to ALL questions.

The marks for individual questions and the parts of questions are shown in round brackets: e.g. (2).

There are 9 questions in this question paper. The total mark for this paper is 75.

There are 24 pages in this question paper. Any blank pages are indicated.


#### **Advice to Candidates**

You must ensure that your answers to parts of questions are clearly labelled. You should show sufficient working to make your methods clear to the Examiner. Answers without working may not gain full credit.

This publication may be reproduced only in accordance with Edexcel Limited copyright policy. ©2010 Edexcel Limited.

N35143A W850/R6667/57570 3/5/5/3





Examiner's use only

Team Leader's use only

1

3

4

5

6

7

8



Leave blank

1.	The complex	numbers z,	and $z_{2}$	are given	by
	The complex	1101111001152	<b>4114 -</b> 2	are 51, em	0)

$$z_1 = 2 + 8i$$
 and  $z_2 = 1 - i$ 

Find, showing your working,

(a)  $\frac{z_1}{z_2}$  in the form a + bi, where a and b are real,

(3)

(b) the value of  $\left| \frac{z_1}{z_2} \right|$ ,

**(2)** 

(c) the value of arg  $\frac{z_1}{z_2}$ , giving your answer in radians to 2 decimal places.

(2)



Question 1 continued	Leabla
	 01
	Q1



Leave

2.	$f(x) = 3x^2 - \frac{11}{x^2}$	
	(a) Write down, to 3 decimal places, the value of $f(1.3)$ and the value of $f(1.4)$ . (1)	
	The equation $f(x) = 0$ has a root $\alpha$ between 1.3 and 1.4	
	(b) Starting with the interval [1.3, 1.4], use interval bisection to find an interval of width 0.025 which contains $\alpha$ . (3)	
	<ul> <li>(c) Taking 1.4 as a first approximation to α, apply the Newton-Raphson procedure once to f(x) to obtain a second approximation to α, giving your answer to 3 decimal places.</li> <li>(5)</li> </ul>	

Question 2 continued		Le bla
		02
	(Total 9 marks)	Q2



-
Leave
11 1
blank

A sequence of numbers is defined by	
$u_1=2$ ,	
$u_{n+1}=5u_n-4, \qquad n\geqslant 1.$	
Prove by induction that, for $n \in \mathbb{Z}^+$ , $u_n = 5^{n-1} + 1$ .	
Trove by induction that, for $n \in \mathbb{Z}$ , $u_n = 3$	(4)

Question 3 continued	Le

4.






Figure 1

Figure 1 shows a sketch of part of the parabola with equation  $y^2 = 12x$ .

The point *P* on the parabola has *x*-coordinate  $\frac{1}{3}$ .

The point S is the focus of the parabola.

(a) Write down the coordinates of *S*.

**(1)** 

The points A and B lie on the directrix of the parabola. The point A is on the x-axis and the y-coordinate of B is positive.

Given that ABPS is a trapezium,

(b) calculate the perimeter of ABPS.

**(5)** 



Question 4 continued	Lea bla

N 3 5 1 4 3 A 0 9 2 4

Leave blank

-	. (	l	-5	
5.	$A = \begin{bmatrix} 2 \end{bmatrix}$	2	a+4	, where $a$ is real.

(a) Find det **A** in terms of *a*.

(2)


(b) Show that the matrix A is non-singular for all values of a.

(3)

Given that a = 0,

(c) find  $A^{-1}$ .

(3)



Question 5 continued	Lea
	~ <b>-</b>
	Q5

11

Given that 2 and 5 + 2i are roots of the equation	
$x^3 - 12x^2 + cx + d = 0,$ $c, d \in \mathbb{R},$	
(a) write down the other complex root of the equation.	(1)
(b) Find the value of $c$ and the value of $d$ .	(5)
(c) Show the three roots of this equation on a single Argand diagram.	(2)

Question 6 continued		Lea bla
		<b>Q6</b>
	(Total 8 marks)	

13

Leave
blank
Dialik

The rectangular hypothela $H$ has equation $xy = c^2$ where $a$ is a constant	
The rectangular hyperbola <i>H</i> has equation $xy = c^2$ , where <i>c</i> is a constant.	
The point $P\left(ct, \frac{c}{t}\right)$ is a general point on $H$ .	
(a) Show that the tangent to $H$ at $P$ has equation	
$t^2 y + x = 2ct$	
·	(4)
The tangents to $H$ at the points $A$ and $B$ meet at the point $(15c, -c)$ .	
(b) Find, in terms of $c$ , the coordinates of $A$ and $B$ .	
	(5)

Question 7 continued	Leave blank



Question 7 continued	Leave blank



Question 7 continued		Lea bla
		0.5
	(Total 9 marks)	Q7

17

T	
Leave	
blank	

**8.** (a) Prove by induction that, for any positive integer n,

$$\sum_{r=1}^{n} r^{3} = \frac{1}{4} n^{2} (n+1)^{2}$$

(5)

(b) Using the formulae for  $\sum_{r=1}^{n} r$  and  $\sum_{r=1}^{n} r^3$ , show that

$$\sum_{r=1}^{n} (r^3 + 3r + 2) = \frac{1}{4} n(n+2)(n^2 + 7)$$

(5)

(c) Hence evaluate  $\sum_{r=15}^{25} (r^3 + 3r + 2)$ 

(2)

Question 8 continued	Leave blank



Question 8 continued	Leave blank

Question 8 continued		Le bl
	(Total 12 marks)	

21

Leave blank

9.

$$\mathbf{M} = \begin{pmatrix} \frac{1}{\sqrt{2}} & -\frac{1}{\sqrt{2}} \\ \frac{1}{\sqrt{2}} & \frac{1}{\sqrt{2}} \end{pmatrix}$$

(a) Describe fully the geometrical transformation represented by the matrix  $\mathbf{M}$ .

**(2)** 

The transformation represented by **M** maps the point *A* with coordinates (p, q) onto the point *B* with coordinates  $(3\sqrt{2}, 4\sqrt{2})$ .

(b) Find the value of p and the value of q.

**(4)** 

(c) Find, in its simplest surd form, the length OA, where O is the origin.

(2)

(d) Find  $\mathbf{M}^2$ .

**(2)** 

The point B is mapped onto the point C by the transformation represented by  $\mathbf{M}^2$ .

(e) Find the coordinates of C.

**(2)** 



Question 9 continued	Leav blan



	<b>Q9</b>
(Total 12 marks)	
	Л
TOTAL FOR PAPER: 75 MARKS	

