Centre No.						Paper Reference							Surname	Initial(s)
Candidate No.						6	6	6	9	/	0	1	Signature	

Paper Reference(s)

6669/01

Edexcel GCE

Further Pure Mathematics FP3

Advanced/Advanced Subsidiary

Friday 24 June 2011 – Afternoon

Time: 1 hour 30 minutes

Examiner's use only

Team Leader's use only

Question Number	Leave Blank
1	
2	
3	
4	
5	
6	
7	
8	
Total	

Materials required for examination
Mathematical Formulae (Pink)

Items included with question papers
Nil

Candidates may use any calculator allowed by the regulations of the Joint Council for Qualifications. Calculators must not have the facility for symbolic algebra manipulation or symbolic differentiation/integration, or have retrievable mathematical formulae stored in them.

Instructions to Candidates

In the boxes above, write your centre number, candidate number, your surname, initials and signature.
Check that you have the correct question paper.
Answer ALL the questions.
You must write your answer to each question in the space following the question.
When a calculator is used, the answer should be given to an appropriate degree of accuracy.

Information for Candidates

A booklet 'Mathematical Formulae and Statistical Tables' is provided.
Full marks may be obtained for answers to ALL questions.
The marks for individual questions and the parts of questions are shown in round brackets: e.g. **(2)**.
There are 8 questions in this question paper. The total mark for this paper is 75.
There are 28 pages in this question paper. Any blank pages are indicated.

Advice to Candidates

You must ensure that your answers to parts of questions are clearly labelled.
You should show sufficient working to make your methods clear to the Examiner.
Answers without working may not gain full credit.

This publication may be reproduced only in accordance with Edexcel Limited copyright policy.
©2011 Edexcel Limited.

Printer's Log. No.
P35414A
W850/R6669/57570 5/5/3/4

P 3 5 4 1 4 A 0 1 2 8

Turn over

edexcel
advancing learning, changing lives

https://xtremepape.rs/

Leave blank

1. The curve C has equation $y = 2x^3$, $0 \leqslant x \leqslant 2$.

The curve C is rotated through 2π radians about the x-axis.

Using calculus, find the area of the surface generated, giving your answer to 3 significant figures.

(5)

https://xtremepape.rs/

Leave blank

Question 1 continued

Q1

(Total 5 marks)

https://xtremepape.rs/

Leave blank

2. (a) Given that $y = x \arcsin x, \quad 0 \leqslant x \leqslant 1$, find

(i) an expression for $\frac{dy}{dx}$,

(ii) the exact value of $\frac{dy}{dx}$ when $x = \frac{1}{2}$.

(3)

(b) Given that $y = \arctan(3e^{2x})$, show that

$$\frac{dy}{dx} = \frac{3}{5\cosh 2x + 4\sinh 2x}$$

(5)

P 3 5 4 1 4 A 0 4 2 8

https://xtremepape.rs/

Leave blank

Question 2 continued

Q2

(Total 8 marks)

https://xtremepape.rs/

Leave blank

3. Show that

(a) $\displaystyle\int_5^8 \frac{1}{x^2 - 10x + 34}\,\mathrm{d}x = k\pi$, giving the value of the fraction k,

(5)

(b) $\displaystyle\int_5^8 \frac{1}{\sqrt{(x^2 - 10x + 34)}}\,\mathrm{d}x = \ln(A + \sqrt{n})$, giving the values of the integers A and n.

(4)

P 3 5 4 1 4 A 0 6 2 8

https://xtremepape.rs/

Leave blank

Question 3 continued

Q3

(Total 9 marks)

https://xtremepape.rs/

Leave blank

4.

$$I_n = \int_1^{\mathrm{e}} x^2 (\ln x)^n \, \mathrm{d}x, \qquad n \geqslant 0$$

(a) Prove that, for $n \geqslant 1$,

$$I_n = \frac{\mathrm{e}^3}{3} - \frac{n}{3} I_{n-1}$$

(4)

(b) Find the exact value of I_3.

(4)

P 3 5 4 1 4 A 0 8 2 8

https://xtremepape.rs/

Leave blank

Question 4 continued

https://xtremepape.rs/

Leave blank

Question 4 continued

https://xtremepape.rs/

Leave blank

Question 4 continued

Q4

(Total 8 marks)

https://xtremepape.rs/

Leave blank

5. The curve C_1 has equation $y = 3\sinh 2x$, and the curve C_2 has equation $y = 13 - 3e^{2x}$.

(a) Sketch the graph of the curves C_1 and C_2 on one set of axes, giving the equation of any asymptote and the coordinates of points where the curves cross the axes.

(4)

(b) Solve the equation $3\sinh 2x = 13 - 3e^{2x}$, giving your answer in the form $\frac{1}{2}\ln k$, where k is an integer.

(5)

https://xtremepape.rs/

Leave blank

Question 5 continued

https://xtremepape.rs/

Leave blank

Question 5 continued

https://xtremepape.rs/

Leave blank

Question 5 continued

Q5

(Total 9 marks)

https://xtremepape.rs/

Leave blank

6. The plane P has equation

$$\mathbf{r} = \begin{pmatrix} 3 \\ 1 \\ 2 \end{pmatrix} + \lambda \begin{pmatrix} 0 \\ 2 \\ -1 \end{pmatrix} + \mu \begin{pmatrix} 3 \\ 2 \\ 2 \end{pmatrix}$$

(a) Find a vector perpendicular to the plane P.

(2)

The line l passes through the point A (1, 3, 3) and meets P at (3, 1, 2).

The acute angle between the plane P and the line l is α.

(b) Find α to the nearest degree.

(4)

(c) Find the perpendicular distance from A to the plane P.

(4)

https://xtremepape.rs/

Leave blank

Question 6 continued

https://xtremepape.rs/

Leave blank

Question 6 continued

https://xtremepape.rs/

Leave blank

Question 6 continued

(Total 10 marks)

Q6

https://xtremepape.rs/

Leave blank

7. The matrix **M** is given by

$$\mathbf{M} = \begin{pmatrix} k & -1 & 1 \\ 1 & 0 & -1 \\ 3 & -2 & 1 \end{pmatrix}, \quad k \neq 1$$

(a) Show that $\det \mathbf{M} = 2 - 2k$.

(2)

(b) Find $\mathbf{M}^{-1}$, in terms of k.

(5)

The straight line l_1 is mapped onto the straight line l_2 by the transformation represented by the matrix $\begin{pmatrix} 2 & -1 & 1 \\ 1 & 0 & -1 \\ 3 & -2 & 1 \end{pmatrix}$.

The equation of l_2 is $(\mathbf{r} - \mathbf{a}) \times \mathbf{b} = 0$, where $\mathbf{a} = 4\mathbf{i} + \mathbf{j} + 7\mathbf{k}$ and $\mathbf{b} = 4\mathbf{i} + \mathbf{j} + 3\mathbf{k}$.

(c) Find a vector equation for the line l_1.

(5)

P 3 5 4 1 4 A 0 2 0 2 8

https://xtremepape.rs/

Leave blank

Question 7 continued

https://xtremepape.rs/

Leave blank

Question 7 continued

https://xtremepape.rs/

Leave blank

Question 7 continued

(Total 12 marks)

Q7

https://xtremepape.rs/

Leave blank

8. The hyperbola H has equation

$$\frac{x^2}{a^2} - \frac{y^2}{b^2} = 1$$

(a) Use calculus to show that the equation of the tangent to H at the point $(a\cosh\theta, b\sinh\theta)$ may be written in the form

$$xb\cosh\theta - ya\sinh\theta = ab$$

(4)

The line l_1 is the tangent to H at the point $(a\cosh\theta, b\sinh\theta)$, $\theta \neq 0$.
Given that l_1 meets the x-axis at the point P,

(b) find, in terms of a and θ, the coordinates of P.

(2)

The line l_2 is the tangent to H at the point $(a, 0)$.
Given that l_1 and l_2 meet at the point Q,

(c) find, in terms of a, b and θ, the coordinates of Q.

(2)

(d) Show that, as θ varies, the locus of the mid-point of PQ has equation

$$x(4y^2 + b^2) = ab^2$$

(6)

P 3 5 4 1 4 A 0 2 4 2 8

https://xtremepape.rs/

Leave blank

Question 8 continued

https://xtremepape.rs/

Leave blank

Question 8 continued

https://xtremepape.rs/

Leave blank

Question 8 continued

https://xtremepape.rs/

Leave blank

Question 8 continued

Q8

(Total 14 marks)

TOTAL FOR PAPER: 75 MARKS

END

https://xtremepape.rs/