

Question 1 continued

Lined area for writing answers.

(Total 6 marks)

Q1



3. Find the set of values of x for which

(a) $4x - 5 > 15 - x$

(2)

(b) $x(x - 4) > 12$

(4)

Lined area for student answers.



P 4 0 0 8 2 A 0 6 2 8

4. A sequence x_1, x_2, x_3, \dots is defined by

$$x_1 = 1$$

$$x_{n+1} = ax_n + 5, \quad n \geq 1$$

where a is a constant.

(a) Write down an expression for x_2 in terms of a . (1)

(b) Show that $x_3 = a^2 + 5a + 5$ (2)

Given that $x_3 = 41$

(c) find the possible values of a . (3)



Leave
blank

Question 5 continued

Q5

(Total 8 marks)



6.




Figure 1

The line l_1 has equation $2x - 3y + 12 = 0$

(a) Find the gradient of l_1 . **(1)**

The line l_1 crosses the x -axis at the point A and the y -axis at the point B , as shown in Figure 1.

The line l_2 is perpendicular to l_1 and passes through B .

(b) Find an equation of l_2 . **(3)**

The line l_2 crosses the x -axis at the point C .

(c) Find the area of triangle ABC . **(4)**



Question 8 continued



Leave
blank

Question 8 continued

Q8

(Total 10 marks)

21

Turn over



9. A company offers two salary schemes for a 10-year period, Year 1 to Year 10 inclusive.

Scheme 1: Salary in Year 1 is £ P .
 Salary increases by £ $(2T)$ each year, forming an arithmetic sequence.

Scheme 2: Salary in Year 1 is £ $(P + 1800)$.
 Salary increases by £ T each year, forming an arithmetic sequence.

(a) Show that the **total** earned under Salary Scheme 1 for the 10-year period is

$$\pounds(10P + 90T) \tag{2}$$

For the 10-year period, the **total** earned is the same for both salary schemes.

(b) Find the value of T . (4)

For this value of T , the salary in Year 10 under Salary Scheme 2 is £29 850

(c) Find the value of P . (3)



10.




Figure 2

Figure 2 shows a sketch of the curve C with equation

$$y = 2 - \frac{1}{x}, \quad x \neq 0$$

The curve crosses the x -axis at the point A .

(a) Find the coordinates of A . (1)

(b) Show that the equation of the normal to C at A can be written as

$$2x + 8y - 1 = 0 \tag{6}$$

The normal to C at A meets C again at the point B , as shown in Figure 2.

(c) Find the coordinates of B . (4)



