

Write your name here

Surname

Other names

Pearson Edexcel
International
Advanced Level

Centre Number

--	--	--	--	--	--

Candidate Number

--	--	--	--	--	--

Mechanics M1

Advanced/Advanced Subsidiary

Tuesday 25 October 2016 – Afternoon
Time: 1 hour 30 minutes

Paper Reference

WME01/01

You must have:

Mathematical Formulae and Statistical Tables (Blue)

Total Marks

--

Candidates may use any calculator allowed by the regulations of the Joint Council for Qualifications. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B). Coloured pencils and highlighter pens must not be used.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
– *there may be more space than you need.*
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Whenever a numerical value of g is required, take $g = 9.8 \text{ m s}^{-2}$, and give your answer to either two significant figures or three significant figures.
- When a calculator is used, the answer should be given to an appropriate degree of accuracy.

Information

- The total mark for this paper is 75.
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P48104A

©2016 Pearson Education Ltd.

1/1/1/



PEARSON

1. Two particles, P and Q , have masses $2m$ and $3m$ respectively. They are moving towards each other, in opposite directions, along the same straight line, on a smooth horizontal plane. The particles collide. Immediately before they collide the speed of P is $2u$ and the speed of Q is u . In the collision the magnitude of the impulse exerted on P by Q is $5mu$.

(a) Find the speed of P immediately after the collision. **(3)**

(b) State whether the direction of motion of P has been reversed by the collision. **(1)**

(c) Find the speed of Q immediately after the collision. **(3)**



Question 2 continued

Lined writing area for the answer to Question 2.

(Total 9 marks)

Q2

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



3.




Figure 1

A plank *AB* has length 8 m and mass 12 kg. The plank rests on two supports. One support is at *C*, where *AC* = 3 m and the other support is at *D*, where *AD* = *x* metres. A block of mass 3 kg is placed on the plank at *B*, as shown in Figure 1. The plank rests in equilibrium in a horizontal position. The magnitude of the force exerted on the plank by the support at *D* is twice the magnitude of the force exerted on the plank by the support at *C*. The plank is modelled as a uniform rod and the block is modelled as a particle.

Find the value of *x*.

(7)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Leave blank

Question 3 continued

Area for writing answer to Question 3 continued. The area contains 30 horizontal lines.

Q3

(Total 7 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



4. [In this question \mathbf{i} and \mathbf{j} are horizontal unit vectors due east and due north respectively and position vectors are given relative to a fixed origin O]

A particle P is moving with velocity $(\mathbf{i} - 2\mathbf{j}) \text{ km h}^{-1}$. At time $t = 0$ hours, the position vector of P is $(-5\mathbf{i} + 9\mathbf{j}) \text{ km}$. At time t hours, the position vector of P is $\mathbf{p} \text{ km}$.

(a) Find an expression for \mathbf{p} in terms of t . (2)

The point A has position vector $(3\mathbf{i} + 2\mathbf{j}) \text{ km}$.

(b) Find the position vector of P when P is due west of A . (4)

Another particle Q is moving with velocity $[(2b - 1)\mathbf{i} + (5 - 2b)\mathbf{j}] \text{ km h}^{-1}$ where b is a constant.

Given that the particles are moving along parallel lines,

(c) find the value of b . (4)



5.




Figure 2

A particle P of mass 0.5 kg is at rest on a rough plane which is inclined to the horizontal at 30° . The particle is held in equilibrium by a force of magnitude 8 N , acting at an angle of 40° to the plane, as shown in Figure 2. The line of action of the force lies in the vertical plane containing P and a line of greatest slope of the plane. The coefficient of friction between P and the plane is μ . Given that P is on the point of sliding up the plane, find the value of μ .

(9)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Leave
blank

Question 5 continued

Lined writing area for the answer to Question 5.

(Total 9 marks)

Q5

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



6. Two cars A and B are moving in the same direction along a straight horizontal road. Car A is moving with uniform acceleration 0.4ms^{-2} and car B is moving with uniform acceleration 0.5ms^{-2} . At the instant when B is 200m behind A , the speed of A is 35ms^{-1} and the speed of B is 44ms^{-1} . Find the speed of B when it overtakes A .

(9)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 6 continued

Lined writing area for question 6

(Total 9 marks)

Q6

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



