Please check the examination details be	elow before entering your candidate information
Candidate surname	Other names
Pearson Edexcel International Advanced Level	entre Number Candidate Number
Tuesday 19 Jar	nuary 2021
Afternoon (Time: 1 hour 30 minutes)	Paper Reference WST02/01
Mathematics	
International Advanced S Statistics S2	Subsidiary/Advanced Level
You must have: Mathematical Formulae and Statistic	cal Tables (Blue), calculator

Candidates may use any calculator permitted by Pearson regulations. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use black ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
 there may be more space than you need.
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Values from the statistical tables should be quoted in full. If a calculator is used instead of the tables, the value should be given to an equivalent degree of accuracy.
- Inexact answers should be given to three significant figures unless otherwise stated.

Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- There are 6 questions in this question paper. The total mark for this paper is 75.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.
- If you change your mind about an answer, cross it out and put your new answer and any working underneath.

Turn over ▶







1. Jim farms oysters in a particular lake. He knows from past experience that 5% of young oysters do not survive to be harvested.

In a random sample of 30 young oysters, the random variable *X* represents the number that do not survive to be harvested.

(a) Write down a suitable model for the distribution of X.

(1)

(b) State an assumption that has been made for the model in part (a).

(1)

- (c) Find the probability that
 - (i) exactly 24 young oysters **do survive** to be harvested,
 - (ii) at least 3 young oysters do not survive to be harvested.

(4)

A second random sample, of 200 young oysters, is taken.

The probability that at least n of these young oysters do not survive to be harvested is more than 0.8

(d) Using a suitable approximation, find the maximum value of n.

(3)

Jim believes that the level of salt in the lake water has changed and it has altered the survival rate of his oysters. He takes a random sample of 25 young oysters and places them in the lake.

When Jim harvests the oysters, he finds that 21 do survive to be harvested.

(e) Use a suitable test, at the 5% level of significance, to assess whether or not there is evidence that the proportion of oysters not surviving to be harvested is more than 5%. State your hypotheses clearly.

(:	ונ



Question 1 continued	



Leave blank

Question 1 continued	

	Leave blank
Question 1 continued	
	Q1
(Total 14 marks)	



2. The distance, in metres, a novice tightrope artist, walking on a wire, walks before falling is modelled by the random variable W with cumulative distribution function

$$F(w) = \begin{cases} 0 & w < 0 \\ \frac{1}{3} \left(w - \frac{w^4}{256} \right) & 0 \le w \le 4 \\ 1 & w > 4 \end{cases}$$

(a) Find the probability that a novice tightrope artist, walking on the wire, walks at least 3.5 metres before falling.

(2)

A random sample of 30 novice tightrope artists is taken.

(b) Find the probability that more than 1 of these novice tightrope artists, walking on the wire, walks at least 3.5 metres before falling.

(3)

Given E(W) = 1.6

(c) use algebraic integration to find Var(W)

(5)

	L
uestion 2 continued	"



Leave blank

	Leave blank
Question 2 continued	
	Q2
(Total 10 marks)	
(======================================	



- 3. The number of water fleas, in 100 ml of pond water, has a Poisson distribution with mean 7
 - (a) Find the probability that a sample of 100 ml of the pond water does **not** contain exactly 4 water fleas.

(2)

Aja collects 5 separate samples, each of 100 ml, of the pond water.

(b) Find the probability that exactly 1 of these samples contains exactly 4 water fleas.

(3)

Using a normal approximation, the probability that more than 3 water fleas will be found in a random sample of n ml of the pond water is 0.9394 correct to 4 significant figures.

(c) (i) Show that
$$n - 1.55\sqrt{\frac{n}{0.07}} - 50 = 0$$

(5)

(ii) Hence find the value of n

(2)

After the pond has been cleaned, the number of water fleas in a 100 ml random sample of the pond water is 15

(d) Using a suitable test, at the 1% level of significance, assess whether or not there is evidence that the number of water fleas per 100 ml of the pond water has increased. State your hypotheses clearly.

(5)



nestion 3 continued	



Leave blank

Question 3 continued		

	Leave blank
Question 3 continued	
	02
	Q3
(Total 17 marks)	



4. A continuous random variable X has probability density function

$$f(x) = \begin{cases} k(a-x)^2 & 0 \le x \le a \\ 0 & \text{otherwise} \end{cases}$$

where k and a are constants.

(a) Show that $ka^3 = 3$

(3)

Given that E(X) = 1.5

(b) use algebraic integration to show that a = 6

(4)

(c) Verify that the median of X is 1.2 to one decimal place.

(3)



	L b
uestion 4 continued	"
uestion i continued	



Leave blank

Question 4 continued		

Question 4 continued	blank
	Q4
(Total 10 marks)	
, , ,	



- 5. A piece of wood AB is 3 metres long. The wood is cut at random at a point C and the random variable W represents the length of the piece of wood AC.
 - (a) Find the probability that the length of the piece of wood AC is more than 1.8 metres.

The two pieces of wood AC and CB form the two shortest sides of a right-angled triangle. The random variable X represents the length of the longest side of the right-angled triangle.

(b) Show that
$$X^2 = 2W^2 - 6W + 9$$

(2)

[You may assume for random variables S, T and U and for constants a and b that if S = aT + bU then E(S) = aE(T) + bE(U)]

(c) Find $E(X^2)$

(6)

(d) Find $P(X^2 > 5)$

(4)



estion 5 continued	



Leave blank

Question 5 continued		

Question 5 continued	bla:
	Q
	(Total 14 marks)



- 6. The owner of a very large youth club has designed a new method for allocating people to teams. Before introducing the method he decided to find out how the members of the youth club might react.
 - (a) Explain why the owner decided to take a random sample of the youth club members rather than ask all the youth club members.

(1)

(b) Suggest a suitable sampling frame.

(1)

(c) Identify the sampling units.

(1)

The new method uses a bag containing a large number of balls. Each ball is numbered either 20, 50 or 70

When a ball is selected at random, the random variable X represents the number on the ball where

$$P(X = 20) = p$$
 $P(X = 50) = q$ $P(X = 70) = r$

A youth club member takes a ball from the bag, records its number and replaces it in the bag.

He then takes a second ball from the bag, records its number and replaces it in the bag.

The random variable M is the mean of the 2 numbers recorded.

Given that

$$P(M = 20) = \frac{25}{64}$$
 $P(M = 60) = \frac{1}{16}$ and $q > r$

(d) show that
$$P(M = 50) = \frac{1}{16}$$

(7)

	L b
uestion 6 continued	0



	Q6
(Total 10 marks)	
TOTAL FOR PAPER: 75 MARKS	
END	



Question 6 continued