

Please check the examination details below before entering your candidate information

Candidate surname

Other names

Centre Number

Candidate Number

--	--	--	--	--

--	--	--	--

Pearson Edexcel International Advanced Level

Time 1 hour 30 minutes

Paper
reference

WME02/01

Mathematics

International Advanced Subsidiary/Advanced Level Mechanics M2

You must have:

Mathematical Formulae and Statistical Tables (Yellow), calculator

Total Marks

Candidates may use any calculator permitted by Pearson regulations. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided – *there may be more space than you need.*
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Whenever a numerical value of g is required, take $g = 9.8 \text{ m s}^{-2}$, and give your answer to either 2 significant figures or 3 significant figures.

Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- There are 8 questions in this question paper. The total mark for this paper is 75.
- The marks for **each** question are shown in brackets – *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.
- If you change your mind about an answer, cross it out and put your new answer and any working underneath.

Turn over ►

P66650A

©2022 Pearson Education Ltd.

Q:1/1/



Pearson

Question 3 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Lined writing area for the answer.

Q3

(Total 6 marks)



P 6 6 6 5 0 A 0 7 2 8

Question 4 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Lined writing area for the answer to Question 4.

(Total 8 marks)

Q4



P 6 6 6 5 0 A 0 1 1 2 8

5.




Figure 2

A uniform rod AB has length 4 m and weight 50 N. The rod has its end A on rough horizontal ground. The rod is held in equilibrium at an angle α to the ground by a light inextensible cable attached to the rod at B , as shown in Figure 2. The cable and the rod lie in the same vertical plane and the cable is perpendicular to the rod. The tension in the cable is T newtons.

Given that $\sin \alpha = \frac{3}{5}$

(a) show that $T = 20$ (3)

Given also that the rod is in limiting equilibrium,

(b) find the value of the coefficient of friction between the rod and the ground. (6)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



6. Two particles, P and Q , are moving in opposite directions along the same straight line on a smooth horizontal surface so that the particles collide directly. The mass of P is km and the mass of Q is m . Immediately before the collision, the speed of P is x and the speed of Q is y . Immediately after the collision, P and Q are moving in the same direction, the speed of P is v and the speed of Q is $2v$.

The coefficient of restitution between P and Q is $\frac{1}{5}$

The magnitude of the impulse received by Q in the collision is $5mv$

(a) Find (i) y in terms of v
(ii) x in terms of v
(iii) the value of k (9)

(b) Find, in terms of m and v , the total kinetic energy lost in the collision between P and Q . (3)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Leave blank

Question 6 continued

Lined writing area for the answer to Question 6.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



7.




Figure 3

The template shown in Figure 3 is formed by joining together three separate laminas. All three laminas lie in the same plane.

- $PQUV$ is a uniform square lamina with sides of length $3a$
- $URST$ is a uniform square lamina with sides of length $6a$
- QRU is a uniform triangular lamina with $UQ = 3a$, $UR = 6a$ and angle $QUR = 90^\circ$

The mass per unit area of $PQUV$ is k , where k is a constant.

The mass per unit area of $URST$ is k .

The mass per unit area of QRU is $2k$.

The distance of the centre of mass of the template from QT is d .

(a) Show that $d = \frac{29}{14}a$ (5)

The template is freely suspended from the point Q and hangs in equilibrium with QR at θ° to the downward vertical.

(b) Find the value of θ (7)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



