Please check the examination details	below before enterin	g your candidate information			
Candidate surname	C	Other names			
Pearson Edexcel International Advanced Level	entre Number	Candidate Number			
Thursday 16 M	lay 201	9			
Afternoon (Time: 2 hours)	Paper Refe	erence WPS02/01			
Psychology					
International Advanced Subsidiary Paper 2: Biological Psychology, Learning Theories and Development					
You do not need any other mater	ials.	Total Marks			

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions.
- Answer the questions in the spaces provided
 - there may be more space than you need.

Information

- The total mark for this paper is 96.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.
- The list of formulae and statistical tables are printed at the start of this paper.
- Candidates may use a calculator.

Advice

- Read each question carefully before you start to answer it.
- Check your answers if you have time at the end.

Turn over ▶







FORMULAE AND STATISTICAL TABLES

Standard deviation (sample estimate)

$$\sqrt{\left(\frac{\sum (x-\bar{x})^2}{n-1}\right)}$$

Spearman's rank correlation coefficient

$$1 - \frac{6\sum d^2}{n(n^2 - 1)}$$

Critical values for Spearman's rank

Level of significance for a one-tailed test

	0.05	0.005	0.0025					
	Level of significance for a two-tailed test							
N	0.10	0.05	0.025	0.01	0.005			
5	0.900	1.000	1.000	1.000	1.000			
6	0.829	0.886	0.943	1.000	1.000			
7	0.714	0.786	0.893	0.929	0.964			
8	0.643	0.738	0.833	0.881	0.905			
9	0.600	0.700	0.783	0.833	0.867			
10	0.564	0.648	0.745	0.794	0.830			
11	0.536	0.618	0.709	0.755	0.800			
12	0.503	0.587	0.678	0.727	0.769			
13	0.484	0.560	0.648	0.703	0.747			
14	0.464	0.538	0.626	0.679	0.723			
15	0.446	0.521	0.604	0.654	0.700			
16	0.429	0.503	0.582	0.635	0.679			
17	0.414	0.485	0.566	0.615	0.662			
18	0.401	0.472	0.550	0.600	0.643			
19	0.391	0.460	0.535	0.584	0.628			
20	0.380	0.447	0.520	0.570	0.612			
21	0.370	0.435	0.508	0.556	0.599			
22	0.361	0.425	0.496	0.544	0.586			
23	0.353	0.415	0.486	0.532	0.573			
24	0.344	0.406	0.476	0.521	0.562			
25	0.337	0.398	0.466	0.511	0.551			
26	0.331	0.390	0.457	0.501	0.541			
27	0.324	0.382	0.448	0.491	0.531			
28	0.317	0.375	0.440	0.483	0.522			
29	0.312	0.368	0.433	0.475	0.513			
30	0.306	0.362	0.425	0.467	0.504			

The calculated value must be equal to or exceed the critical value in this table for significance to be shown.



Chi-squared distribution formula

$$X^2 = \sum \frac{(O-E)^2}{E}$$
 $df = (r-1)(c-1)$

Critical values for chi-squared distribution

	- 6		C:	C		4 4
I EVEI	OT	'sıanı	ticance	tor a	one-tailed	TPST
	0	319111	cacc	101 u	Olic tallea	

	0.10	0.05	0.025	0.01	0.005	0.0005		
	Level of significance for a two-tailed test							
df	0.20	0.10	0.05	0.025	0.01	0.001		
1	1.64	2.71	3.84	5.02	6.64	10.83		
2	3.22	4.61	5.99	7.38	9.21	13.82		
3	4.64	6.25	7.82	9.35	11.35	16.27		
4	5.99	7.78	9.49	11.14	13.28	18.47		
5	7.29	9.24	11.07	12.83	15.09	20.52		
6	8.56	10.65	12.59	14.45	16.81	22.46		
7	9.80	12.02	14.07	16.01	18.48	24.32		
8	11.03	13.36	15.51	17.54	20.09	26.12		
9	12.24	14.68	16.92	19.02	21.67	27.88		
10	13.44	15.99	18.31	20.48	23.21	29.59		
11	14.63	17.28	19.68	21.92	24.73	31.26		
12	15.81	18.55	21.03	23.34	26.22	32.91		
13	16.99	19.81	22.36	24.74	27.69	34.53		
14	18.15	21.06	23.69	26.12	29.14	36.12		
15	19.31	22.31	25.00	27.49	30.58	37.70		
16	20.47	23.54	26.30	28.85	32.00	39.25		
17	21.62	24.77	27.59	30.19	33.41	40.79		
18	22.76	25.99	28.87	31.53	34.81	42.31		
19	23.90	27.20	30.14	32.85	36.19	43.82		
20	25.04	28.41	31.41	34.17	37.57	45.32		
21	26.17	29.62	32.67	35.48	38.93	46.80		
22	27.30	30.81	33.92	36.78	40.29	48.27		
23	28.43	32.01	35.17	38.08	41.64	49.73		
24	29.55	33.20	36.42	39.36	42.98	51.18		
25	30.68	34.38	37.65	40.65	44.31	52.62		
26	31.80	35.56	38.89	41.92	45.64	54.05		
27	32.91	36.74	40.11	43.20	46.96	55.48		
28	34.03	37.92	41.34	44.46	48.28	56.89		
29	35.14	39.09	42.56	45.72	49.59	58.30		
30	36.25	40.26	43.77	46.98	50.89	59.70		
40	47.27	51.81	55.76	59.34	63.69	73.40		
50	58.16	63.17	67.51	71.42	76.15	86.66		
60	68.97	74.40	79.08	83.30	88.38	99.61		
70	79.72	85.53	90.53	95.02	100.43	112.32		

The calculated value must be equal to or exceed the critical value in this table for significance to be shown.



Wilcoxon Signed Ranks test process

- Calculate the difference between two scores by taking one from the other
- Rank the differences giving the smallest difference Rank 1

Note: do not rank any differences of 0 and when adding the number of scores, do not count those with a difference of 0, and ignore the signs when calculating the difference

- Add up the ranks for positive differences
- Add up the ranks for negative differences
- T is the figure that is the smallest when the ranks are totalled (may be positive or negative)
- N is the number of scores left, ignore those with 0 difference

Critical values for the Wilcoxon Signed Ranks test

Level of significance for a one-tailed test

0.05	0.025	0.01					
Level of significance for a two-tailed test							
0.1	0.05	0.02					
0	-	-					
2	0	-					
3	2	0					
5	3	1					
8	5	3					
11	8	5					
13	10	7					
17	13	9					
	0.1 0 2 3 5 8 11 13	Level of significance for a two-0.1 0.1 0.05 0 - 2 0 3 2 5 3 8 5 11 8 13 10					

The calculated value must be equal to or less than the critical value in this table for significance to be shown.



SECTION A

BIOLOGICAL PSYCHOLOGY

Answer ALL questions. Write your answers in the spaces provided.

- 1 In your studies of biological psychology you will have learned about the following classic study:
 - Raine et al. (1997).

(a) Describe the procedure of Raine et al. (1997).

(3)



(b) Explain one strength and one weakness of the study by Raine et al. (19	997).
Strength	
Weakness	
(c) Explain how the study by Raine et al. (1997) could be improved in term validity.	ns of (2)
(Total for Question)	on 1 = 9 marks)

BLANK PAGE

QUESTION 2 BEGINS ON THE NEXT PAGE.



2 Hassan is investigating the effect of time exposed to the sun and self-reported mood. He asks his friends to record the amount of time in hours they spend in the sun during one month and he also asks them to rate their mood using a questionnaire. His friends rated their mood from 1-5 (1=very bad mood, 5=very good mood).

Hassan wants to see whether there is a correlation between the time exposed to the sun and self-reported mood.

The results are shown in **Table 1.**

	Time exposed to the sun in a month (hours)	Rank 1	Self- reported mood	Rank 2	d	d²
Participant 1	110	6.5	5	7.5		
Participant 2	100	5	4	5.5		
Participant 3	50	1	1	1		
Participant 4	70	3	3	3.5		
Participant 5	65	2	2	2		
Participant 6	120	8	5	7.5		
Participant 7	110	6.5	4	5.5		
Participant 8	80	4	3	3.5		

Total:

Table 1

(a)	(i)	Complete Table 1 and calculate Spearman's Rank correlation coefficient for Hassan's study.	
		The formula can be found in the formulae and statistical tables at the front of the paper.	
		You must express your answer to three decimal places.	
			(4)
		Space for calculations	
		Spearman's Rank correlation coefficient	
	(ii)	Interpret your Spearman's Rank correlation coefficient from (a)(i) in terms of strength and direction.	
		strength and direction.	(2)



((b) Hassan was planning to test the significance of his result. He could not understand the difference between p=0.05 and p=0.01.	
	Explain the difference between $p=0.05$ and $p=0.01$ for Hassan's study.	(2)
		(2)
••••••		
•	(c) Explain one weakness of using a correlation for Hassan's study.	(2)
1	(c) Explain one weakness of using a correlation for Hassan's study.	(2)
	(c) Explain one weakness of using a correlation for Hassan's study.	(2)
	(c) Explain one weakness of using a correlation for Hassan's study.	(2)
	(c) Explain one weakness of using a correlation for Hassan's study.	(2)
	(c) Explain one weakness of using a correlation for Hassan's study.	(2)
	(c) Explain one weakness of using a correlation for Hassan's study.	(2)
	(c) Explain one weakness of using a correlation for Hassan's study.	(2)
	(c) Explain one weakness of using a correlation for Hassan's study. (Total for Question 2 = 10 n	

3	During your studies you will have conducted a practical investigation for biological psychology.	
	(a) Describe the results of your practical investigation for biological psychology.	(3)

	(b) Explain one strength of using a correlation for your practical investigation for biological psychology.	
		(2)
	(b) Explain one strength of using a correlation for your practical investigation for biological psychology.	(2)

(c) Justify one ethical consideration you made when conducting your practical	
investigation for biological psychology.	(2)
(Total for Question 3 = 7 ma	

4	Grei has recently been arrested for fighting. He was removed from his school when he was younger due to being aggressive towards other children and shouting at his teachers. More recently Grei pushed his father and swore aggressively at his mother.	
	He suffered a brain injury when he was a child and his doctor has suggested this could be the reason for his aggressive behaviour.	
	Discuss how the different brain areas and brain functioning could account for Grei's aggressive behaviour.	
	You must make reference to the context in your answer.	(8)

(Total for Question 4 = 8 marks)
TOTAL FOR SECTION A = 34 MARKS

SECTION B

LEARNING THEORIES AND DEVELOPMENT

	Answer ALL questions. Write your answers in the spaces provided	•
(a)	a) Describe the results and/or conclusions of Skinner's (1948) Superstition in the pigeon study.	
		(3)
(b)	Explain one weakness of Skinner's (1948) Superstition in the pigeon study.	
	· · · · · · · · · · · · · · · · · · ·	(2)



- 6 Sandy is in her geography class with her teacher Mr Johnson.
 - Sandy talks to her friend and is told off by Mr Johnson. She later answers a question correctly and Mr Johnson gives her a sticker. Mr Johnson checks her homework and because Sandy has submitted all her work on time she is allowed to miss a class test.

Describe the following features of operant conditioning using an example from the context above.

(a) Positive reinforcement

(2)

(b) Negative reinforcement

(2)

(Total for Question 6 = 4 marks)

7	7 Priya wanted to see whether there was a difference in the number and type of questions answered during lessons by males and females. Priya decided to conduct a naturalistic observation and wanted to collect both quantitative and qualitative data.		
	(a) Describe how Priya could carry out her naturalistic observation.	(4)	

(b) Explain two weaknesses of using a naturalistic observation.	(4)
(c) Explain one way to improve a naturalistic observation in terms of reliability.	(2)
(Total for Question 7 = 10 m	arks)

BLANK PAGE

QUESTION 8 BEGINS ON THE NEXT PAGE.

8 Keith wanted to see how effective systematic desensitisation therapy was for the fear of snakes.

Keith sampled 12 participants who had an existing fear of snakes. He collected a baseline measure of their self-reported fear of snakes on a Likert scale from 1-7, where 1 indicated no fear and 7 indicated extreme fear.

After systematic desensitisation therapy, the participants again rated their fear of snakes.

The results of Keith's study are shown in **Table 2**.

Participant	Self-reported fear of snakes before therapy	Self-reported fear of snakes after therapy
А	7	6
В	6	5
С	7	4
D	6	1
E	5	4
F	6	5
G	6	3
Н	7	2
I	5	4
J	4	1
К	5	4
L	7	6
Mean	5.92	3.75

Table 2

(a) Identify the level of measurement of the participants' self-reported fear in **Table 2**.

(1)

(b) Calculate the mode and range for the self-reported fear of snakes after therapy using the data in Table 2 .	(2)
	(-)
Space for calculations	
Mode for self-reported fear of snakes after therapy	
Range for self-reported fear of snakes after therapy	
(c) Calculate the percentage of participants whose self-reported fear of snakes was 6	
before therapy using the data in Table 2 .	(1)
Space for calculations	
Percentage of participants with self-reported fear of 6 before therapy	
(d) Calculate the ratio of participants whose self-reported fear of snakes was 6 from before to after therapy using the data in Table 2.	
You must express the ratio in its lowest possible form.	
	(1)
Space for calculations	
Ratio of participants with self-reported fear of 6 from before to after therapy	



(e) Explain one conclusion you could make using the data in Table 2 .	(2)
(Total for Question 8 = 7 ma	rks)

9	Evaluate classical conditioning as an explanation for human behaviour.	(8)
•••••		



(Total for Question 9 = 8 marks)
TOTAL FOR SECTION B = 34 MARKS

SECTION C

Answer ALL questions. Write your answers in the spaces provided.

- **10** You will have learned about one contemporary study from the following when studying learning theories:
 - Prot (2014) Long-Term Relations Among Prosocial-Media Use, Empathy, and Prosocial Behavior
 - Bastian et al. (2011) Cyber-dehumanization: Violent video game play diminishes our humanity.

our numanity.	
Evaluate one contemporary study from learning theories.	

	(12)
Chosen study	



(Total for Question 10 = 12 marks)



11	When Kelvin went on holiday with his friends, he physically assaulted a police officer. He also screamed at a parking enforcement officer who issued him with a fine for parking his car illegally.	
	Kelvin has two previous convictions for armed robbery. He violently assaulted a security guard during one of these robberies.	
	Kelvin's family have a history of aggressive behaviour and his father is currently in prison for assault. Kelvin has also been a member of gangs since he was a teenager.	
	Evaluate the role of hormones and social learning theory as an explanation for Kelvin's aggressive behaviour.	
	You must make reference to the context in your answer.	(16)



TOTAL FOR SECTION C = 28 MARKS TOTAL FOR PAPER = 96 MARKS	
	(Total for Question 11 = 16 marks)
	-



BLANK PAGE