

Please check the examination details below before entering your candidate information

Candidate surname

Other names

Centre Number

Candidate Number

Pearson Edexcel International Advanced Level

Time 2 hours

Paper
reference

WPS02/01

Psychology

International Advanced Subsidiary

**PAPER 2: Biological Psychology, Learning Theories
and Development**

Calculators may be used.

Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
– *there may be more space than you need.*

Information

- The total mark for this paper is 96.
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*
- The list of formulae and statistical value tables are printed at the start of this paper.
- Candidates may use a calculator.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P71400A

©2022 Pearson Education Ltd.

Q:1/1/



Pearson

FORMULAE AND STATISTICAL TABLES

Standard deviation (sample estimate)

$$\sqrt{\left(\frac{\sum(x - \bar{x})^2}{n - 1}\right)}$$

Spearman's rank correlation coefficient

$$1 - \frac{6 \sum d^2}{n(n^2 - 1)}$$

Critical values for Spearman's rank

| N | Level of significance for a one-tailed test | | | | |
|----|---|-------|-------|-------|--------|
| | 0.05 | 0.025 | 0.01 | 0.005 | 0.0025 |
| N | Level of significance for a two-tailed test | | | | |
| | 0.10 | 0.05 | 0.025 | 0.01 | 0.005 |
| 5 | 0.900 | 1.000 | 1.000 | 1.000 | 1.000 |
| 6 | 0.829 | 0.886 | 0.943 | 1.000 | 1.000 |
| 7 | 0.714 | 0.786 | 0.893 | 0.929 | 0.964 |
| 8 | 0.643 | 0.738 | 0.833 | 0.881 | 0.905 |
| 9 | 0.600 | 0.700 | 0.783 | 0.833 | 0.867 |
| 10 | 0.564 | 0.648 | 0.745 | 0.794 | 0.830 |
| 11 | 0.536 | 0.618 | 0.709 | 0.755 | 0.800 |
| 12 | 0.503 | 0.587 | 0.678 | 0.727 | 0.769 |
| 13 | 0.484 | 0.560 | 0.648 | 0.703 | 0.747 |
| 14 | 0.464 | 0.538 | 0.626 | 0.679 | 0.723 |
| 15 | 0.446 | 0.521 | 0.604 | 0.654 | 0.700 |
| 16 | 0.429 | 0.503 | 0.582 | 0.635 | 0.679 |
| 17 | 0.414 | 0.485 | 0.566 | 0.615 | 0.662 |
| 18 | 0.401 | 0.472 | 0.550 | 0.600 | 0.643 |
| 19 | 0.391 | 0.460 | 0.535 | 0.584 | 0.628 |
| 20 | 0.380 | 0.447 | 0.520 | 0.570 | 0.612 |
| 21 | 0.370 | 0.435 | 0.508 | 0.556 | 0.599 |
| 22 | 0.361 | 0.425 | 0.496 | 0.544 | 0.586 |
| 23 | 0.353 | 0.415 | 0.486 | 0.532 | 0.573 |
| 24 | 0.344 | 0.406 | 0.476 | 0.521 | 0.562 |
| 25 | 0.337 | 0.398 | 0.466 | 0.511 | 0.551 |
| 26 | 0.331 | 0.390 | 0.457 | 0.501 | 0.541 |
| 27 | 0.324 | 0.382 | 0.448 | 0.491 | 0.531 |
| 28 | 0.317 | 0.375 | 0.440 | 0.483 | 0.522 |
| 29 | 0.312 | 0.368 | 0.433 | 0.475 | 0.513 |
| 30 | 0.306 | 0.362 | 0.425 | 0.467 | 0.504 |

The calculated value must be equal to or exceed the critical value in this table for significance to be shown.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Chi-squared distribution formula

$$X^2 = \sum \frac{(O-E)^2}{E}$$

$$df = (r - 1)(c - 1)$$

Critical values for chi-squared distribution

| Level of significance for a one-tailed test | | | | | | |
|---|-------|-------|-------|-------|--------|--------|
| | 0.10 | 0.05 | 0.025 | 0.01 | 0.005 | 0.0005 |
| Level of significance for a two-tailed test | | | | | | |
| df | 0.20 | 0.10 | 0.05 | 0.025 | 0.01 | 0.001 |
| 1 | 1.64 | 2.71 | 3.84 | 5.02 | 6.64 | 10.83 |
| 2 | 3.22 | 4.61 | 5.99 | 7.38 | 9.21 | 13.82 |
| 3 | 4.64 | 6.25 | 7.82 | 9.35 | 11.35 | 16.27 |
| 4 | 5.99 | 7.78 | 9.49 | 11.14 | 13.28 | 18.47 |
| 5 | 7.29 | 9.24 | 11.07 | 12.83 | 15.09 | 20.52 |
| 6 | 8.56 | 10.65 | 12.59 | 14.45 | 16.81 | 22.46 |
| 7 | 9.80 | 12.02 | 14.07 | 16.01 | 18.48 | 24.32 |
| 8 | 11.03 | 13.36 | 15.51 | 17.54 | 20.09 | 26.12 |
| 9 | 12.24 | 14.68 | 16.92 | 19.02 | 21.67 | 27.88 |
| 10 | 13.44 | 15.99 | 18.31 | 20.48 | 23.21 | 29.59 |
| 11 | 14.63 | 17.28 | 19.68 | 21.92 | 24.73 | 31.26 |
| 12 | 15.81 | 18.55 | 21.03 | 23.34 | 26.22 | 32.91 |
| 13 | 16.99 | 19.81 | 22.36 | 24.74 | 27.69 | 34.53 |
| 14 | 18.15 | 21.06 | 23.69 | 26.12 | 29.14 | 36.12 |
| 15 | 19.31 | 22.31 | 25.00 | 27.49 | 30.58 | 37.70 |
| 16 | 20.47 | 23.54 | 26.30 | 28.85 | 32.00 | 39.25 |
| 17 | 21.62 | 24.77 | 27.59 | 30.19 | 33.41 | 40.79 |
| 18 | 22.76 | 25.99 | 28.87 | 31.53 | 34.81 | 42.31 |
| 19 | 23.90 | 27.20 | 30.14 | 32.85 | 36.19 | 43.82 |
| 20 | 25.04 | 28.41 | 31.41 | 34.17 | 37.57 | 45.32 |
| 21 | 26.17 | 29.62 | 32.67 | 35.48 | 38.93 | 46.80 |
| 22 | 27.30 | 30.81 | 33.92 | 36.78 | 40.29 | 48.27 |
| 23 | 28.43 | 32.01 | 35.17 | 38.08 | 41.64 | 49.73 |
| 24 | 29.55 | 33.20 | 36.42 | 39.36 | 42.98 | 51.18 |
| 25 | 30.68 | 34.38 | 37.65 | 40.65 | 44.31 | 52.62 |
| 26 | 31.80 | 35.56 | 38.89 | 41.92 | 45.64 | 54.05 |
| 27 | 32.91 | 36.74 | 40.11 | 43.20 | 46.96 | 55.48 |
| 28 | 34.03 | 37.92 | 41.34 | 44.46 | 48.28 | 56.89 |
| 29 | 35.14 | 39.09 | 42.56 | 45.72 | 49.59 | 58.30 |
| 30 | 36.25 | 40.26 | 43.77 | 46.98 | 50.89 | 59.70 |
| 40 | 47.27 | 51.81 | 55.76 | 59.34 | 63.69 | 73.40 |
| 50 | 58.16 | 63.17 | 67.51 | 71.42 | 76.15 | 86.66 |
| 60 | 68.97 | 74.40 | 79.08 | 83.30 | 88.38 | 99.61 |
| 70 | 79.72 | 85.53 | 90.53 | 95.02 | 100.43 | 112.32 |

The calculated value must be equal to or exceed the critical value in this table for significance to be shown.



Wilcoxon Signed Ranks test process

- Calculate the difference between two scores by taking one from the other
- Rank the differences giving the smallest difference Rank 1

Note: do not rank any differences of 0 and when adding the number of scores, do not count those with a difference of 0, and ignore the signs when calculating the difference

- Add up the ranks for positive differences
- Add up the ranks for negative differences
- T is the figure that is the smallest when the ranks are totalled (may be positive or negative)
- N is the number of scores left, ignore those with 0 difference

Critical values for the Wilcoxon Signed Ranks test

| <i>n</i> | Level of significance for a one-tailed test | | |
|----------|---|-------|------|
| | 0.05 | 0.025 | 0.01 |
| | Level of significance for a two-tailed test | | |
| | 0.1 | 0.05 | 0.02 |
| N=5 | 0 | - | - |
| 6 | 2 | 0 | - |
| 7 | 3 | 2 | 0 |
| 8 | 5 | 3 | 1 |
| 9 | 8 | 5 | 3 |
| 10 | 11 | 8 | 5 |
| 11 | 13 | 10 | 7 |
| 12 | 17 | 13 | 9 |

The calculated value must be equal to or less than the critical value in this table for significance to be shown.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

SECTION A

BIOLOGICAL PSYCHOLOGY

Answer ALL questions in this section. Write your answers in the spaces provided.

1 (a) Define what is meant by the term 'external zeitgeber'. (1)

.....

.....

.....

(b) Explain **two** strengths of the role of external zeitgebers in explaining the regulation of the sleep-wake cycle. (4)

1

.....

.....

.....

.....

.....

.....

.....

2

.....

.....

.....

.....

.....

.....

.....

(Total for Question 1 = 5 marks)

.....

.....

.....

.....

.....



2 Harrison conducted an experiment into the effect of antidepressants on people who had seasonal affective disorder. He allocated his participants into one of two different conditions.

- Condition A: Given antidepressants.
- Condition B: Not given antidepressants.

Harrison asked all the participants to record their mood in a daily diary for a month. He used a rating scale from 1 (happy mood) to 7 (low mood). When he had collected the data, Harrison then calculated an average mood score for each participant over the month.

(a) State a fully operationalised null hypothesis for Harrison's experiment.

(2)

.....

.....

.....

.....

.....

.....



Harrison's results are shown in **Table 1**.

| Condition A: Participants were given antidepressants | Average mood score for the month from 1 to 7 | Condition B: Participants were not given antidepressants | Average mood score for the month from 1 to 7 |
|---|---|---|---|
| A | 2 | G | 4 |
| B | 4 | H | 5 |
| C | 1 | I | 3 |
| D | 3 | J | 5 |
| E | 2 | K | 6 |
| F | 2 | L | 3 |

Table 1

(b) Calculate the mean score for **Condition B**. You **must** give your answer to **two** decimal places.

(1)

Space for calculations

Mean score for **Condition B**

DO NOT WRITE IN THIS AREA



P 7 1 4 0 0 A 0 7 3 2

(c) Calculate the median score for **Condition A**.

(1)

Space for calculations

Median score for **Condition A**

(d) Harrison calculated the standard deviation for both conditions. The standard deviations are shown in **Table 2**.

| Standard deviation for condition A: Participants were given antidepressants | Standard deviation for condition B: Participants were not given antidepressants |
|--|--|
| 1.03 | 1.21 |

Table 2

Explain what the standard deviations show about Harrison's results.

(2)

.....

.....

.....

.....

.....

.....



(e) Explain **one** weakness of Harrison's experiment.

(2)

.....

.....

.....

.....

.....

.....

(Total for Question 2 = 8 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

3 In your studies of biological psychology you will have learned about the following classic study in detail:

- Raine et al. (1997).

(a) Describe the results of the classic study by Raine et al. (1997).

(3)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....



(b) Explain **one** strength and **one** weakness of the classic study by Raine et al. (1997).

(4)

Strength

.....

.....

.....

.....

.....

.....

Weakness

.....

.....

.....

.....

.....

.....

(Total for Question 3 = 7 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



P 7 1 4 0 0 A 0 1 1 3 2

4 Meryl has decided to carry out an investigation to determine whether there is a relationship between hormones and aggression. She gathered 13 participants through volunteer sampling. Meryl measured the participants' cortisol levels and how aggressive they had been over the past week.

(a) Describe the procedure Meryl could have used for her investigation.

(4)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(b) After she had carried out her investigation Meryl conducted a Spearman's rank test on her data. She found a calculated value of 0.569.

Explain whether Meryl found a significant correlation for a two-tailed (non-directional) test at $p \leq 0.05$.

The statistical tables can be found at the front of the paper.

(2)

.....

.....

.....

.....

.....

.....

.....

(Total for Question 4 = 6 marks)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Handwriting practice area with 25 horizontal dotted lines.

(Total for Question 5 = 8 marks)

TOTAL FOR SECTION A = 34 MARKS



SECTION B

LEARNING THEORIES AND DEVELOPMENT

Answer ALL questions in this section. Write your answers in the spaces provided.

6 (a) Describe what is meant by the 'role of the unconscious' according to Freud.

(2)

.....

.....

.....

.....

.....

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(b) Explain **one** strength and **one** weakness of Freud's psychosexual stages of development.

(4)

Strength

.....

.....

.....

.....

.....

.....

Weakness

.....

.....

.....

.....

.....

.....

(Total for Question 6 = 6 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



7 Sigourney conducted an observation to see if positive reinforcement led to children reading more at home. She used a random sampling technique to collect her participants from one village. Sigourney allocated the parents and children into one of two different conditions.

- Condition A: The parents praised the children every time they sat down and read silently.
- Condition B: The parents did not praise the children when they sat down and read silently.

She recorded parents and children interacting during their reading time at home for a week. Sigourney then watched the recordings at a later date.

(a) Describe how Sigourney could use a random sampling technique for her observation.

(2)

.....

.....

.....

.....

.....

.....

(b) Explain **one** strength of Sigourney using a random sampling technique.

(2)

.....

.....

.....

.....

.....

.....



(c) Explain **one** improvement Sigourney could make to her sample.

(2)

.....

.....

.....

.....

.....

.....

Sigourney also collected qualitative data. She wrote down what the parents said to their children when they praised them for reading. Sigourney did not collect any data from other sources.

(d) Explain **one** weakness of Sigourney using qualitative data for her observation.

(2)

.....

.....

.....

.....

.....

.....

(e) Explain **one** improvement Sigourney could make to how she collected her qualitative data.

(2)

.....

.....

.....

.....

.....

.....

(Total for Question 7 = 10 marks)



10 Assess how far social learning theory explains human behaviour.

(8)

Area with horizontal dotted lines for writing the answer.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 10 = 8 marks)

TOTAL FOR SECTION B = 34 MARKS



P 7 1 4 0 0 A 0 2 3 3 2

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Handwriting practice area with 25 horizontal dotted lines.



P 7 1 4 0 0 A 0 2 5 3 2

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 11 = 12 marks)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Handwriting practice area with 20 horizontal dotted lines.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Handwriting practice area with 20 horizontal dotted lines.



P 7 1 4 0 0 A 0 2 9 3 2

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 12 = 16 marks)

TOTAL FOR SECTION C = 28 MARKS

TOTAL FOR PAPER = 96 MARKS



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE



P 7 1 4 0 0 A 0 3 1 3 2

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE

