

Please check the examination details below before entering your candidate information

Candidate surname

Other names

**Pearson Edexcel  
International GCSE**

Centre Number

--	--	--	--	--

Candidate Number

--	--	--	--	--

**Monday 20 January 2020**

Afternoon (Time: 1 hour 15 minutes)

Paper Reference **4CH1/2C**

**Chemistry**

**Unit: 4CH1**

**Paper 2C**

**You must have:**  
Calculator, ruler

Total Marks

### Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided  
– *there may be more space than you need.*
- Show all the steps in any calculations and state the units.
- Some questions must be answered with a cross in a box ☒. If you change your mind about an answer, put a line through the box ☒ and then mark your new answer with a cross ☒.

### Information

- The total mark for this paper is 70.
- The marks for **each** question are shown in brackets  
– *use this as a guide as to how much time to spend on each question.*

### Advice

- Read each question carefully before you start to answer it.
- Write your answers neatly and in good English.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P59924A

©2020 Pearson Education Ltd.

1/1/1/1/1/1/1/



  
**Pearson**

# The Periodic Table of the Elements

1	2	3	4	5	6	7	0																																																								
7 <b>Li</b> lithium 3	9 <b>Be</b> beryllium 4	11 <b>Na</b> sodium 11	12 <b>C</b> carbon 6	13 <b>Al</b> aluminium 13	14 <b>N</b> nitrogen 7	15 <b>P</b> phosphorus 15	16 <b>O</b> oxygen 8	17 <b>F</b> fluorine 9	18 <b>Ne</b> neon 10																																																						
19 <b>K</b> potassium 19	20 <b>Ca</b> calcium 20	23 <b>Sc</b> scandium 21	24 <b>Ti</b> titanium 22	25 <b>V</b> vanadium 23	26 <b>Cr</b> chromium 24	27 <b>Mn</b> manganese 25	28 <b>Fe</b> iron 26	29 <b>Co</b> cobalt 27	30 <b>Ni</b> nickel 28	31 <b>Cu</b> copper 29	32 <b>Zn</b> zinc 30	33 <b>Ga</b> gallium 31	34 <b>Ge</b> germanium 32	35 <b>As</b> arsenic 33	36 <b>Se</b> selenium 34	37 <b>Br</b> bromine 35	38 <b>Sr</b> strontium 38	39 <b>Y</b> yttrium 39	40 <b>Zr</b> zirconium 40	41 <b>Nb</b> niobium 41	42 <b>Mo</b> molybdenum 42	43 <b>Tc</b> technetium 43	44 <b>Ru</b> ruthenium 44	45 <b>Rh</b> rhodium 45	46 <b>Pd</b> palladium 46	47 <b>Ag</b> silver 47	48 <b>Cd</b> cadmium 48	49 <b>In</b> indium 49	50 <b>Sn</b> tin 50	51 <b>Sb</b> antimony 51	52 <b>Te</b> tellurium 52	53 <b>I</b> iodine 53	54 <b>Xe</b> xenon 54																														
55 <b>Cs</b> caesium 55	56 <b>Ba</b> barium 56	57 <b>La*</b> lanthanum 57	58 <b>Ce</b> cerium 58	59 <b>Pr</b> praseodymium 59	60 <b>Nd</b> neodymium 60	61 <b>Pm</b> promethium 61	62 <b>Sm</b> samarium 62	63 <b>Eu</b> europium 63	64 <b>Gd</b> gadolinium 64	65 <b>Tb</b> terbium 65	66 <b>Dy</b> dysprosium 66	67 <b>Ho</b> holmium 67	68 <b>Er</b> erbium 68	69 <b>Tm</b> thulium 69	70 <b>Yb</b> ytterbium 70	71 <b>Lu</b> lutetium 71	72 <b>Hf</b> hafnium 72	73 <b>Ta</b> tantalum 73	74 <b>W</b> tungsten 74	75 <b>Re</b> rhenium 75	76 <b>Os</b> osmium 76	77 <b>Ir</b> iridium 77	78 <b>Pt</b> platinum 78	79 <b>Au</b> gold 79	80 <b>Hg</b> mercury 80	81 <b>Tl</b> thallium 81	82 <b>Pb</b> lead 82	83 <b>Bi</b> bismuth 83	84 <b>Po</b> polonium 84	85 <b>At</b> astatine 85	86 <b>Rn</b> radon 86	87 <b>Fr</b> francium 87	88 <b>Ra</b> radium 88	89 <b>Ac*</b> actinium 89	90 <b>Th</b> thorium 90	91 <b>Pa</b> protactinium 91	92 <b>U</b> uranium 92	93 <b>Np</b> neptunium 93	94 <b>Pu</b> plutonium 94	95 <b>Am</b> americium 95	96 <b>Cm</b> curium 96	97 <b>Bk</b> berkelium 97	98 <b>Cf</b> californium 98	99 <b>Es</b> einsteinium 99	100 <b>Fm</b> fermium 100	101 <b>Mendelevium</b> 101	102 <b>Nobelium</b> 102	103 <b>Lr</b> lawrencium 103	104 <b>Rf</b> rutherfordium 104	105 <b>Db</b> dubnium 105	106 <b>Sg</b> seaborgium 106	107 <b>Bh</b> bohrium 107	108 <b>Hs</b> hassium 108	109 <b>Mt</b> meitnerium 109	110 <b>Ds</b> darmstadtium 110	111 <b>Rg</b> roentgenium 111	112 <b>Cn</b> copernicium 112	113 <b>Nh</b> nihonium 113	114 <b>Fl</b> flerovium 114	115 <b>Mc</b> moscovium 115	116 <b>Lv</b> livermorium 116	117 <b>Ts</b> tennessine 117	118 <b>Og</b> oganesson 118
Elements with atomic numbers 112-116 have been reported but not fully authenticated																	[209] <b>Po</b> polonium 84		[210] <b>At</b> astatine 85		[222] <b>Rn</b> radon 86																																										

1	<b>H</b> hydrogen 1
---	---------------------------

**Key**

relative atomic mass
atomic symbol
name
atomic (proton) number

\* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.  
The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



**Answer ALL questions.**

**1** This question is about elements, compounds and mixtures.

(a) Name the element that burns with a lilac flame. (1)

---

(b) Name the technique used to separate the mixture of colours in black ink. (1)

---

(c) The box gives the names of some substances.

air	bromine	magnesium	neon	sodium chloride	sulfur
-----	---------	-----------	------	-----------------	--------

Choose substances from the box to answer these questions.

(i) Identify the compound. (1)

---

(ii) Identify the mixture. (1)

---

(iii) Identify the non-metal element that is a solid at room temperature. (1)

---

**(Total for Question 1 = 5 marks)**

---

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



2 Crude oil is a mixture of hydrocarbons.

(a) Name the process used to separate crude oil into fractions.

(1)

(b) Give one use of the kerosene fraction.

(1)

(c) One of the hydrocarbons in the refinery gas fraction is an alkane with the structural formula  $\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_3$

(i) Give the name of this alkane.


(1)

(ii) Calculate the relative molecular mass ( $M_r$ ) of this alkane.

(1)

$M_r = \dots\dots\dots$

(d) One of the alkanes in the gasoline fraction has the displayed formula



(i) Determine the molecular formula of this alkane.

(1)

(ii) Give the general formula for the alkanes.

(1)



(e) Catalytic cracking is used to convert long-chain alkanes into shorter-chain alkanes.

(i) Name the catalyst used in catalytic cracking.

(1)

(ii) Explain why it is necessary to convert long-chain alkanes into shorter-chain alkanes.


(2)

(f) Catalytic cracking also produces alkenes.

$C_{11}H_{24}$  can undergo cracking to give pentane ( $C_5H_{12}$ ) and two different alkenes.

Complete the equation for this cracking reaction.

(2)



**(Total for Question 2 = 11 marks)**



3 This question is about copper and its compounds.

(a) Copper is a metal used for electrical wiring.

Explain why copper is a good conductor of electricity.

(2)


.....

.....

.....

.....

(b) This apparatus is used to investigate the electrolysis of copper(II) sulfate solution with graphite electrodes.



Copper forms at the negative electrode and oxygen forms at the positive electrode.

(i) State what would be observed at each electrode.

(2)

negative electrode .....

positive electrode .....

(ii) The ionic half-equation for the reaction at the negative electrode is



State why this is a reduction reaction.

(1)

.....

.....



(iii) Explain why the copper(II) sulfate solution becomes paler blue during the electrolysis. (2)

.....

.....

.....

.....

(c) When hydrated copper(II) sulfate crystals are heated, anhydrous copper(II) sulfate forms.

A mass of 12.5 g of hydrated copper(II) sulfate crystals is heated in a crucible until all the water of crystallisation is removed.

A mass of 8.0 g of anhydrous copper(II) sulfate forms.

Show by calculation that the formula of hydrated copper(II) sulfate is  $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$

[ $M_r$  of  $\text{CuSO}_4 = 159.5$      $M_r$  of  $\text{H}_2\text{O} = 18$ ]

(4)

**(Total for Question 3 = 11 marks)**

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



4 A student investigates the reaction between sodium hydroxide solution and dilute sulfuric acid. He does a titration to find the concentration of the sulfuric acid.

This is his plan for the titration. There are some mistakes and omissions in his plan.

- rinse a conical flask with the sodium hydroxide solution
- use a measuring cylinder to measure out  $25\text{ cm}^3$  of the sodium hydroxide solution and add it to the conical flask
- add a few drops of methyl orange indicator to the conical flask
- rinse a burette with water and then fill it with the sulfuric acid
- add the acid from the burette to the conical flask until the indicator changes colour at the end-point of the titration
- record the final burette reading

(a) Give the colour change of the methyl orange indicator at the end-point. (2)

from ..... to .....

(b) Describe four changes that the student could make to improve his plan. (4)

1.....

.....

.....

2.....

.....

.....

3.....

.....

.....

4.....

.....

.....





DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(c) The student then does the titration correctly.

He finds that  $16.70 \text{ cm}^3$  of the dilute sulfuric acid neutralises  $25.0 \text{ cm}^3$  of sodium hydroxide solution of concentration  $0.200 \text{ mol/dm}^3$

The equation for the reaction is



Calculate the concentration, in  $\text{mol/dm}^3$ , of the sulfuric acid.

(3)

concentration of sulfuric acid = .....  $\text{mol/dm}^3$

**(Total for Question 4 = 9 marks)**



5 Oxygen can be prepared from hydrogen peroxide using a catalyst.

(a) Which is a correct statement about oxygen?

(1)

- A it burns with a squeaky pop
- B it relights a glowing splint
- C it turns blue litmus red
- D it turns limewater milky

(b) Explain how a catalyst increases the rate of a reaction.

(2)


.....

.....


.....

.....

(c) The equation for the preparation of oxygen from hydrogen peroxide is



This equation can also be written using displayed formulae to show all the covalent bonds in the molecules.



The table gives the bond energies for these bonds.

<b>Bond</b>	H—O	O—O	O=O
<b>Bond energy in kJ/mol</b>	463	143	498




- (i) Use the values in the table to calculate the enthalpy change,  $\Delta H$ , for the reaction.  
Include a sign in your answer.

(3)

$\Delta H = \dots\dots\dots$  kJ

- (ii) Complete the energy level diagram to show the position of the products and the enthalpy change,  $\Delta H$ , for the reaction.

(2)



(Total for Question 5 = 8 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



6 Ethanol,  $C_2H_5OH$ , can be manufactured from ethene and steam using a phosphoric acid catalyst.

(a) (i) State the temperature and pressure used in this manufacturing process. (2)

temperature .....

pressure .....

(ii) Draw the displayed formula of ethanol. (1)

(b) Ethanol burns in a plentiful supply of air to form carbon dioxide and water.

(i) Give the chemical equation for this reaction. (2)

(ii) When the air supply is limited, incomplete combustion occurs and carbon monoxide forms.

State why carbon monoxide is poisonous to humans. (1)

(c) When ethanol reacts with ethanoic acid, an ester forms.

Give the name of this ester. (1)





7 This question is about some Group 2 elements and their compounds.

(a) Calcium reacts with water to produce calcium hydroxide and hydrogen gas.

(i) Give the word equation for this reaction.

(1)

(ii) State two observations that would be made during this reaction.

(2)

1 .....

2 .....

(b) (i) Describe how a pure, dry sample of the insoluble salt, barium sulfate, could be made from the two solids sodium sulfate and barium chloride.

(5)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(ii) Give an ionic equation for the reaction that occurs.

Include state symbols in your equation.

(2)

.....



- (c) When magnesium nitrate is heated, magnesium oxide, nitrogen dioxide and oxygen form.

The equation for the reaction is



- (i) What is the name for this type of reaction?

(1)

- A addition
- B combustion
- C decomposition
- D neutralisation

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(ii) Calculate the **total** volume, in  $\text{dm}^3$ , of gas produced at rtp when 7.7 g of magnesium nitrate completely reacts.

[Assume that the molar volume of a gas at rtp is  $24 \text{ dm}^3$ ]

[ $M_r$  of  $\text{Mg}(\text{NO}_3)_2 = 148$ ]

Give your answer to two significant figures.

(4)

total volume of gas = .....  $\text{dm}^3$

(Total for Question 7 = 15 marks)

**TOTAL FOR PAPER = 70 MARKS**

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

