



Mark Scheme (Provisional)

Summer 2021

Pearson Edexcel International GCSE
in Computer Science (4CP0_2B)
Paper 02: Application of Computational
Thinking - C#

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2021

Question Paper Log Number P66490A

Publications Code 4CP0_2B_2106_MS

All the material in this publication is copyright

© Pearson Education Ltd 2021

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Theory Mark Scheme

Question	mp	Answer	Additional Guidance	Mark
1 (a)	A1	<p>1. The only correct answer is B</p> <p><i>A is not correct because as it is an arithmetic operator</i></p> <p><i>C is not correct because as it is a relational operator</i></p> <p><i>D is not correct because as it is a relational operator</i></p>		(1)

Question	mp	Answer	Additional Guidance	Mark
1 (b)	B1 B2	<p>Award up to 2 marks for a linked description such as:</p> <ul style="list-style-type: none"> • 1D represents items as a list (1), 2D as a table (1) • 1D is a row (1), 2D is a table (1) • Each element in 1D is a single value (1), each element in 2D is a 1D array (1) 	Ignore capitalisation	(2)

Question	mp	Answer	Additional Guidance	Mark		
2 (c)	Award 1 mark for each set of test data.					
	C1 C2				Test data	Expected results
		booksSold			Either of	Poor performances this week
	C3	profit			<ul style="list-style-type: none"> • booksSold = 4 • profit = 4 	
		booksSold			5	Sales and profit are good this week
		profit			10	
		booksSold			21	Sales and profit are excellent this week
	profit	20				

Question	mp	Answer	Additional Guidance	Mark
3 (b)	B1	<p>Award up to 2 marks for a linked explanation such as:</p> <ul style="list-style-type: none"> The number of keys are limited (1) making it easy to use brute force to decrypt (1) It can be easy to find commonly used letters (e.g. E) (1) and guess the key (1) 	Accept alternative similar wording.	(2)

Question	mp	Answer	Additional Guidance	Mark																																	
3 (c)		<p>Award 1 mark each up to a maximum of 4 for:</p> <table border="1" style="margin-left: 20px;"> <tr> <td>Encrypted letter</td> <td>f</td><td>l</td><td>m</td><td>k</td><td>t</td><td>r</td><td>w</td><td>h</td><td>e</td><td>e</td> </tr> <tr> <td>Keyword letter</td> <td>t</td><td>h</td><td>i</td><td>r</td><td>t</td><td>y</td><td>t</td><td>h</td><td>i</td><td>r</td> </tr> <tr> <td>Decrypted letter</td> <td>m</td><td>e</td><td>e</td><td>t</td><td>a</td><td>t</td><td>d</td><td>a</td><td>w</td><td>n</td> </tr> </table>	Encrypted letter	f	l	m	k	t	r	w	h	e	e	Keyword letter	t	h	i	r	t	y	t	h	i	r	Decrypted letter	m	e	e	t	a	t	d	a	w	n		(4)
	Encrypted letter	f	l	m	k	t	r	w	h	e	e																										
	Keyword letter	t	h	i	r	t	y	t	h	i	r																										
	Decrypted letter	m	e	e	t	a	t	d	a	w	n																										
	C1	Ciphertext mapped to keyword in row 2 (1)																																			
C2	At least one letter decrypted correctly (1)																																				
C3	At least one word decrypted correctly (1)																																				
C4	Decrypted message 'meet at dawn' (1)																																				

Question	mp	Answer	Additional Guidance	Mark
3 (d)(i)	D1	Award 1 mark for: <ul style="list-style-type: none"> • cipherLetter / a single encrypted letter (1) 	Do not accept word/message/text	(1)
3 (d)(ii)	D2	Award 1 mark for any of: <ul style="list-style-type: none"> • keywordLetter • plaintextLetter 	Ignore case	(1)
3 (d)(iii)	D2	Award 1 mark for any of: <ul style="list-style-type: none"> • subprogram that is already defined • subprogram that is already written • subprogram that is already compiled • subprogram that can be called without having to write code for it 		(1)

Question	mp	Answer	Additional Guidance	Mark
4 (b)(i)	B1	Award up to 2 marks for a linked explanation: <ul style="list-style-type: none"> • binary search can be quicker than a linear search (1) as it does not have to examine each item in the list (1) • binary search halves the list each time (1) so it can be faster to find an item (1) • binary search requires fewer comparisons than a linear search to establish an item is not in the list (1) because the linear list would need to compare each item before establishing this (1) 		(2)

4 (b)(ii)	Correct answer																														
		<table border="1"> <thead> <tr> <th>Position in list</th> <th>Product code</th> <th>Order examined</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>ark11</td> <td></td> </tr> <tr> <td>2</td> <td>asp11</td> <td></td> </tr> <tr> <td>3</td> <td>bar13</td> <td></td> </tr> <tr> <td>4</td> <td>dri15</td> <td>1</td> </tr> <tr> <td>5</td> <td>mil19</td> <td></td> </tr> <tr> <td>6</td> <td>rib10</td> <td>2</td> </tr> <tr> <td>7</td> <td>str15</td> <td>3</td> </tr> <tr> <td>8</td> <td>tor16</td> <td></td> </tr> </tbody> </table>	Position in list	Product code	Order examined	1	ark11		2	asp11		3	bar13		4	dri15	1	5	mil19		6	rib10	2	7	str15	3	8	tor16			
	Position in list	Product code	Order examined																												
	1	ark11																													
	2	asp11																													
3	bar13																														
4	dri15	1																													
5	mil19																														
6	rib10	2																													
7	str15	3																													
8	tor16																														
	Award one mark for each correct value in order column			(4)																											
	B2	Start of search correct	Accept 5 and 7 for B2 and B3 (2 marks)																												
	B3	Second search item correct	Follow through if start of search incorrect																												
	B4	Third search item correct	Follow through if start of search incorrect																												
	B5	All correct																													
4 (b)(iii)	B6	Award 1 mark for: $3 \text{ or } \log_2 n + 1$		(1)																											
4 (b)(iv)	B7	Award 1 mark for any of: <ul style="list-style-type: none"> bubble sort merge sort 	Accept any known sorting algorithm	(1)																											

C# Code Mark Scheme

Question	mp	Answer	Additional Guidance	Mark
1 (c)	C1	Change num_twenties == to num_twenties = (1)		(3)
	C2	The left over variable named the same in both places (1)		
	C3	Change , to +		

Question	mp	Answer	Additional Guidance	Mark
1 (d)(i)	D1	Award 1 mark for adding a comment at the end of the line where there is relational operator: <pre>20 if (letter == vowels[vowel]) // relational operator and selection</pre>	May be on different line numbers	(1)
1 (d)(ii)	D2	Award one mark for adding a comment at the end of a line where iteration starts: <pre>16 foreach (char letter in sentence) // iteration starts 17 { 18 for (vowel = 0; vowel < vowels.GetLength(0); vowel++) // iteration starts 27 for (vowel = 0; vowel < vowels.GetLength(0); vowel++) // iteration starts</pre>	May be on different line numbers	(1)
1 (d)(iii)	D3	Award one mark for adding a comment at the end of the line where selection starts: <pre>20 if (letter == vowels[vowel]) // relational operator and selection</pre>	May be on different line numbers	(1)
1 (d)(iv)	D4	Award one mark for adding a comment at the end of a line where a data structure is initialised: <pre>9 char[] vowels = {'a','e','i','o','u'}; // data structure initialised 10 int[] numVowels = {0,0,0,0,0}; // data structure initialised</pre>	May be on different line numbers	(1)

Question	mp	Answer	Additional Guidance	Mark
2 (a)		Award one mark for each of:	Logic of algorithm must be followed as set out. Alternatives must address each point. Do not penalise candidates who attempt more than the stated requirements. Don't penalise spelling mistakes and alternative wording of the output.	(11)
	A1	At least one variable with a suitable variable name		
	A2	username = bard423		
	A3	password = nX2934?		
	A4	Loop used		
	A5	Username or password entered		
	A6	Username or password stored in variable(s)		
	A7	At least one suitable input message		
	A8	Checks username and password		
	A9	Appropriate error message(s) displays		
	A10	Welcome message displayed		
	A11	Executing and producing correct output		
Code examples				
C#		<pre> // Initialise variables string username = "bard423"; string password = "nX2934?"; int count = 0; string inputUsername = ""; string inputPassword = ""; // Print prompts, take and check user input while (inputUsername != username inputPassword != password) { if (count > 0) { Console.WriteLine("There is a problem with the login details. Try again"); } count++; Console.WriteLine("Enter your username"); inputUsername = Console.ReadLine(); Console.WriteLine("Enter your password"); inputPassword = Console.ReadLine(); } Console.WriteLine("Welcome"); Console.ReadKey(); </pre>		

Question	mp	Answer	Additional Guidance	Mark
2 (b)		Award 1 mark for each correct condition.		Alternative alternatives e.g. Line 11 booksSold <=4 etc.
		Condition	Output message	
	B1	Number of books sold is under 5 or profit made is under 5	Poor performance this week	
	B2	Number of books sold is over 20; profit made is at least 20	Sales and profit are excellent this week	
	B3	Number of books sold is at least 5; profit made is at least 10	Sales and profit are good this week	
B4	All other inputs	Alert manager	(4)	

Code examples

C#

```

if(booksSold < 5 || profit < 5)
{
    Console.WriteLine("Poor performance this week");
}
else if(booksSold > 20 && profit >= 20)
{
    Console.WriteLine("Sales and profit are excellent this week");
}
else if(booksSold >=5 && profit >=10)
{
    Console.WriteLine("Sales and profit are good this week");
}
else
{
    Console.WriteLine("Alert manager");
}

```

Question	mp	Answer	Additional Guidance	Mark
3 (a)	A1	Get plaintext and store in plaintext variable	Accept alternative wording Line numbers may be different compared to the examples shown When testing the completed code use lowercase for the input	(1)
	A2	Get key and store in key variable		(1)
	A3	Validate key		(1)
	A4	Open file to write		(1)
	A5	Write cipher text		(1)
	A6	Close file		(1)
	A7	Displays ciphertext		(1)
	A7	Executing and producing correct output to file and screen		(1)

Code examples

C#

```

18
19 // Add your code to get the plaintext and convert it to lowercase
20 Console.WriteLine("Enter the plaintext using lowercase letters: ");
21 plaintext = Console.ReadLine().ToLower();
22

```

```

22
23 // Add your code to get the key and make sure the key is between 1 and 25
24 while (key < 1 || key > 25)
25 {
26     Console.WriteLine("Enter the key - a number between 1 and 25 ");
27     key = Convert.ToInt32(Console.ReadLine());
28 }

```

```

56 // Add your code to write the ciphertext to a text file
57 System.IO.StreamWriter writer = new System.IO.StreamWriter("Cipher.txt");
58 writer.WriteLine(ciphertext);
59 writer.Close();

```

```

61 // Add your code to display the ciphertext
62 Console.WriteLine("Cipher text is " + ciphertext);

```

Question	mp	Answer	Additional Guidance	Mark
4 (a)	A1	At least 1 variable has a meaningful name	Ignore spelling mistakes in input message	(7)
	A2	Product name requested using a suitable input message		
	A3	Random number generated that would be at least 10 or no higher than 30		
	A4	Random number generated that would be in the correct range 10 to 30		
	A5	First 3 letters of product name generated		
	A6	First 3 letters of product name and random number concatenated to generate productCode		
	A7	productCode and productName output in the same print statement		

Code examples

C#

```

9           // Get input
10          Console.WriteLine("Enter the product name:");
11          string productName = Console.ReadLine();
12
13          // Generate a random number between 10 and 30 inclusive
14          Random rand = new Random();
15          int randomNum = rand.Next(10,31);
16
17          // Generate the product code - first three letters of product name and the
18          string productCode = productName.Substring(0, 3) + randomNum;
19
20          // Display the product code and the product name
21          Console.WriteLine(productCode + " " + productName);
22          Console.ReadKey();

```

For Q5, the first 11 marks are for coding that matches requirements of task. The remaining 9 marks should be allocated on a best fit.

Question	mp	Answer	Additional Guidance	Mark
5	addPlayerName()			
	A1	Suitable prompt for player name and assigned to suitable variable		
	guessCapital()			
	A2	Ensure question can only be used once		
	A3	Question includes suitable message and country name		
	A4	Check made to see if guess is correct		
	A5	If guess correct score incremented		
	A6	If guess is incorrect suitable message displayed		
	A7	If guess incorrect country and its capital concatenated with message		
	A8	Repeated for five questions		
	Main Program			
A9	Player name or score displayed			
A10	At least one menuChoice calls correct subprogram			
A11	Main program calls all three sub-programs correctly			
				(11)

Band 1 (1-3 marks)	Band 2 (4-6 marks)	Band 3 (7-9 marks)	Mark
Little attempt to decompose into component parts	Some attempt to decompose into component parts	The problem has been decomposed into component parts	
Some parts of the logic are clear and appropriate to the problem	Most parts of the logic are clear and mostly appropriate to the problem	The logic is clear and appropriate to the problem	
Some appropriate use and manipulation of data types, variables, data structures and program constructs	The use and manipulation of data types, variables and data structures and program constructs is mostly appropriate	The use and manipulation of data types, variables and data structures and program constructs is appropriate	
Parts of the code are clear and readable	Code is mostly clear and readable	Code is clear and readable	
Finished program will not be flexible enough with other data sets or input	Finished program will function with some but not all other data sets or input	Finished program could be used with other data sets or input	
The program meets some of the given requirements	The program meets most of the given requirements	The program fully meets the given requirements	
			(9)

Code examples

C# Add player name function

```
string player = "";  
  
while (player == "")  
{  
    Console.Write("Enter your player name: ");  
    player = Console.ReadLine();  
    Console.WriteLine(player);  
}  
return player;
```

Main program

```
if (menuChoice == 1)  
{  
    playerName = AddPlayerName();  
}  
else if (menuChoice == 2)  
{  
    score = GuessCapital();  
}  
else  
{  
    Console.WriteLine("Well done " + playerName + ". The score is " + score);  
}  
}  
}  
}
```

Guess capital city function

```
// Add your code here
int questionCount = 1;
int questionScore = 0;

// Ask 5 questions
while (questionCount <= 5)
{
    int questionChoice = -1;
    string questionNumbers = "";

    // Build a string containing the question numbers available
    foreach (int question in questions)
    {
        if (question != 0)
        {
            questionNumbers += question.ToString() + " ";
        }
    }

    // Ensure valid question number is chosen
    while (!questionNumbers.Contains(questionChoice.ToString()))
    {
        Console.Write("Pick a number from " + questionNumbers);
        questionChoice = Int32.Parse(Console.ReadLine());
    }
}
```

```
// Get the country and its capital
string country = countries[questionChoice - 1];
string capital = capitals[questionChoice - 1];

// Display the country and get the guess
Console.Write("What is the capital of " + country + "? ");
string guess = Console.ReadLine().ToLower();

// If the guess is correct display message and increment score
if (guess == capital.ToLower())
{
    Console.WriteLine("Well done you guessed correctly");
    questionScore ++;
}
else
// Otherwise display the country name and correct capital
{
    Console.WriteLine("You did not guess correctly. The capital of " + country + " is " + capital);
}

// Increment the number of questions asked
questionCount++;

// Set the question number to 0 so that it cannot be guessed again
questions[questionChoice - 1] = 0;
}

// Return the score to the main menu
return questionScore;
```


Pearson Education Limited. Registered company number 872828
with its registered office at 80 Strand, London, WC2R 0RL, United Kingdom