

Mark Scheme (Results)

Summer 2016

Pearson Edexcel International GCSE  
in Human Biology (4HB0) Paper 02

## Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at <http://www.edexcel.com> or [www.btec.co.uk](http://www.btec.co.uk). Alternatively, you can get in touch with us using the details on our contact us page at [www.edexcel.com/contactus](http://www.edexcel.com/contactus)

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: <http://www.pearson.com/uk>

Summer 2016

Publications Code 4HB0\_02\_1606\_MS

All the material in this publication is copyright

© Pearson Education Ltd 2016

## General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

| Question number | Answer   | Accept | Reject | Marks |
|-----------------|--|--------|--------|-------|
| 1               | <p>produced during respiration</p> <p>excreted by the lungs</p> <p>formed in the large intestine</p> <p>gives a positive Benedict's test</p> <p>found in the nucleus and forms genes</p> <p>formed by the processes of ultrafiltration and reabsorption</p> <p>nitrogen containing compound excreted by the kidneys</p> <p>carbon dioxide</p> <p>faeces</p> <p>glucose</p> <p>urea</p> <p>urine</p> <p>DNA</p> |        |        | 7     |

Total question 1 = 7 marks

| Question number | Answer   | Accept  | Reject | Marks  |
|-----------------|--|---|--------|--------|
| 2 (a)           | (i) experiment 1 = 4.5s;<br>experiment 2 = 30s;  |   |        | 1<br>1 |
|                 | (ii) 25.5s;  | ecf   |        | 1      |
|                 | (iii) Any two from <ul style="list-style-type: none"><li>exhaled air contains more carbon dioxide;</li><li>produced during respiration;</li><li>removed by lungs;</li></ul>  | inhaled air contains less carbon dioxide for 1 mark |        | 2      |
|                 | (iv) One from <ul style="list-style-type: none"><li>care not to suck up liquid;</li><li>care not to break glass;</li><li>sterilise/clean tube A/B/mouthpiece;</li></ul>  |   |        | 1      |
|                 | (v) <ul style="list-style-type: none"><li>bicarbonate indicator more sensitive to carbon dioxide;</li><li>change in colour clearer/more easily seen;</li><li>more accurate/easier to time colour change;</li></ul> |   |        | 2      |

|            |   |             |              |               |  |   |
|------------|---|-------------|--------------|---------------|--|---|
| 2 (b) (i)  |   | longer time | shorter time | the same time | do not accept more than one tick on each row | 1 |
|            | experiment 1  |             | ✓            |               |  | 1 |
| 2 (b) (ii) |   | longer time | shorter time | the same time | do not accept more than one tick on each row |   |
|            | experiment 2  |             | ✓            |               |  |   |
|            | Any three from  |             |              |               |  |   |
|            | <ul style="list-style-type: none"><li>• more exercise requires more respiration/energy;</li><li>• more carbon dioxide released/carbon dioxide exhaled/inhaled faster;</li><li>• bicarbonate indicator changes colour quicker;</li></ul> |             |              |               |  | 3 |

Total question 2 = 13 marks

| Question number | Answer   | Accept | Reject | Marks |
|-----------------|--|--------|--------|-------|
| 3               | <p>Any 8 from</p> <ul style="list-style-type: none"><li>• larvae/worms pass into water/found in water;</li><li>• from (infected) snails;</li><li>• larvae swim in water;</li><li>• enter through skin/body of people in water;</li><li>• larvae develop into adult worms;</li><li>• inside blood vessels;</li><li>• of various organs/named organs;</li><li>• feed on (red) blood (cells);</li><li>• worms mate/reproduce/breed;</li><li>• release eggs;</li><li>• pass out in urine/faeces;</li></ul> |        |        |       |

Total question 3 = 8 marks

| Question number                             | Answer  | Accept      | Reject | Marks                             |          |                |         |                                    |        |                                |                  |   |         |  |  |   |
|---|---|-------------|--------|-----------------------------------|----------|----------------|---------|------------------------------------|--------|--------------------------------|------------------|---|---------|--|--|---|
| 4 (a)                                       | <table border="1"><thead><tr><th data-bbox="409 277 758 313">Description</th><th data-bbox="758 277 1110 313">Word</th></tr></thead><tbody><tr><td data-bbox="409 313 758 386">duct carries both urine and sperm</td><td data-bbox="758 313 1110 386">urethra;</td></tr><tr><td data-bbox="409 386 758 422">produces sperm</td><td data-bbox="758 386 1110 422">testis;</td></tr><tr><td data-bbox="409 422 758 495">where fertilised ovum is implanted</td><td data-bbox="758 422 1110 495">uterus</td></tr><tr><td data-bbox="409 495 758 568">produces part of seminal fluid</td><td data-bbox="758 495 1110 568">seminal vesicle;</td></tr><tr><td data-bbox="409 568 758 673">where sperm is deposited during intercourse</td><td data-bbox="758 568 1110 673">vagina;</td></tr></tbody></table> | Description | Word   | duct carries both urine and sperm | urethra; | produces sperm | testis; | where fertilised ovum is implanted | uterus | produces part of seminal fluid | seminal vesicle; | where sperm is deposited during intercourse | vagina; |  |  | 5 |
| Description                                 | Word  |             |        |                                   |          |                |         |                                    |        |                                |                  |   |         |  |  |   |
| duct carries both urine and sperm           | urethra;  |             |        |                                   |          |                |         |                                    |        |                                |                  |   |         |  |  |   |
| produces sperm                              | testis;   |             |        |                                   |          |                |         |                                    |        |                                |                  |   |         |  |  |   |
| where fertilised ovum is implanted          | uterus  |             |        |                                   |          |                |         |                                    |        |                                |                  |   |         |  |  |   |
| produces part of seminal fluid              | seminal vesicle;  |             |        |                                   |          |                |         |                                    |        |                                |                  |   |         |  |  |   |
| where sperm is deposited during intercourse | vagina;   |             |        |                                   |          |                |         |                                    |        |                                |                  |   |         |  |  |   |
| (b) (i)                                     | <p><u>FSH</u><br/>Two from</p> <ul style="list-style-type: none"><li>stimulates oestrogen production;</li><li>development of follicle/egg/ovum;</li><li>use in IVF to increase fertility ;</li></ul>  |             |        | 2                                 |          |                |         |                                    |        |                                |                  |   |         |  |  |   |
| (ii)  | <p><u>Oestrogen</u><br/>Two from</p> <ul style="list-style-type: none"><li>thickens/repairs uterus <u>lining</u>/endometrium;</li><li>use in contraception to prevent pregnancy;</li><li>inhibits FSH production;</li><li>stimulates LH production;</li><li>causes female secondary sex characteristics / named characteristic;</li></ul>   |             |        | 2                                 |          |                |         |                                    |        |                                |                  |   |         |  |  |   |



|       |   |  |  |   |
|-------|---|--|--|---|
| (iii) | <u>Oxytocin</u> <ul style="list-style-type: none"><li>• contraction of uterus muscles at birth;</li><li>• milk release;</li></ul> |  |  | 2 |
|-------|---|--|--|---|

Total question 4 = 11 marks

| Question number | Answer   | Accept | Reject | Marks  |
|-----------------|--|--------|--------|--------|
| 5 (a) (i)       | A = large intestine;<br>C= small intestine/ileum;  |        |        | 1<br>1 |
| (ii)            | bile;  |        |        | 1      |
| (b)             | Any four from <ul style="list-style-type: none"> <li>• bile unable to pass (into duodenum)</li> <li>• fats/lipids not emulsified;</li> <li>• reduced/slower fat digestion/fat not digested/broken down;</li> <li>• by lipase;</li> <li>• acid from stomach not neutralised;</li> <li>• enzymes/named enzyme not at optimum pH/reduced enzyme activity;</li> <li>• reduced digestion of proteins/carbohydrates/starch;</li> </ul> |        |        | 4      |
| (c)             | <ul style="list-style-type: none"> <li>• surface area (for absorption) reduced;</li> <li>• less absorption (of products/named products of digestion);</li> <li>• a described effect on body e.g. lack of energy/poor haemoglobin production;</li> </ul>  |        |        | 3      |

Total question 5 = 10 marks

| Question number | Answer  | Accept  | Reject | Marks |
|-----------------|---|---|--------|-------|
| 6 (a)           | arrow towards hand in artery and away from hand in vein;  | accept arrow in the tube before or after box in right direction |        | 1     |
| (b) (i)         | glomerulus;   |   |        | 1     |
| (ii)            | <ul style="list-style-type: none"><li>• larger surface area;</li><li>• for faster diffusion/more blood filtered/blood filtered more quickly/allows more time for blood to be filtered;</li><li>• increase in amount of substances diffusing (into liquid);</li></ul>  |   |        | 2     |
| (c)             | <ul style="list-style-type: none"><li>• more urea/nitrogenous compounds;</li><li>• more salt/named salt/ion;</li></ul>  |   |        | 2     |
| (d)             | Any three from <ul style="list-style-type: none"><li>• no (glucose) concentration gradient/equal (glucose) concentration either side of tubing;</li><li>• prevents loss/diffusion of glucose;</li><li>• from blood/tubing into liquid X;</li><li>• otherwise blood glucose reduced;</li><li>• respiration affected/glucose needed for respiration/less respiration;</li></ul> |   |        | 3     |

|     |      |  |  |  |   |
|-----|------|--|--|--|---|
| (e) | (i)  | red blood cells/erythrocyte;   |  |  | 1 |
|     | (ii) | check that no red blood cells /erythrocytes have been lost/to check that no blood enters liquid x; |  |  | 1 |

Total question 6 = 11 marks



