



# Mark Scheme (Results)

January 2022

Pearson Edexcel International GCSE  
in Human Biology (4HB1) Paper 02

## **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at [www.edexcel.com](http://www.edexcel.com) or [www.btec.co.uk](http://www.btec.co.uk) for our BTEC qualifications.

Alternatively, you can get in touch with us using the details on our contact us page at [www.edexcel.com/contactus](http://www.edexcel.com/contactus).

If you have any subject specific questions about this specification that require the help of a subject specialist, you can speak directly to the subject team at Pearson.

Their contact details can be found on this link: [www.edexcel.com/teachingservices](http://www.edexcel.com/teachingservices).

You can also use our online Ask the Expert service at [www.edexcel.com/ask](http://www.edexcel.com/ask). You will need an Edexcel username and password to access this service.

## **Pearson: helping people progress, everywhere**

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: [www.pearson.com/uk](http://www.pearson.com/uk)

January 2022

Question Paper Log Number P 67061A

Publications Code 4HB1\_02\_2201\_MS

All the material in this publication is copyright

© Pearson Education Ltd 2022

## General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- Mark schemes will indicate within the table where, and which strands of QWC, are being assessed. The strands are as follows:
  - i) ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear
  - ii) select and use a form and style of writing appropriate to purpose and to complex subject matter
  - iii) organise information clearly and coherently, using specialist vocabulary when appropriate.

Question number	Answer	Notes	Marks
1 (a)	(i) <ul style="list-style-type: none"> <li>• first convoluted tubule;</li> <li>• loop of Henlé;</li> <li>• second convoluted tubule;</li> </ul>	diagram only, no labels required	3
	(ii) <p>44mm;</p> <p><math>44 \div 650;</math> = 0.068mm;</p>	ecf from mp1 max 2 marks  Allow 0.0676	3
	(iii) <ul style="list-style-type: none"> <li>• protein;</li> <li>• red/white blood cells/platelets;</li> </ul>		2
	(iv) <p>glucose;</p>		1
(b)	(i) <p>Any 2 from:</p> <ul style="list-style-type: none"> <li>• same person;</li> <li>• same activity levels;</li> <li>• same volume of water;</li> <li>• same food eaten;</li> </ul>		2
	(ii) <p><math>710 \div 4;</math></p> <p>= 178 cm<sup>3</sup> per hour;</p>	Allow 1 mark if division by 4 is shown Allow 177.5	2
	(iii) <ul style="list-style-type: none"> <li>• less urine production/lower urine loss on day two;</li> <li>• more ADH secreted on second day;</li> <li>• more water reabsorbed;</li> <li>• more water lost by sweating;</li> </ul>	Allow reverse argument for all marking points	3

Total 16 marks

Question number	Answer	Notes	Marks
2 (a) (i)	<p>an answer that makes reference to three of the following:</p> <ul style="list-style-type: none"> <li>• warms air;</li> <li>• moistens air;</li> <li>• layer of (sticky) mucus;</li> <li>• removes/traps, pathogens/bacteria/microorganisms/dust / dirt (from entering lungs);</li> <li>• reference to 1<sup>st</sup> line of defence;</li> </ul>	Mp3 must be linked to mp4 for mark	3
(ii)	<ul style="list-style-type: none"> <li>• prevents collapse;</li> <li>• to allow air to flow freely (to lungs/alveoli);</li> <li>• allows neck to bend;</li> </ul>		2
(iii)	B; (bronchi)		1
(b)	D; (medulla oblongata)		1
(c)	$17 \times 0.50 = 8.5 \text{ dm}^3$ ; $4 \times 8.5$ ; $= 0.34 \text{ dm}^3$ ;		3
(d)	<ul style="list-style-type: none"> <li>• reduced oxygen uptake by haemoglobin/forms carboxyhaemoglobin;</li> <li>• less oxygen to developing fetus;</li> <li>• lower rate of respiration/less energy released (by fetus);</li> <li>• less growth/lower birth mass;</li> </ul>		4

Total 14 marks

Question number	Answer	Notes	Marks
3 (a)	any two from <ul style="list-style-type: none"> <li>• protection/named example/barrier against pathogens;</li> <li>• sensory reception/named example;</li> <li>• excretion</li> </ul>		2
(b)	<ul style="list-style-type: none"> <li>• looks red;</li> <li>• vasodilation/more blood in skin <u>capillaries</u>/blood flows closer to skins surface;</li> <li>• allows more heat loss/heat energy released;</li> <li>• to lower body temperature;</li> </ul>		4
(c) (i)	<ul style="list-style-type: none"> <li>• as temperature increases, rate of sweating increases;</li> <li>• up until 34°C/ between 32 °C - 35.9 °C, little/no change;</li> </ul>	Allow any temperature between 34°C and 35.9 °C for 35.9 °C e.g. between 32 °C and 34 °C	2
(ii)	<ul style="list-style-type: none"> <li>• increases, rapidly/significantly from 35.9 °C - 38 °C;</li> <li>• absorb sweat with cotton wool/absorbent paper;</li> <li>• fixed area of skin/under arm pits;</li> <li>• reference to measuring mass of absorbent material before and after;</li> </ul> <p>or</p> <ul style="list-style-type: none"> <li>• measure time;</li> <li>• for cobalt chloride paper to change colour;</li> </ul>		2
(d)	<ul style="list-style-type: none"> <li>• enzymes affected/to maintain enzyme activity/ref to body temperature being optimum for enzymes;</li> <li>• too high a temperature denatured/prevent denaturation;</li> <li>• too low, inactive/less active/prevent enzymes becoming inactive;</li> </ul>		3

Total 13 marks

Question number	Answer	Notes	Marks
4 (a) (i)	method 1 = passive; method 2 = active;		2
(ii)	<ul style="list-style-type: none"> <li>• method 1 because antibodies injected;</li> <li>• immediate high level in blood/faster response;</li> <li>• to destroy, pathogen/disease organism;</li> </ul>	Do not allow destroy / kill/attack disease	3
(b)	<ul style="list-style-type: none"> <li>• catch disease/pathogens enter body;</li> <li>• antibodies produced;</li> <li>• by white blood cells/lymphocytes;</li> <li>• memory cells produced;</li> <li>• rapid production of antibodies on re-infection/faster secondary immune response;</li> </ul>		5

Total 10 marks

Question number	Answer	Notes	Marks
5 (a)	<p><i>near</i>                      <i>distant</i></p> <p>lens                              thick                      thin;</p> <p>circular ciliary muscle              contracted              relaxed;</p> <p>suspensory ligaments              loose                      stretched;</p>		3
(b)	<ul style="list-style-type: none"> <li>• two eyes;</li> <li>• each giving slightly different view;</li> <li>• allows better judgement of distances / depth;</li> </ul>		3
(c)	<p>any six from</p> <ul style="list-style-type: none"> <li>• test with two eyes then one;</li> <li>• use same person/people of similar age/same eye condition;</li> <li>• (throw and) catch a ball;</li> <li>• 10 times/suitable repeats;</li> <li>• record number of catches</li> <li>• ref control variable e.g. lighting/wind condition/same size ball/throw from the same distance;</li> </ul>		6

Total 12 marks



Question number	Answer	Notes	Marks								
6 (a)	<table border="1" data-bbox="384 309 1062 443"> <thead> <tr> <th data-bbox="384 309 743 342">Nervous system</th> <th data-bbox="743 309 1062 342">Hormonal system</th> </tr> </thead> <tbody> <tr> <td data-bbox="384 342 743 376">nerve fibres/cells;</td> <td data-bbox="743 342 1062 376">blood;</td> </tr> <tr> <td data-bbox="384 376 743 409">electrical/electrochemical;</td> <td data-bbox="743 376 1062 409">chemical;</td> </tr> <tr> <td data-bbox="384 409 743 443">fast;</td> <td data-bbox="743 409 1062 443">slow;</td> </tr> </tbody> </table>	Nervous system	Hormonal system	nerve fibres/cells;	blood;	electrical/electrochemical;	chemical;	fast;	slow;	Allow nerves / neurones Reject hormone	3
Nervous system	Hormonal system										
nerve fibres/cells;	blood;										
electrical/electrochemical;	chemical;										
fast;	slow;										
(b) (i)	arrow drawn left to right;		1								
(ii)	<ul style="list-style-type: none"> <li>• neurotransmitter;</li> <li>• released from synapse/synaptic knobs;</li> <li>• diffuses across gap;</li> <li>• bind to receptors on next cell;</li> </ul>		4								
(iii)	<ul style="list-style-type: none"> <li>• neurotransmitter only released at one side of synapse;</li> <li>• can only diffuse in one direction;</li> <li>• from high to low concentration;</li> <li>• receptors only present on post synaptic membrane;</li> </ul>		4								

Total 12 marks

Question number	Answer	Notes	Marks
7 (a) (i)	<ul style="list-style-type: none"> <li>appears in both males and females;</li> <li>in similar numbers;</li> </ul>		2
(ii)	<ul style="list-style-type: none"> <li>condition present in heterozygous genotype/only one allele needed/affected are carriers;</li> <li>only some children (from affected and unaffected parents) are affected/not affected;</li> </ul>		2
(b) (i)	<ul style="list-style-type: none"> <li>probability of a boy is 0.5/50%;</li> <li>probability of no Huntington's is 1.0;</li> <li>overall probability is <math>0.5 \times 1.0 = 0.5/50\%/1</math>;</li> </ul>		3
(ii)	<p>person 3 must be hh/homozygous recessive;  does not carry a faulty allele;  person 2 is Hh/heterozygous/carries a faulty allele / carries one normal allele;  as father not affected;  offspring either Hh or hh;  half with condition and half without/50% chance of being affected;</p>	marks can be awarded for suitable genetic crosses that are annotated	6

Total 13 marks