

Mark Scheme (Results)

Summer 2012

International GCSE Mathematics
(4MA0) Paper 1F

Level 1 / Level 2 Certificate in
Mathematics
(KMA0) Paper 1F

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please visit our website at www.edexcel.com.

Our website subject pages hold useful resources, support material and live feeds from our subject advisors giving you access to a portal of information. If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

www.edexcel.com/contactus

Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at:

www.pearson.com/uk

Summer 2012

Publications Code UG032631

All the material in this publication is copyright

© Pearson Education Ltd 2012

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme.

Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.

- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

- **Types of mark**

- M marks: method marks
- A marks: accuracy marks
- B marks: unconditional accuracy marks (independent of M marks)

- **Abbreviations**

- cao – correct answer only
- ft – follow through
- isw – ignore subsequent working
- SC - special case
- oe – or equivalent (and appropriate)
- dep – dependent

- indep – independent
- eooo – each error or omission

- **No working**

If no working is shown then correct answers normally score full marks – the mark scheme will make it clear when this does not apply.

If no working is shown then incorrect (even though nearly correct) answers score no marks.

- **With working**

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If it is clear from the working that the “correct” answer has been obtained from incorrect working, award 0 marks.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If there is a choice of methods shown, then the lower mark should be awarded, unless it is clear which method the candidate has chosen.

If there is no answer on the answer line then check the working for an answer.

- **Ignoring subsequent work**

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: eg. Incorrect cancelling of a fraction that would otherwise be correct.

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect eg algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

- **Parts of questions**

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

Question Number	Working	Answer	Mark	Notes
------------------------	----------------	---------------	-------------	--------------

Apart from Question 12(b) (where the mark scheme states otherwise) the correct answer, unless clearly obtained by an incorrect method, should be taken to imply a correct method.

1.	(a)	9367	1	B1 cao
	(b)	hundreds	1	B1 Also accept hundred, 200, 100
	(c)	8000	1	B1 cao
	(d)	6028	1	B1 cao
	(e)	5217	1	B1 cao
				Total 5 marks

2.	(a)	900	1	B1 cao
	(b)	2nd	1	B1 Accept any clear indication
	(c)	$1800 < \text{bar} \leq 1900$	1	B1 Accept 1900 but not 1800
	(d)	$\text{eg } \frac{7}{100} \times 3440$	2	M1
		240.8 or 241		A1 Also accept 240
	(e)	$\frac{1639}{3440} \times 100$	2	M1 for $\frac{1639}{3440}$ (0.47645...)
		47.6		A1 for ans rounding to 47.6
				Total 7 marks

Question Number	Working	Answer	Mark	Notes
------------------------	----------------	---------------	-------------	--------------

3.	(a)		radius	1	B1
	(b)		5.2-5.6	1	B1
	(c)(i)		127-131	2	B1
	(ii)		obtuse		B1
	(d)		correct line	1	B1 Award if intention clear
	(e)		isosceles	1	B1
					Total 6 marks



4.	(a)		0.45	1	B1 cao
	(b)		2.37	1	B1 cao
	(c)		thousandths	1	B1 Also accept thousandth, 0.001, $\frac{1}{1000}$, 0.003, $\frac{3}{1000}$
	(d)	0.06 0.08 0.1 0.18 0.2		2	B2 B1 for 4 decimals in correct order or for 0.2 0.18 0.1 0.08 0.06
					Total 5 marks

Question Number	Working	Answer	Mark	Notes
------------------------	----------------	---------------	-------------	--------------

5. (a)		0.85	1	B1 cao
(b)	$\frac{85}{100}$		2	M1
		$\frac{17}{20}$		A1 cao
(c)	$-2 - (-9)$ or -7	7	2	M1 A1 cao
(d)		17 02	1	B1
(e)	eg 55 min + 9 h + 2 min 9 h + 55 min + 2 min 10 h – 3 min		3	M2 M1 for each of the following up to a maximum of 2 marks 1. 17 02 – 7 05 but not 7 05 – 5 02 2. An attempt to make some use of a counting on method (for example, a list of 3 or more relevant times may be taken as sufficient evidence of this) 3. 9 on the hours answer line 4. 57 on the minutes answer line SC If no method marks scored, award B1 for 10 h 3 mins
	9 (hours) 57 (minutes)			A1 cao
(f)		15	1	B1 Also accept 0.15 oe
				Total 10 marks

6. (a)		21 18	2	B2 B1 for 21 B1 for 18 Also award B1 for 39 B1 for 42
(b)		eg take away 3	1	B1 See Additional Guidance
(c)		0	1	B1 cao
				Total 4 marks

Question Number	Working	Answer	Mark	Notes
------------------------	----------------	---------------	-------------	--------------

7. (a)		0	1	B1 Accept none, zero
(b)(i)		X	2	B1
(ii)		T		B1
(c)	 or 	1	B1	
				Total 4 marks

8. (a)		1020	1	B1 cao
(b)	$85n = 765$ oe or $765 \div 85$		2	M1
		9		A1 cao
(c)		$C = 85n$	2	B2 B1 for C = linear expression B1 for $85n$ oe SC B1 for $n = \frac{C}{85}$ oe
(d)	$1800 \div 85$ or $21.176\dots$ or 21		2	M1
		22		A1 cao
				Total 7 marks

Question Number	Working	Answer	Mark	Notes
------------------------	----------------	---------------	-------------	--------------

9.	(a)		4	1	B1 cao
	(b)		5	2	B2 B1 for 1-6 1 to 6 1,6 etc
	(c)	$1 \times 3 + 2 \times 6 + 3 \times 5 + 4 \times 8 + 5 \times 2 + 6 \times 1$ or $3 + 12 + 15 + 32 + 10 + 6$ or 78		3	M1 for finding at least 4 correct products and summing them
		“78” \div 25			M1 (dep) for division by 25 Accept division by their 25, if addition shown.
			3.12 oe inc $3\frac{3}{25}$, $\frac{78}{25}$		A1 Also accept 3 or 3.1 if both method marks scored
	(d)(i)		0	5	B1 Also accept $\frac{0}{1}$ or $\frac{0}{25}$
	(ii)		$\frac{2}{25}$		M1 denominator of 25 A1 numerator of 2
	(iii)	$5 + 8$ or 13 or $\frac{5}{25} + \frac{8}{25}$			M1
			$\frac{13}{25}$		A1
					Total 11 marks

10.	(a)	$360 - (119 + 82 + 81)$		2	M1
			78		A1 cao
	(b)(i)		81	2	B1 cao
	(ii)		alternate		B1 for ‘alternate’ unless contradicted – accept any recognisable spelling. Accept ‘alt’ Award B1 for acceptable answer accompanied by ‘Z’ Do not award B1 for ‘Z’ alone
					Total 4 marks

Question Number	Working	Answer	Mark	Notes
------------------------	----------------	---------------	-------------	--------------

11.	(a) 320×1.45		2	M1
		464		A1 cao
(b)	$841 \div 1.45$		2	M1
		580		A1 cao
				Total 4 marks

12.	(a) $2x = 1 - 9$ or $2x = -8$ or $2x + 8 = 0$		2	M1
		-4		A1 Award 2 marks for a correct answer, unless clearly obtained by an incorrect method
(b)	$6y - 3 = 6$ or $2y - 1 = 2$		3	M1 for correct expansion ($6y - 3$ seen) or correct division of both sides by 3 ($2y - 1 = 2$) May be implied by second M1
	$6y = 6 + 3$ or $6y = 9$ or $6y - 9 = 0$ or $2y = 2 + 1$ or $2y = 3$ or $2y - 3 = 0$			M1 for correct rearrangement Also award for $6y = 6 + 1$ or $6y = 7$ or $6y - 7 = 0$ if preceded by $6y - 1 = 6$
		$1\frac{1}{2}$ oe		A1 Award 3 marks if answer is correct and at least one method mark scored
				Total 5 marks

Question Number	Working	Answer	Mark	Notes
------------------------	----------------	---------------	-------------	--------------

13.	(a) $54 \times \frac{5}{6}$		2	M1 for 54×5 or 270 or $54 \div 6$ or 9 or $\frac{5}{6}$ oe or $\frac{6}{5}$ oe
		45		A1 cao
(b)	ratio $36 : 5400$ oe inc $0.36 : 54$, $36 \text{ cm} : 5400 \text{ cm}$, $0.36 \text{ m} : 54 \text{ m}$ (condone omission of units from one side) or fraction $\frac{5400}{36}$ oe inc $\frac{54 \text{ m}}{0.36 \text{ m}}$ (condone omission of units from either numerator or denominator)		3	M2 M1 for ratio or fraction with no units 0.36 or 3.6 or 36 or 360 or $3600\dots$ $: 0.54$ or 5.4 or 54 or 540 or $5400\dots$ oe $\frac{0.54}{0.36}$ or 5.4 or 54 or 540 or $5400\dots$ oe 0.36 or 3.6 or 36 or 360 or $3600\dots$ eg $36 : 54$, $\frac{54}{36}$, $36 : 540$, $\frac{540}{36}$, $360 : 54$, $\frac{54}{360}$, $1 : 1.5$, $54 \div 36$, $1 : 0.15$
		150		A1 cao Do not award A1 for 150 cm , $150n$ etc
				Total 5 marks

Question Number	Working	Answer	Mark	Notes
-----------------	---------	--------	------	-------

14. (a)	$2 \times (-3)^2 + 4 \times (-3)$ or $2 \times -3^2 + 4 \times -3$ or $2 \times 9 - 4 \times 3$ or $18 - 12$ or $18 + -12$		2	M1 for substitution or for correct evaluation of either 18 or -12
		6	A1 cao	
(b)	$38 = 2 \times 4^2 + 4k$ or $(k) = \frac{A - 2x^2}{x}$ oe		3	M1 for correct substitution or rearrangement
	$4k = 38 - 32$ or $4k = 6$		M1 for correct rearrangement of correct substitution	SC M2 for $\frac{38 - 32}{4}$
		1.5 oe	A1	
				Total 5 marks

15. (a)		125	1	B1 cao
(b)	$\frac{12}{3} \times 3.5$ or $\frac{15}{3} \times 3.5 - 3.5$		2	M1 for $\frac{12}{3}$ or 4 or $\frac{15}{3}$ or 5
		14	A1	cao
(c)	scale factor = $\frac{15}{3}$ or 5 or $\frac{3}{15}$ or $\frac{1}{5}$		3	M1 for $\frac{15}{3}$ or 5 or $\frac{3}{15}$ or $\frac{1}{5}$
	$19 \div 5$ or $19 \times \frac{1}{5}$		M1	Also award for $19 \div 4$ or $19 \times \frac{1}{4}$ May be implied by 4.75
		3.8	A1	cao
				Total 6 marks

Question Number	Working	Answer	Mark	Notes
------------------------	----------------	---------------	-------------	--------------

16.	(a)		2^9	1	B1 cao
	(b)		3^5	1	B1 cao
	(c)	$5^{n-4-6} = 5^3$ oe or $5^{n-10} = 5^3$ oe or $n - 4 - 6 = 3$ oe or $n - 10 = 3$ oe or $5^n = 5^3 \times 5^{10}$ oe or $5^n = 5^{3+10}$ or $5^n = 5^{13}$		2	M1 <i>SC If M0, award B1 for an answer of 5^{13}</i>
			13		A1 cao
					Total 4 marks

17.	$5.6^2 + 3.7^2$ or $31.36 + 13.69$ or 45.05		3	M1 for squaring and adding
	$\sqrt{5.6^2 + 3.7^2}$			M1 (dep) for square root
		6.71		A1 for answer rounding to 6.71
				Total 3 marks

18.		1 3 8	2	B2 for 1 3 8 in any order B1 for three positive whole numbers with either a sum of 12 or a range of 7 <i>SC Award B1 for 0 5 7</i>
				Total 2 marks

Question Number	Working	Answer	Mark	Notes
-----------------	---------	--------	------	-------

19.	Lines $x = 5$ and $y = 3$ drawn Line $y = x$ drawn		3	B1 B1
		R shown		B1 Condone omission of label Accept shading in or shading out, if consistent Award full marks for correct region labelled R even if no shading
				Total 3 marks

Q6(b) – Additional Guidance

3 may be explicitly stated

eg Accept *Subtract 3
Take away 3
–3
goes down in threes
3 less
 $n - 3$
 $39 - 3n$*

but do not accept just ‘3’

3 may be implied

eg Accept *Count from 36 to 33 [‘down’ implied]
I counted the difference between 36 and 33
I found the difference
[Condone imprecise use of ‘difference’.]*

the fact that the terms are multiples of 3 may be stated or implied

eg Accept *Multiples of 3
3 times table*

as 39, 42 are now acceptable answers to part (a), we must extend the range of answers to part (b)

eg Accept *I counted up in 3s
Add 3
goes up in 3s*

Do not accept a non-specific description

eg *I looked at the numbers and found a pattern.*

Further copies of this publication are available from
Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467

Fax 01623 450481

Email publication.orders@edexcel.com

Order Code UG032631 Summer 2012

For more information on Edexcel qualifications, please visit our website
www.edexcel.com

Pearson Education Limited. Registered company number 872828
with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE

Ofqual



Llywodraeth Cynulliad Cymru
Welsh Assembly Government

GEE
Rewarding Learning