Mark Scheme (Results)

January 2014

Pearson Edexcel International GCSE Mathematics A (4MA0/2F) Paper 2F

Pearson Edexcel Certificate Mathematics A (KMA0/2F)

### Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at <a href="https://www.edexcel.com">www.btec.co.uk</a>. Alternatively, you can get in touch with us using the details on our contact us page at <a href="https://www.edexcel.com/contactus">www.edexcel.com/contactus</a>.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: <a href="https://www.pearson.com/uk">www.pearson.com/uk</a>

January 2014
Publications Code UG037776
All the material in this publication is copyright
© Pearson Education Ltd 2014

# General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme.
  - Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- Types of mark
  - o M marks: method marks
  - o A marks: accuracy marks
  - o B marks: unconditional accuracy marks (independent of M marks)
- Abbreviations
  - o cao correct answer only
  - o ft follow through
  - o isw ignore subsequent working
  - o SC special case
  - o oe or equivalent (and appropriate)
  - o dep dependent
  - o indep independent
  - o eeoo each error or omission
  - o awrt answers which round to

# No working

If no working is shown then correct answers normally score full marks If no working is shown then incorrect (even though nearly correct) answers score no marks.

## With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

If there is no answer on the answer line then check the working for an obvious answer.

### Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: eg. Incorrect cancelling of a fraction that would otherwise be correct.

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect eg algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

# Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

Question	Working	Answer	Mark	Notes
Apart from ques	stions 12(c) and 13 (where the mark schem	ne states otherwise) the correct answe	r, unless cl	learly obtained from an incorrect method, should be taken to
imply a correct	method.			
<b>1.</b> (i)		11	1	B1
(ii)		12	1	B1
(iii)		4	1	B1
(iv)		10	1	B1
				Total 4 marks
2. (i)		40	1	B1
(ii)		(0).4	1	B1ft (if $0 < \% < 100$ ) ie allow ft if their % from (i) is
(11)		(0).1	•	between 0 and 100
				Accept leading or trailing zeros.
				Total 2 marks
	-1			2000 2 1100 110
<b>3.</b> (a)		1.3	1	B1
(b)		5.2	1	B1
(c)		arrow at 4 <sup>th</sup> mark from 0	1	B1
(d)		400	1	B1
				Total 4 marks
<b>4.</b> (a)		Thursday	1	B1
(b) (i)		20	1	B1 Positive integers only.
(b) (ii)		80	1	B1 ft from (b) (i) i.e 4 x "20" Positive integers only.
(b) (iii)		90	1	B1 ft from (b) (i) i.e 4.5 x "20" Positive integers only.
(c)		35	1	B1
(d)	65/100			M1 oe
. ,		13/20	2	A1
				Total 7 marks

				Т	
<b>5.</b> (i)			kilometres	1	Accept km.
(ii)			$m^2$	1	Accept sq metres, square metres, metres <sup>2</sup>
(iii)			ml	1	Accept millilitres, cm <sup>3</sup> , centimetres <sup>3</sup> , cubic cm(s),
					cubic centimetres.
					Total 3 marks
<b>6.</b> (i)			R marked at 0.5	1	B1
(ii)		B marked	d between 1cm & 3cm from 0	1	B1
(iii)			G marked at 0	1	B1
					Total 3 marks
<b>7.</b> (a)			Meribel	1	B1 accept misspellings if meaning is clear
(b)	(-5) - (-8)				M1 M1 for selecting –8
			3	2	A1 accept –3
(c) (i)	(-2) + (-14) oe	_			M1
			-16	2	A1 cao
(c) (ii)			10	1	B1 Accept 14
					Total 6 marks

<b>8.</b> (a)	$3 + (4 \times 2)$ oe			M1 Accept 3 + 4 x 2
		11	2	A1 14 with no working = $M1A0$
(b)	$(35-3) \div 2$			M1 Accept $35 - 3 \div 2$
		16	2	A1 $33.5$ with no working = M1A0
(c)	"x" + 8 = 2"x" + 3			M1 "x" + 8 & 2"x" + 3 seen
				or correct table of costs for Budget and Economy
				taxis to include the costs for 5 km.
				km B E
				1 5 9
				2 7 10
				3 9 11
				4 11 12
		5	2	5   13   13   A1
		3		
				Total 6 marks
<b>9.</b> (a)		9 to 9.1	1	B1
(b)		11.8		B1
(c)		1.4		B1
(0)				Total 3 marks
<b>10.</b> (a) (i)		80	1	B1
(a) (ii)		$\underline{\text{angles}}$ at a $\underline{\text{point}} = \underline{360}$ degrees	1	B1 (indep) Accept "angles at a centre = $360$ degrees".
				"angles in a complete / full turn = $360$ degrees".
				"angles in one revolution = $\underline{360}$ degrees".
				"angles in a pie chart = $360$ degrees"
(1)	140.470.00			any numerical explanation involving 360
(b)	140 / 50 x 90 oe			M2 i.e. one complete full correct method.
				If not M2 then M1 for $140 \div 50 = 2.8$ or $50 \div 140 = 0.357$
				or $50 \div 140 (= 0.357)$ or $90 \div 50 (= 1.8)$
				or $90 \div 30 = 1.8$ ) or $50 \div 90 = 0.55$ )
			1	01 30 - 30 (- 0.33)

		252	3	A1 cao
				Total 5 marks
<b>11.</b> (i)		60	1	B1 Look on diagram if no answer on answer line.
11. (ii)	(BCD =) "60" + 52 (= 112°) (CBD or BDC =) (180 – "112") ÷ 2 (= 34°) (DBC =) "60" – "34"	26	3	M1ft Their ft from angle x. Can be marked on diagram. M1ft (Dep) Dependent on previous M1 Their x – "CBD" A1 cao  Total 4 marks
<b>12.</b> (a)		3/5 5/8 65% 0.66 2/3		B3 Accept 0.6, 0.625, 0.65, 0.66, 0.66 rec
			3	<ul> <li>If not B3 then award B2 for</li> <li>3 numbers in a correct consecutive sequence</li> <li>or 3/5 &amp; 5/8 &amp; 2/3 correctly converted to decimals or %'s (at least 3 dp rounded or truncated)</li> <li>or all 5 numbers in correct descending order.</li> <li>If not B2 then B1 for</li> <li>2 fractions correctly converted to decimals or %'s (at least 3 dp rounded or truncated).</li> </ul>
(b)		1/4	1	B1
(c)	$\frac{11a}{12a} - \frac{9a}{12a} = \frac{2a}{12a}$		2	M1 for $\frac{11a}{12a}$ , $\frac{9a}{12a}$ A1 for $\frac{2a}{12a}$ (dep on M1) $a = a$ positive integer
				Total 6 marks
13.	18y + 30 = 39  or  3y + 5 = 6.5 18y = 39 - 30  or  3y = 6.5 - 5			M1 M1 for correct expansion {18y + 30} M1
	-	0.5 oe	3	A1 Dependent on at least M1  Total 3 marks

<b>14.</b> (a)		6	1	B1
(b)		8	1	B1
(c)	$0.5 \times (11 + 7) \times 10$			M1 M1 for $(0.5 \times 2 \times 10) + (7 \times 10) + (0.5 \times 2 \times 10)$
		90	2	A1
(d)	"90" x 12			M1 ft Their area in (c) x 12
		1080	2	A1 ft
				Total 6 marks
	•			
<b>15.</b> (a)	$30 \div 2 (=15) \text{ or } 15.5$			M1 or clear attempt to find 15 <sup>th</sup> and 16 <sup>th</sup> values.
		2	2	A1
(b)	(0x2) + 1x10 + 2x7 + 3x6 + 4x3 + 5x2			M1 M1 for 5 correct products stated or evaluated.
	"64" ÷ 30			M1 Dependent on first M1. Sum of the products / 30
		2.13 rec	3	A1 Accept 2.1 or better with no working.
				Accept 2 if both M marks awarded.
				Total 5 marks
<b>16.</b> (a)		x = 6 oe	1	B1 Accept $x - 6 = 0$
(b)		Shape <b>P</b> in correct position		B2 Vertices at (8,2) (8,4) (9,4) (9,3) (11,4) & (11,2)
				If not B2 then:
			2	• B1 for correct reflection in line $x = k$ where $k \neq 6$
				• or at least 2 vertices in correct position.
(c)		rotation		B1
, ,		90° clockwise or –90°		B1 accept 270° or 270° anticlockwise.
		(centre) $(0,0)$ or $O$ or origin	3	B1 condone lack of brackets around 0,0
				Award no marks if multiple transformations.
				Total 6 marks

<b>17.</b> (a)		$k^5$	1	B1	
(b)		14t - 6	1	B1	Mark response on answer line or final statement in
					body of script, do not isw.
(c) (i)		8y + 24 - 6y + 21		M1	M1 for 3 terms with correct signs or 4 terms
			2		without signs.
		2y + 45		A1	Mark response on answer line or final statement
					in body of script, do not isw.
(c) (ii)		$x^2 - 6x - 4x + 24$		M1	M1 for 3 terms with correct signs
					or 4 terms without signs.
		$x^2 - 10x + 24$	2	A1	Mark response on answer line or final statement
					in body of script, do not isw.
(d)				M1	or $v^7 / v$ or $v^4 \times v^2$ or $v^{11} / v^5$
		$v^6$	2	A1	
				Tota	l 8 marks
<b>18.</b> (a)	840 : 40 oe or 840 ÷ 40 oe or 1 : 21			M1	
		21	2	A1	Accept 21:1
(b)	$105 \div 3 \times 2$			M1	M1 for $105 \div 3 (=35)$
		70	2	A1	
(c)	$(105 \div \{4+3\}) \times 3$			M1	M1 for $105 \div (4+3) (=15)$
		45	2	A1	
				Tota	l 6 marks
<b></b>				1	
19.	$3.2 \times 3.2 (= 10.24)$			M1	Area of square.
	$\pi \times 5^2 $ ( = 78.5) { $\pi$ = 3.14 or better}			M1	Area of circle, accept awrt $78.5 \rightarrow 78.6$ incl.
	$\pi \times 5^2 - 3.2 \times 3.2$			M1	Intention to subtract areas from correct methods.
		68.3	4	A1	Accept awrt 68.3 or 68.4
				Tota	l 4 marks

20.	Fully correct factor tree or repeated division to reach prime factors (condone 1's) or 3, 5, 5, 11 or 3 x 5 x 5 x 11 x 1			M2 factors must multiply to 825
				If not M2 then award M1 for correct but incomplete factor tree/ division ladder which includes 2 different primes. (e.g. 25 x 3 x 11)
		3 x 5 x 5 x 11	3	A1 cao Accept $3 \times 5^2 \times 11$ and dots in place of x signs
				Total 3 marks
<b>21</b> (a) (i)		6, 12	1	В
21. (a) (i) (a) (ii)		2, 3, 5, 6, 7, 9, 11, 12	1 1	B1 Withhold mark if any numbers repeated.
(b)		No	1	B1 Dependent on "No" box being ticked.
(-)			1	
		Universal set has only		(idea that 14 does not belong to $\mathcal{E}$ ).
		numbers less than 13		
				Total 3 marks
22.	4 x 2.6 (= 10.4)			M1 or 5.4 seen.
22.	$(4 \times 2.6 - 5) \div 3$			M1 Correct full calculation which would lead to correct answer.
		1.8	3	Alcao
	Alternative solution: Any 4 numbers (including 5) that have a total 10.4 or any 3 numbers that have a total of 5.4			M1
	(Sum of their 3 numbers) ÷ 3		3	M1 Correct full calculation which would lead to correct answer.
		1.8		A1
				Total 3 marks

		TOTAL FOR PAPER: 100 MARKS

Pearson Education Limited. Registered company number 872828 with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE