



## **Mark Scheme (Results)**

Summer 2018

Pearson Edexcel International GCSE  
In Mathematics A (4MA1) Paper 1F

## **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at [www.edexcel.com](http://www.edexcel.com) or [www.btec.co.uk](http://www.btec.co.uk). Alternatively, you can get in touch with us using the details on our contact us page at [www.edexcel.com/contactus](http://www.edexcel.com/contactus).

## **Pearson: helping people progress, everywhere**

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: [www.pearson.com/uk](http://www.pearson.com/uk)

Summer 2018

Publications Code 4MA1\_1F\_1806\_MS

All the material in this publication is copyright

© Pearson Education Ltd 2018

## General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme.  
Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- **Types of mark**
  - M marks: method marks
  - A marks: accuracy marks
  - B marks: unconditional accuracy marks (independent of M marks)
- **Abbreviations**
  - cao – correct answer only
  - ft – follow through
  - isw – ignore subsequent working
  - SC - special case
  - oe – or equivalent (and appropriate)
  - dep – dependent
  - indep – independent
  - eeoo – each error or omission

- **No working**

If no working is shown then correct answers normally score full marks  
If no working is shown then incorrect (even though nearly correct) answers score no marks.

- **With working**

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

If there is no answer on the answer line then check the working for an obvious answer.

- **Ignoring subsequent work**

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: eg. Incorrect cancelling of a fraction that would otherwise be correct.

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect eg algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

- **Parts of questions**

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

**International GCSE Maths**

Apart from questions 11, 16c (where the mark scheme states otherwise) the correct answer, unless obtained from an incorrect method, should be taken to imply a correct method.

| Question | Working   | Answer         | Mark | Notes            |
|----------|---|----------------|------|------------------|
| 1 a      |   | 0.07           | 1    | B1 cao           |
| b        |   | $\frac{4}{5}$  | 1    | B1 cao           |
| c        |   | $5\frac{2}{3}$ | 1    | B1 cao           |
| d        | $840 \div 7 (=120)$ oe <b>or</b> $\frac{6}{7} \times 840$ oe <b>or</b><br>$0.14(2\dots) \times 840 (=120)$ oe <b>or</b> 117.6 | 720            | 2    | M1<br><br>A1 cao |

| Question | Working   | Answer           | Mark | Notes  |
|----------|---|------------------|------|--|
| 2 a      |   | Kenya            | 1    | B1   |
| b        | $67 - 27$ (may be seen on bar chart)                          | 40               | 2    | M1 for $x - 27$<br>(can be implied by an answer of 39, 41)<br><br>A1 cao   |
| c        | $56 : 42$ oe <b>or</b> $3 : 4$ <b>or</b> $1 : \frac{4}{3}$ oe | $4 : 3$          | 2    | M1 <b>or</b> for an unsimplified ratio with one value correct e.g. $56 : 41$ , $66 : 42$<br><b>or</b> for $53 : 41$<br><b>or</b> for 3 and 4 in incorrect notation<br>E.g. $\frac{3}{4}$ or $\frac{4}{3}$<br><br>A1 allow $1 : \frac{3}{4}$ <b>or</b> $1 : 0.75$ |
| d        | $46 + 37 + 38 (=121)$ <b>or</b> $\frac{46}{m}$ , $m > 46$     | $\frac{46}{121}$ | 2    | M1<br><br><br>A1 cao   |

| Question   | Working  | Answer                | Mark | Notes   |
|------------|--|-----------------------|------|---|
| <b>3</b> i |  | (triangular)<br>prism | 1    | B1  |
| ii         |  | 5                     | 1    | B1  |
| iii        |  | 6                     | 1    | B1  |
| <b>4</b> a |  | 6.5                   | 1    | B1  |
| b          |  | 8000                  | 1    | B1  |
| c          | $6 \times 1000 (=6000)$ <b>or</b> $475 \div 1000 (=0.475)$<br>$6 \times 1000 \div 475$ <b>or</b> $6 \div (475 \div 1000)$<br><b>or</b> $12.6(3\dots)$ <b>or</b> $475 \times 12 (=5700)$<br><b>or</b> $475 \times 13 (=6175)$ | 12                    | 3    | M1<br>M1 or for repeated subtraction of 475 from 6000 <b>or</b> repeated addition of 475 (may work in grams or kg)<br>A1 cao<br>SC : B2 for an answer of 13 |
| <b>5</b> a |  | $11x$                 | 1    | B1  |
| b          |  | $20ef$                | 1    | B1  |
| c          |  | 3                     | 1    | B1  |
| d          |  | 17                    | 1    | B1  |
| e          |  | $7t + 6d$             | 2    | B2 B1 for $7t$ <b>or</b> (+) $6d$   |

| Question | Working  | Answer  | Mark | Notes   |        |     |       |      |    |   |   |    |        |    |   |   |    |       |    |    |   |    |   |   |
|----------|--|---|------|---|--------|-----|-------|------|----|---|---|----|--------|----|---|---|----|-------|----|----|---|----|---|---|
| 6 a      |  | <table border="1"> <thead> <tr> <th></th> <th>UK</th> <th>Africa</th> <th>USA</th> <th>Total</th> </tr> </thead> <tbody> <tr> <th>Male</th> <td>14</td> <td>7</td> <td>2</td> <td>23</td> </tr> <tr> <th>Female</th> <td>16</td> <td>9</td> <td>2</td> <td>27</td> </tr> <tr> <th>Total</th> <td>30</td> <td>16</td> <td>4</td> <td>50</td> </tr> </tbody> </table> |      | UK  | Africa | USA | Total | Male | 14 | 7 | 2 | 23 | Female | 16 | 9 | 2 | 27 | Total | 30 | 16 | 4 | 50 | 3 | B3 If not B3 then<br>B2 for at least 4 correct entries<br>If not B2 then<br>B1 for at least 2 correct entries |
|          | UK   | Africa  | USA  | Total   |        |     |       |      |    |   |   |    |        |    |   |   |    |       |    |    |   |    |   |   |
| Male     | 14   | 7   | 2    | 23  |        |     |       |      |    |   |   |    |        |    |   |   |    |       |    |    |   |    |   |   |
| Female   | 16   | 9   | 2    | 27  |        |     |       |      |    |   |   |    |        |    |   |   |    |       |    |    |   |    |   |   |
| Total    | 30   | 16  | 4    | 50  |        |     |       |      |    |   |   |    |        |    |   |   |    |       |    |    |   |    |   |   |
| b        | $\frac{9}{50}$ or 0.18   | 18  | 2    | M1 for selecting 9 (may be seen in a calculation)<br>A1           |        |     |       |      |    |   |   |    |        |    |   |   |    |       |    |    |   |    |   |   |
| 7        | <p><math>3.80 \div 4 (=0.95)</math> or<br/><math>0.75 \times 3.80</math> oe (=2.85)</p> <p><math>7.33 - 3 \times "0.95" (=4.48)</math> or<br/><math>7.33 - "2.85" (=4.48)</math></p> <p>"4.48" <math>\div 2</math></p> | 2.24  | 4    | M1<br>M1<br>M1<br>A1 SC: Award B2 for an answer of £2.08 or £2.09 |        |     |       |      |    |   |   |    |        |    |   |   |    |       |    |    |   |    |   |   |



| Question | Working  | Answer              | Mark | Notes   |
|----------|--|---------------------|------|---|
| 8        | (angle $EAD$ or $ADE$ or $AED$ =) 60<br>(angle $BCD$ =) $180 - 108$ (=72)<br>(angle $BAD$ =) $360 - (135 + "72" + 90)$ (=63) <b>or</b><br>(angle $BAD$ =) $360 - 297$ (=63) <b>or</b><br>(angle $EAB$ =) 123 | 123                 | 5    | B1 may be seen on diagram<br>M1 may be seen on diagram<br>M1 may be seen on diagram<br><br>B1 (dep on M1) for at least <b>one</b> correct reason<br><b>reason 1</b> : <u>Angles on straight line</u> add up to $180^\circ$ <b>or</b><br>Angles on <u>straight line</u> add up to <u><math>180^\circ</math></u><br><br><b>reason 2</b> : <u>Angles in a quadrilateral</u> (accept 4-sided shape) add up to $360^\circ$ <b>or</b><br>Angles in a <u>quadrilateral</u> (accept 4-sided shape) add up to <u><math>360^\circ</math></u><br><br>A1 for 123 and full reasons |
| 9 a      | Two readings from graph $20^\circ\text{C}$ apart<br>eg. readings from $0^\circ\text{C}$ ( $30 - 34^\circ\text{F}$ ) and $20^\circ\text{C}$ ( $66 - 70^\circ\text{F}$ )                                       | 36                  | 2    | M1<br><br>A1 accept answer in range 34 – 38   |
| b        |  | No with explanation | 1    | B1 e.g. graph does not go through (0,0) (accept 0) <b>or</b> temperatures in $^\circ\text{F}$ are not proportional to temperatures in $^\circ\text{C}$ <b>or</b> gives counter example that doubling does not work <b>or</b> $60^\circ\text{C}$ is the same as $140^\circ\text{F}$ ( $135 - 145$ ) <b>or</b> $15^\circ\text{C}$ is not $43^\circ\text{F}$   |

| Question | Working  | Answer      | Mark | Notes   |
|----------|--|-------------|------|---|
| 10 a     | 12, 24, 36... <b>and</b> 20, 40, 60, ...<br><b>or</b><br>2, 2, 3 <b>and</b> 2, 2, 5 (may be on a factor tree oe)   | 60          | 2    | M1 accept prime factors seen in factor tree <b>or</b> correct position in Venn diagram<br><br>A1 for 60 <b>or</b> $2 \times 2 \times 3 \times 5$ oe                           |
| b        | at least 3 of 2, 3, 4, 6, 8, 12 <b>and</b><br>at least 3 of 2, 4, 7, 8, 14, 28<br><b>or</b><br>2, 2, 2, 3 <b>and</b> 2, 2, 2, 7 (may be on a factor tree oe) | 8           | 2    | M1 accept prime factors seen in factor tree or correct position in Venn diagram<br><br>A1 for 8 <b>or</b> $2 \times 2 \times 2$ oe  |
| 11       | $32 \div 5$ (= 6.4 or 6) <b>or</b> $15 \div 5$ (=3)<br><b>or</b> $30 \div 5$ (=6)<br><br>"6" $\times$ "3" $\times$ "6" (=108)                                | No with 108 | 3    | M1<br><br>M1 integer values must be used<br><br>A1<br><br>SC: If no marks awarded then award B1 for an answer of 'yes' with 115(.2)<br><b>OR</b><br>'yes' and 14400 and 13750 |


| Question | Working | Answer  | Mark | Notes   |
|----------|---------|---|------|---|
| 12 a     |         | Reflection in $x = -1$                              | 2    | B1 for reflection<br>B1 for $x = -1$<br>NB. If more than one transformation then award no marks |
| b        |         | $(3, -1) (3, -5) (5, -5)$                           | 1    | B1 condone missing label  |
| c        |         | Translation $\begin{pmatrix} -2 \\ 6 \end{pmatrix}$ | 1    | B1 NB. If more than one transformation then award no marks                                      |

| Question | Working   | Answer | Mark | Notes  |
|----------|---|--------|------|--|
| 13       | $170 \div 2 (=85)$ or $170 \div 2 \times 7 (=595)$ or $7 \div 2 (=3.5)$<br>$7 \times "85" + 170 (=765)$ or $9 \times "85" (=765)$ or<br>$"595" + 170 (=765)$ or $170 \times "3.5" + 170 (=765)$<br>$"765" \div 3 (=255)$ or $"765" \div 3 \times 5 (=1275)$<br>$"255" \times 2$ or $"1275" - "765"$ or $"1275" \div 5 \times 2$                             | 510    | 5    | M1<br>M1 award of this mark implies the first M1<br>M1 dep on M2<br>M1<br>A1 |
|          | <b>Alternative scheme</b>   |        |      |  |
|          | (girls =) $\frac{2}{9}$ (of children)<br>(girls =) $\frac{2}{9} \times \frac{3}{5} \left( = \frac{2}{15} \right)$ (of total)<br>or $G : C : A = \frac{2}{9} \times \frac{3}{5} : \frac{3}{5} : \frac{2}{5} \left( = \frac{2}{3} : 3 : 2 \right)$<br>$"\frac{15}{2}" \times 170 (=1275)$ or $G : A = 2 : 6$ oe<br>$"1275" \div 5 \times 2$ or $3 \times 170$ | 510    | 5    | M1<br>M1 award of this mark implies the first M1<br>M1 dep on M2<br>M1<br>A1 |

| Question | Working   | Answer                           | Mark | Notes   |
|----------|---|----------------------------------|------|---|
| 14 a     |   | 110                              | 1    | B1 for 108 – 112  |
| b        |   | cross marked in correct position | 3    | M1 for arc drawn radius 7.8 cm – 8.2 cm centre <i>L</i> <b>or</b> <i>P</i> marked 7.8 cm – 8.2 cm from <i>L</i> <b>or</b> $40 \div 5 (= 8)$<br><br>M1 for bearing of $238^\circ - 242^\circ$ from <i>M</i><br><br>A1 Overlay ( <i>P</i> 7.8 cm – 8.2 cm from <i>L</i> and on a bearing of $238^\circ - 242^\circ$ from <i>M</i> )   |
| 15 a     |   | $0 < p \leq 1$                   | 1    | B1  |
| b        | $0.5 \times 19 + 1.5 \times 12 + 2.5 \times 5 + 3.5 \times 2 + 4.5 \times 2 (=56)$ <b>or</b><br>$9.5 + 18 + 12.5 + 7 + 9 (=56)$<br><br>“56” $\div$ 40 | 1.4                              | 4    | M2 for at least 4 correct products added (need not be evaluated)<br>If not M2 then award<br>M1 for consistent use of value within interval (including end points) for at least 4 products which must be added<br><b>OR</b><br>correct mid-points used for at least 4 products and not added<br><br>M1 dep on at least M1<br>Allow division by their $\sum f$ provided addition or total under column seen<br><br>A1 for 1.4 or $1\frac{2}{5}$ |

| Question     | Working   | Answer                | Mark       | Notes  |
|--------------|---|-----------------------|------------|--|
| <b>16</b> a  |   | $y^{14}$              | 1          | B1   |
| b            |   | $16m^{12}$            | 2          | B2<br>if not B2 then<br>B1 for $am^{12}$ or $16m^b$ or $2^4m^{12}$ $b \neq 0, 12$ $a \neq 1, 16$   |
| c            | $5x + 15 = 3x - 4$ or<br>$x + 3 = \frac{3x - 4}{5}$<br>e.g. $5x - 3x = -4 - 15$ | $-\frac{19}{2}$ oe    | 3<br><br>2 | M1<br>for removing bracket in a correct equation or dividing all terms by 5 in a correct equation<br><br>M1<br>ft from $ax + b = cx + d$ for correctly isolating terms in $x$ on one side of equation and constant terms on the other side<br><br>A1<br>dep on at least M1 |
| d (i)        |   | $(x - 4)(x + 6)$      |            | M1<br>for $(x + a)(x + b)$ where either $ab = -24$ or $a + b = +2$<br>e.g. $(x - 6)(x + 4)$<br><br>A1  |
| (ii)         |   | 4, -6                 | 1          | B1<br>cao or ft from any $(x + p)(x + q)$  |
| <b>17</b> ai |   | 1, 2, 3, 4, 6, 12     | 1          | B1<br>cao  |
| aii          |   | 1, 3, 5, 7, 9, 10, 11 | 1          | B1<br>cao  |
| b            |   | Yes with reason       | 1          | B1<br>e.g. no numbers in both A and C or A and C do not intersect or A and C do not overlap or A and C are mutually exclusive  |
| c            |   | $\frac{10}{12}$ oe    | 2          | M1<br>for $12 - 2 (=10)$ or $\frac{a}{12}$ with $a < 12$ or<br>10 and 12 used with incorrect notation E.g. 10 : 12<br><br>A1<br>for $\frac{10}{12}$ oe or 0.83(3...) or 83(.3..)%  |

| Question | Working   | Answer             | Mark | Notes   |
|----------|---|--------------------|------|---|
| 18 a     |   | 80 000             | 1    | B1  |
| b        | $0.5 \times 10^{5-8}$ <b>or</b> 0.0005 <b>or</b><br>$5 \times 10^n$ <b>or</b> $5.0 \times 10^n$ | $5 \times 10^{-4}$ | 2    | M1<br><br>A1 for $5 \times 10^{-4}$ or $5.0 \times 10^{-4}$<br><br>SC : B1 for $\frac{1}{2000}$ <b>or</b> $\frac{1}{2 \times 10^3}$ |

| Question | Working | Answer   | Mark | Notes   |    |   |   |   |   |   |    |   |   |   |   |   |   |   |
|----------|---------|--|------|---|----|---|---|---|---|---|----|---|---|---|---|---|---|---|
| 19 a     |         | <table border="1"> <tr> <td>x</td> <td>-2</td> <td>-1</td> <td>0</td> <td>1</td> <td>2</td> <td>3</td> </tr> <tr> <td>y</td> <td>-1</td> <td>1</td> <td>3</td> <td>5</td> <td>7</td> <td>9</td> </tr> </table> | x    | -2  | -1 | 0 | 1 | 2 | 3 | y | -1 | 1 | 3 | 5 | 7 | 9 | 3 | <p>B3 For a correct line between <math>x = -2</math> and <math>x = 3</math></p> <p>B2 For a correct straight line segment through at least 3 of <math>(-2, -1)</math> <math>(-1, 1)</math> <math>(0, 3)</math> <math>(1, 5)</math> <math>(2, 7)</math> <math>(3, 9)</math></p> <p><b>OR</b></p> <p>for all of <math>(-2, -1)</math> <math>(-1, 1)</math> <math>(0, 3)</math> <math>(1, 5)</math> <math>(2, 7)</math> <math>(3, 9)</math> plotted but not joined</p> <p>B1 For at least 2 correct points plotted or stated (ignore incorrect points)</p> <p><b>OR</b></p> <p>for a line drawn with a positive gradient through <math>(0, 3)</math> <b>and</b> clear intention to use a gradient of 2<br/>(eg. a line through <math>(0, 3)</math> and <math>(0.5, 5)</math>)</p> <p><b>OR</b> a line drawn with a gradient of 2</p> |
| x        | -2      | -1   | 0    | 1   | 2  | 3 |   |   |   |   |    |   |   |   |   |   |   |   |
| y        | -1      | 1  | 3    | 5   | 7  | 9 |   |   |   |   |    |   |   |   |   |   |   |   |
| b        |         |   | 2    | <p>M1 for <math>x = 2</math> <b>and</b> <math>y = 1</math> drawn</p> <p>A1 for correct region identified</p> <p>NB: Region may be unshaded or shaded, condone missing label</p> |    |   |   |   |   |   |    |   |   |   |   |   |   |   |



| Question | Working   | Answer | Mark | Notes |  |
|----------|---|--------|------|-------|--|
| 20       | $9.7^2 + 3.5^2 (=106.34)$<br><br>$\sqrt{9.7^2 + 3.5^2}$ or $\sqrt{"106.34"}$ (=10.3...) | 32.4   | 4    | M1    | M1 for the use of $MN$ and a correct angle (70.1... or 70.2, 19.8...) in a correct trig statement<br>eg $\cos 70.2 = \frac{3.5}{MN}$ |
|          | $\pi \times "10.3..."$ or $2 \times \pi \times \frac{"10.3..."}{2}$                     |        |      | M1    | M1 for a complete method to find $MN$<br>eg $MN = \frac{3.5}{\cos 70.2}$ (=10.3...)  |
|          |   |        |      | M1    | dep on M2  |
|          |   |        |      | A1    | for answer in range 32.3 – 32.41   |

| Question | Working   | Answer  | Mark | Notes  |  |
|----------|---|---------|------|--|--|
| 21 a     | $\frac{4}{100} \times 160\,000$ oe (=6400)                                    | 141 558 | 3    | M1   | M2 for $160\,000 \times 0.96^3$<br><b>or</b> $160\,000 \times 0.96^4$<br>(=135 895.44..)   |
|          | $\frac{4}{100} \times (160\,000 - \text{"6400"})$ (= 6144)                    |         |      | M1 for a complete method (condone 4 years rather than 3) |  |
|          | $\frac{4}{100} \times (160\,000 - \text{"6400"} - \text{"6144"})$ (= 5898.24) |         |      |  |  |
|          | 160 000 – “6400” – “6144” – “5898.24”   |         |      |  | If not M2 then award M1 for $160\,000 \times 0.96$ (=153 600)<br><b>or</b> $160\,000 \times 0.96^2$ (=147 456)   |
|          |   |         |      |  | accept (1 – 0.04) in place of 0.96 throughout  |
|          |   |         |      | A1   | for 141 557.76 - 141 558   |
|          |   |         |      |  | <b>SC</b> If no other marks gained, award<br><b>B1</b> for $160\,000 \times 0.12$ oe (=19 200)<br><b>or</b> $160\,000 \times 0.88$ oe (=140 800)<br><b>or</b> an answer of 140 800<br><b>or</b> an answer of in the range 179 978 – 179 978.24 |
| b        | E.g. $252\,000 \div 1.05$   | 240 000 | 3    | M2   | If not M2 then M1 for $x \times 1.05 = 252\,000$ <b>or</b> $252\,000 \div 105$ oe  |
|          |   |         |      | A1   | NB: An answer of 239 400 scores M0 M0 A0   |

Pearson Education Limited. Registered company number 872828  
with its registered office at 80 Strand, London, WC2R 0RL, United Kingdom