



## FURTHER MATHEMATICS STANDARD LEVEL PAPER 1

Thursday 5 May 2011 (afternoon)

1 hour

## **INSTRUCTIONS TO CANDIDATES**

- Do not open this examination paper until instructed to do so.
- Answer all questions.
- Unless otherwise stated in the question, all numerical answers must be given exactly or correct to three significant figures.

Full marks are not necessarily awarded for a correct answer with no working. Answers must be supported by working and/or explanations. In particular, solutions found from a graphic display calculator should be supported by suitable working, e.g. if graphs are used to find a solution, you should sketch these as part of your answer. Where an answer is incorrect, some marks may be given for a correct method, provided this is shown by written working. You are therefore advised to show all working.

- **1.** [Maximum mark: 11]
  - (a) Bottles of iced tea are supposed to contain 500 ml. A random sample of 8 bottles was selected and the volumes measured (in ml) were as follows:

- (i) Calculate unbiased estimates of the mean and variance.
- (ii) Test at the 5 % significance level the null hypothesis  $H_0: \mu = 500$  against the alternative hypothesis  $H_1: \mu < 500$ . [5 marks]
- (b) A random sample of size four is taken from the distribution N(60, 36).

  Calculate the probability that the sum of the sample values is less than 250. [6 marks]
- **2.** [Maximum mark: 15]
  - (a) (i) Find the range of values of *n* for which  $\int_{1}^{\infty} x^{n} dx$  exists.
    - (ii) Write down the value of  $\int_{1}^{\infty} x^{n} dx$  in terms of n, when it does exist. [7 marks]
  - (b) Find the solution to the differential equation

$$(\cos x - \sin x) \frac{\mathrm{d}y}{\mathrm{d}x} + (\cos x + \sin x) y = \cos x + \sin x,$$

given that 
$$y = -1$$
 when  $x = \frac{\pi}{2}$ . [8 marks]

- **3.** [Maximum mark: 11]
  - (a) Prove that the number 14 641 is the fourth power of an integer in any base greater than 6.

[3 marks]

- (b) For  $a, b \in \mathbb{Z}$  the relation aRb is defined if and only if  $\frac{a}{b} = 2^k$ ,  $k \in \mathbb{Z}$ .
  - (i) Prove that *R* is an equivalence relation.
  - (ii) List the equivalence classes of R on the set  $\{1, 2, 3, 4, 5, 6, 7, 8, 9, 10\}$ . [8 marks]
- **4.** [Maximum mark: 11]
  - (a) Prove that if gcd(a, b) = 1 and gcd(a, c) = 1, then gcd(a, bc) = 1.

[5 marks]

- (b) (i) A simple graph has e edges and v vertices, where v > 2. Prove that if all the vertices have degree at least k, then  $2e \ge kv$ .
  - (ii) **Hence** prove that every planar graph has at least one vertex of degree less than 6.

[6 marks]

**5.** [Maximum mark: 12]

The rectangle ABCD is inscribed in a circle. Sides [AD] and [AB] have lengths 3 cm and 9 cm respectively. E is a point on side [AB] such that AE is 3 cm. Side [DE] is produced to meet the circumcircle of ABCD at point P. Use Ptolemy's theorem to calculate the length of chord [AP].