



MATHEMATICS HIGHER LEVEL PAPER 3 – SERIES AND DIFFERENTIAL EQUATIONS

Friday 4 November 2011 (morning)

1 hour

INSTRUCTIONS TO CANDIDATES

- Do not open this examination paper until instructed to do so.
- Answer all the questions.
- Unless otherwise stated in the question, all numerical answers should be given exactly or correct to three significant figures.

[2 marks]

Please start each question on a new page. Full marks are not necessarily awarded for a correct answer with no working. Answers must be supported by working and/or explanations. In particular, solutions found from a graphic display calculator should be supported by suitable working, e.g. if graphs are used to find a solution, you should sketch these as part of your answer. Where an answer is incorrect, some marks may be given for a correct method, provided this is shown by written working. You are therefore advised to show all working.

1. [Maximum mark: 5]

Find
$$\lim_{x \to \frac{1}{2}} \left(\frac{\left(\frac{1}{4} - x^2\right)}{\cot \pi x} \right).$$

- 2. [Maximum mark: 5]
 - (a) Show that $n! \ge 2^{n-1}$, for $n \ge 1$.

(b) Hence use the comparison test to determine whether the series $\sum_{n=1}^{\infty} \frac{1}{n!}$ converges [3 marks]

3. [Maximum mark: 11]

Consider the series $\sum_{n=1}^{\infty} (-1)^n \frac{x^n}{n \times 2^n}$.

(a) Find the radius of convergence of the series. [7 marks]

- (b) Hence deduce the interval of convergence. [4 marks]
- 4. [Maximum mark: 8]
 - (a) Using the integral test, show that $\sum_{n=1}^{\infty} \frac{1}{4n^2 + 1}$ is convergent. [4 marks]
 - (b) (i) Show, by means of a diagram, that $\sum_{n=1}^{\infty} \frac{1}{4n^2 + 1} < \frac{1}{4 \times 1^2 + 1} + \int_{1}^{\infty} \frac{1}{4x^2 + 1} dx$.
 - (ii) Hence find an upper bound for $\sum_{n=1}^{\infty} \frac{1}{4n^2 + 1}$. [4 marks]

8811-7208

5. [Maximum mark: 16]

(a) Given that
$$y = \ln\left(\frac{1+e^{-x}}{2}\right)$$
, show that $\frac{dy}{dx} = \frac{e^{-y}}{2} - 1$. [5 marks]

(b) Hence, by repeated differentiation of the above differential equation, find the Maclaurin series for y as far as the term in x^3 , showing that two of the terms are zero. [11 marks]

6. [Maximum mark: 15]

The real and imaginary parts of a complex number x + iy are related by the differential equation $(x + y)\frac{dy}{dx} + (x - y) = 0$.

By solving the differential equation, given that $y = \sqrt{3}$ when x = 1, show that the relationship between the modulus *r* and the argument θ of the complex number is $r = 2e^{\frac{\pi}{3}-\theta}$.