

# Markscheme

November 2019

Physics

Standard level

Paper 2

11 pages

No part of this product may be reproduced in any form or by any electronic or mechanical means, including information storage and retrieval systems, without written permission from the IB.

Additionally, the license tied with this product prohibits commercial use of any selected files or extracts from this product. Use by third parties, including but not limited to publishers, private teachers, tutoring or study services, preparatory schools, vendors operating curriculum mapping services or teacher resource digital platforms and app developers, is not permitted and is subject to the IB's prior written consent via a license. More information on how to request a license can be obtained from <http://www.ibo.org/contact-the-ib/media-inquiries/for-publishers/guidance-for-third-party-publishers-and-providers/how-to-apply-for-a-license>.

Aucune partie de ce produit ne peut être reproduite sous quelque forme ni par quelque moyen que ce soit, électronique ou mécanique, y compris des systèmes de stockage et de récupération d'informations, sans l'autorisation écrite de l'IB.

De plus, la licence associée à ce produit interdit toute utilisation commerciale de tout fichier ou extrait sélectionné dans ce produit. L'utilisation par des tiers, y compris, sans toutefois s'y limiter, des éditeurs, des professeurs particuliers, des services de tutorat ou d'aide aux études, des établissements de préparation à l'enseignement supérieur, des fournisseurs de services de planification des programmes d'études, des gestionnaires de plateformes pédagogiques en ligne, et des développeurs d'applications, n'est pas autorisée et est soumise au consentement écrit préalable de l'IB par l'intermédiaire d'une licence. Pour plus d'informations sur la procédure à suivre pour demander une licence, rendez-vous à l'adresse <http://www.ibo.org/fr/contact-the-ib/media-inquiries/for-publishers/guidance-for-third-party-publishers-and-providers/how-to-apply-for-a-license>.

No se podrá reproducir ninguna parte de este producto de ninguna forma ni por ningún medio electrónico o mecánico, incluidos los sistemas de almacenamiento y recuperación de información, sin que medie la autorización escrita del IB.

Además, la licencia vinculada a este producto prohíbe el uso con fines comerciales de todo archivo o fragmento seleccionado de este producto. El uso por parte de terceros —lo que incluye, a título enunciativo, editoriales, profesores particulares, servicios de apoyo académico o ayuda para el estudio, colegios preparatorios, desarrolladores de aplicaciones y entidades que presten servicios de planificación curricular u ofrezcan recursos para docentes mediante plataformas digitales— no está permitido y estará sujeto al otorgamiento previo de una licencia escrita por parte del IB. En este enlace encontrará más información sobre cómo solicitar una licencia: <http://www.ibo.org/es/contact-the-ib/media-inquiries/for-publishers/guidance-for-third-party-publishers-and-providers/how-to-apply-for-a-license>.

### Subject Details: Physics SL Paper 2 Markscheme


Candidates are required to answer **all** questions. Maximum total = **50 marks**.

1. Each row in the “Question” column relates to the smallest subpart of the question.
2. The maximum mark for each question subpart is indicated in the “Total” column.
3. Each marking point in the “Answers” column is shown by means of a tick (✓) at the end of the marking point.
4. A question subpart may have more marking points than the total allows. This will be indicated by “**max**” written after the mark in the “Total” column. The related rubric, if necessary, will be outlined in the “Notes” column.
5. An alternative wording is indicated in the “Answers” column by a slash (/). Either wording can be accepted.
6. An alternative answer is indicated in the “Answers” column by “**OR**”. Either answer can be accepted.
7. An alternative markscheme is indicated in the “Answers” column under heading **ALTERNATIVE 1** etc. Either alternative can be accepted.
8. Words inside chevrons « » in the “Answers” column are not necessary to gain the mark.
9. Words that are underlined are essential for the mark.
10. The order of marking points does not have to be as in the “Answers” column, unless stated otherwise in the “Notes” column.
11. If the candidate’s answer has the same “meaning” or can be clearly interpreted as being of equivalent significance, detail and validity as that in the “Answers” column then award the mark. Where this point is considered to be particularly relevant in a question it is emphasized by **OWTTE** (or words to that effect) in the “Notes” column.
12. Remember that many candidates are writing in a second language. Effective communication is more important than grammatical accuracy.
13. Occasionally, a part of a question may require an answer that is required for subsequent marking points. If an error is made in the first marking point then it should be penalized. However, if the incorrect answer is used correctly in subsequent marking points then **follow through** marks should be awarded. When marking, indicate this by adding **ECF** (error carried forward) on the script. “ECF acceptable” will be displayed in the “Notes” column.
14. Do **not** penalize candidates for errors in units or significant figures, **unless** it is specifically referred to in the “Notes” column.


Question		Answers	Notes	Total
1.	a	links 0.84 to $\Delta p$ ✓ $v = \left\langle \frac{0.84}{5.8 \times 10^{-2}} \right\rangle \Rightarrow 14.5 \text{ «ms}^{-1}\text{» ✓}$	Award <b>[2]</b> for bald correct answer	2
1.	b	use of $\Delta t = \langle (28 - 12) \times 10^{-3} \rangle \Rightarrow 16 \times 10^{-3} \text{ «s» ✓}$ $\bar{F} = \left\langle \frac{\Delta p}{\Delta t} \right\rangle = \left\langle \frac{0.84}{16 \times 10^{-3}} \right\rangle$ <b>OR</b> 53 «N» ✓	Accept a time interval from 14 to 16 ms Allow ECF from incorrect time interval	2
1.	c	$E_k = \frac{1}{2} \times 5.8 \times 10^{-2} \times 14.5^2$ ✓ $E_k = W$ ✓ $s = \left\langle \frac{W}{F} \right\rangle = \frac{\frac{1}{2} \times 5.8 \times 10^{-2} \times 14.5^2}{53} \Rightarrow 0.12 \text{ «m» ✓}$	Allow ECF from (a) and (b) Allow ECF from MP1 Award <b>[2]</b> max for a calculation without reference to work done, eg: average velocity $\times$ time	3

(continued...)

(Question 1 continued)

Question		Answers	Notes	Total
1.	d	 <p>graph must show increasing speed from an initial of zero all the time ✓ overall correct curvature ✓</p>		2

Question			Answers	Notes	Total
2	a		$N = \frac{pV}{kT} \text{ OR } N = \frac{1.0 \times 10^5 \times 0.36}{1.38 \times 10^{-23} \times 295} \checkmark$ $N = 8.8 \times 10^{24} \checkmark$	Allow [1 max] for substitution with $T$ in Celsius. Allow [1 max] for a final answer of $n = 14.7$ or $15$ Award [2] for bald correct answer.	2
2.	b	i	use of $\frac{p}{T} = \text{constant}$ OR $p = \frac{nRT}{V}$ OR $\frac{NkT}{V} \checkmark$ $p = 9.4 \times 10^4 \text{ «Pa»} \checkmark$	Allow ECF from (a) Award [2] for bald correct answer	2
2	b	ii	$F = A \times \Delta p \checkmark$ $F = 0.72 \times (1.0 - 0.94) \times 10^5 \text{ OR } 4.3 \times 10^3 \text{ «N»} \checkmark$	Allow ECF from (b)(i) Allow ECF from MP1	2
2.	b	iii	force is «very» large $\checkmark$ there must be a mechanism that makes this force smaller OR assumption used to calculate the force/pressure is unrealistic $\checkmark$		2

Question			Answers	Notes	Total
3.	a	i	$v = \left\langle \frac{0.05}{0.20 \times 10^{-3}} \right\rangle = \left\langle 250 \text{ m s}^{-1} \right\rangle \checkmark$		1
3.	a	ii	$\lambda = 0.30 \text{ m} \checkmark$ $f = \left\langle \frac{250}{0.30} \right\rangle = \left\langle 830 \text{ Hz} \right\rangle \checkmark$	Allow ECF from (a)(i) Allow ECF from wrong wavelength for MP2	2
3.	b		Q $\checkmark$ acceleration is proportional to displacement «and Q has larger displacement» $\checkmark$		2
3.	c	i	3 «points» $\checkmark$		1
3.	c	ii	first harmonic mode drawn $\checkmark$ 	Allow if only one curve drawn, either solid or dashed.	1

Question			Answers	Notes	Total
4.	a		magnetic force is to the left «at the instant shown» <b>OR</b> explains a rule to determine the direction of the magnetic force ✓  force is perpendicular to velocity/«direction of» motion <b>OR</b> force is constant in magnitude ✓  force is centripetal/towards the centre ✓	Accept reference to acceleration instead of force	2 max
4.	b	i	$qvB = \frac{mv^2}{R} \checkmark$ $R = \frac{1.67 \times 10^{-27} \times 2.0 \times 10^6}{1.6 \times 10^{-19} \times 0.35} \text{ OR } 0.060 \text{ « m »}$	Award MP2 for full replacement or correct answer to at least 2 significant figures	2
4.	b	ii	$T = \frac{2\pi R}{v} \checkmark$ $T = \left\langle \frac{2\pi \times 0.06}{2.0 \times 10^6} \right\rangle = 1.9 \times 10^{-7} \text{ « s » } \checkmark$	Award [2] for bald correct answer	2
4.	c		<b>ALTERNATIVE 1</b> work done by force is change in kinetic energy ✓ work done is zero/force perpendicular to velocity ✓  <b>ALTERNATIVE 2</b> proton moves at constant speed ✓ kinetic energy depends on speed ✓	Award [2] for a reference to work done is zero hence $E_k$ remains constant  Accept mention of speed or velocity indistinctly in MP2	2



Question			Answers	Notes	Total
5.	a		$E = \frac{k \times q}{r^2} \checkmark$ $E = \frac{8.99 \times 10^9 \times 6.0 \times 10^{-3}}{0.4^2} \text{ OR } E = 3.37 \times 10^8 \text{ «NC}^{-1}\text{»} \checkmark$	Ignore any negative sign.	2
5.	b	i	$F = q \times E \text{ OR } F = 1.6 \times 10^{-19} \times 3.4 \times 10^8 = 5.4 \times 10^{-11} \text{ «N»} \checkmark$ $a = \left\langle \frac{5.4 \times 10^{-11}}{9.1 \times 10^{-31}} \right\rangle = 5.9 \times 10^{19} \text{ «ms}^{-2}\text{»} \checkmark$	Ignore any negative sign. Award [1] for a calculation leading to $a = 3.7 \times 10^{38} \text{ «ms}^{-2}\text{»}$ Award [2] for bald correct answer	2
5.	b	ii	the electron moves away from the point charge/to the right «along the line joining them» $\checkmark$ decreasing acceleration $\checkmark$ increasing speed $\checkmark$	Allow ECF from MP1 if a candidate mistakenly evaluates the force as attractive so concludes that the acceleration will increase	3

Question		Answers	Notes	Total
6.	a	$P = \frac{1}{2} \times A \times 1.2 \times 8^3 \quad \text{OR} \quad P = \frac{1}{2} \times A \times 1.32 \times 4^3 \checkmark$ <p><math>P</math> «in incoming beam» = <math>1.4 \times 10^5</math> «W»  <b>OR</b>  <math>P</math> «in outgoing beam» = <math>1.9 \times 10^4</math> «W» <math>\checkmark</math>                      subtracts both <math>P</math> to obtain <math>1.2 \times 10^5</math> «W» <math>\checkmark</math></p>	<p><i>Condone use of a wrong area or use of circumference in MP1.</i></p> <p><i>Allow ECF from MP2.</i></p> <p><i>Award [1] max for any attempt to use the formula for wind power which cubes the difference of velocities</i></p> <p><i>Award [3] for a bald correct answer</i></p>	3
6.	b	because some power is lost due to inefficiencies in the system/transfers to the surroundings $\checkmark$	<i>Accept power or energy indistinctly</i>	1

Question			Answers	Notes	Total
7.	a		<p><i>random:</i> it cannot be predicted which nucleus will decay <b>OR</b> it cannot be predicted when a nucleus will decay ✓</p> <p><i>spontaneous:</i> the decay cannot be influenced/modified in any way ✓</p>	<p>OWTTE</p> <p>OWTTE</p>	2
7.	b	i	<p><math>234 \times 7.6</math> <b>OR</b> <math>4 \times 7.07</math> ✓</p> <p><math>BE_U = \llcorner 234 \times 7.6 + 4 \times 7.07 - 4.27 = \gg 1802</math> «MeV» ✓</p> <p><math>\frac{BE_U}{A} = \llcorner \frac{1802}{238} = \gg 7.57</math> «MeV» ✓</p>	<p>Allow ECF from MP2</p> <p>Award [3] for bald correct answer</p> <p>Allow conversion to J, final answer is <math>1.2 \times 10^{-12}</math></p>	3
7.	b	ii	<p>states or applies conservation of momentum ✓</p> <p>ratio is <math>\llcorner \frac{E_{k\alpha}}{E_{kTh}} = \frac{\frac{p^2}{2m_\alpha}}{\frac{p^2}{2m_{Th}}} = \frac{234}{4} = \gg 58.5</math> ✓</p>	<p>Award [2] for bald correct answer</p>	2