

No part of this product may be reproduced in any form or by any electronic or mechanical means, including information storage and retrieval systems, without written permission from the IB.

Additionally, the license tied with this product prohibits commercial use of any selected files or extracts from this product. Use by third parties, including but not limited to publishers, private teachers, tutoring or study services, preparatory schools, vendors operating curriculum mapping services or teacher resource digital platforms and app developers, is not permitted and is subject to the IB's prior written consent via a license. More information on how to request a license can be obtained from <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.

Aucune partie de ce produit ne peut être reproduite sous quelque forme ni par quelque moyen que ce soit, électronique ou mécanique, y compris des systèmes de stockage et de récupération d'informations, sans l'autorisation écrite de l'IB.

De plus, la licence associée à ce produit interdit toute utilisation commerciale de tout fichier ou extrait sélectionné dans ce produit. L'utilisation par des tiers, y compris, sans toutefois s'y limiter, des éditeurs, des professeurs particuliers, des services de tutorat ou d'aide aux études, des établissements de préparation à l'enseignement supérieur, des fournisseurs de services de planification des programmes d'études, des gestionnaires de plateformes pédagogiques en ligne, et des développeurs d'applications, n'est pas autorisée et est soumise au consentement écrit préalable de l'IB par l'intermédiaire d'une licence. Pour plus d'informations sur la procédure à suivre pour demander une licence, rendez-vous à l'adresse suivante : <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.

No se podrá reproducir ninguna parte de este producto de ninguna forma ni por ningún medio electrónico o mecánico, incluidos los sistemas de almacenamiento y recuperación de información, sin que medie la autorización escrita del IB.

Además, la licencia vinculada a este producto prohíbe el uso con fines comerciales de todo archivo o fragmento seleccionado de este producto. El uso por parte de terceros —lo que incluye, a título enunciativo, editoriales, profesores particulares, servicios de apoyo académico o ayuda para el estudio, colegios preparatorios, desarrolladores de aplicaciones y entidades que presten servicios de planificación curricular u ofrezcan recursos para docentes mediante plataformas digitales— no está permitido y estará sujeto al otorgamiento previo de una licencia escrita por parte del IB. En este enlace encontrará más información sobre cómo solicitar una licencia: <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.

Further mathematics
Higher level
Paper 2

Monday 26 October 2020 (morning)

2 hours 30 minutes

Instructions to candidates

- Do not open this examination paper until instructed to do so.
- Answer all questions.
- Unless otherwise stated in the question, all numerical answers should be given exactly or correct to three significant figures.
- A graphic display calculator is required for this paper.
- A clean copy of the **mathematics HL and further mathematics HL formula booklet** is required for this paper.
- The maximum mark for this examination paper is **[150 marks]**.

Please start each question on a new page. Full marks are not necessarily awarded for a correct answer with no working. Answers must be supported by working and/or explanations. In particular, solutions found from a graphic display calculator should be supported by suitable working. For example, if graphs are used to find a solution, you should sketch these as part of your answer. Where an answer is incorrect, some marks may be given for a correct method, provided this is shown by written working. You are therefore advised to show all working.

1. [Maximum mark: 14]

- (a) Use the Euclidean algorithm to show that the greatest common divisor of 411 and 339 is 3. [5]
- (b) (i) Hence find the general solution of the Diophantine equation $411x - 339y = 3$.
- (ii) Hence find the general solution of the linear congruence $137x \equiv 1 \pmod{113}$. [9]

2. [Maximum mark: 14]

- (a) The matrix A is given by

$$A = \begin{bmatrix} 1 & a & b \\ 0 & 1 & c \\ 0 & 0 & 1 \end{bmatrix} \text{ where } a, b, c \in \mathbb{R}.$$

Verify that the inverse matrix of A is given by

$$A^{-1} = \begin{bmatrix} 1 & -a & ac-b \\ 0 & 1 & -c \\ 0 & 0 & 1 \end{bmatrix}. \quad [2]$$


- (b) The set of matrices $\left\{ \begin{bmatrix} 1 & a & b \\ 0 & 1 & c \\ 0 & 0 & 1 \end{bmatrix} \right\}$, where $a, b, c \in \mathbb{R}$, is denoted by S .
 - (i) Show that $\{S, *\}$ is a group, where $*$ denotes matrix multiplication. It may be assumed that matrix multiplication is associative.
 - (ii) Determine whether $\{S, *\}$ is Abelian.
 - (iii) Identify any self-inverse elements of $\{S, *\}$. [11]

The set of matrices $\left\{ \begin{bmatrix} 1 & a & b \\ 0 & 1 & c \\ 0 & 0 & 1 \end{bmatrix} \right\}$, where $a, b, c \in \mathbb{Z}$, is denoted by T .

- (c) Giving a reason, state whether $\{T, *\}$ is a subgroup of $\{S, *\}$. [1]

3. [Maximum mark: 14]

The following diagram shows the weighted graph G .



- (a) Write down a Hamiltonian circuit in G starting at P. [1]
- (b) (i) State what feature of G enables you to deduce that it is not bipartite.
- (ii) Explain why G does not have an Eulerian trail.
- (iii) An edge is removed from G , creating a new graph H , which does have an Eulerian trail. Identify all the possibilities for this edge. [5]
- (c) (i) Use Dijkstra's algorithm in G to find the minimum weight path from P to T.
- (ii) State the total weight of this path. [8]

4. [Maximum mark: 23]

The curve C has equation $y^2 = 4ax$ where $a > 0$. The distinct points $S(as^2, 2as)$ and $T(at^2, 2at)$ lie on C and move in such a way that $\hat{S}OT$ is always a right angle, where O denotes the origin.

- (a) Show that $st = -4$. [3]
- (b) Show that the line (ST) passes through a fixed point on the x -axis independent of s and t . [6]
- (c) Show that the tangents at the points S and T meet on the line $x + 4a = 0$. [6]
- (d) (i) Determine the equation of the locus of the midpoint of $[ST]$, showing it to be a parabola.
- (ii) State the coordinates of the vertex and of the focus of this parabola. [8]

Turn over

5. [Maximum mark: 13]

- (a) Assuming the Maclaurin series for $\cos x$ and $\ln(1+x)$, show that the Maclaurin series for $\cos(\ln(1+x))$ is

$$1 - \frac{1}{2}x^2 + \frac{1}{2}x^3 - \frac{5}{12}x^4 + \dots \quad [4]$$

- (b) By differentiating the series in part (a), show that the Maclaurin series for $\sin(\ln(1+x))$ is $x - \frac{1}{2}x^2 + \frac{1}{6}x^3 + \dots$ [4]

- (c) Hence determine the Maclaurin series for $\tan(\ln(1+x))$ as far as the term in x^3 . [5]

6. [Maximum mark: 18]

- (a) The relation R is defined such that aRb if and only if p divides $a^2 - b^2$, where p is a fixed prime number greater than 2 and $a, b \in \mathbb{Z}^+$.

(i) Show that R is an equivalence relation.

(ii) Find, in terms of p , the two smallest positive integers that are related to 1, apart from 1 itself. [11]

- (b) The relation S is defined such that xSy if and only if $1 + |x - y|$ is the cube of a positive integer, where $x, y \in \mathbb{Z}^+$.

(i) Find the two smallest positive integers that are related to 2, apart from 2 itself.

(ii) Show that only two of the three requirements for S to be an equivalence relation are satisfied. [7]

7. [Maximum mark: 18]

The continuous random variable X has probability density function f given by

$$f(x) = \begin{cases} \frac{4x^3}{a^4} & 0 \leq x \leq a \\ 0 & \text{otherwise} \end{cases}$$

where a is a positive constant. To estimate the value of a , a random sample of n observations is taken from the distribution of X . The sample mean is denoted by \bar{X} .

(a) Show that

$$\hat{a} = \frac{5}{4} \bar{X}$$

is an unbiased estimator for a .

[5]

(b) Show that

$$\text{Var}(\hat{a}) = \frac{a^2}{24n}.$$

[7]

In a particular case, $n = 50$ and a is known to be 15.

(c) (i) Use the central limit theorem to determine, approximately, the interval with centre 15, in which \hat{a} will lie with probability 0.95.

(ii) State whether it would be correct to conclude that your interval is an approximate 95% confidence interval for \hat{a} . Give a reason for your answer.

[6]

Turn over

8. [Maximum mark: 19]

Consider the matrix

$$A = \begin{bmatrix} 1 & \lambda & -2 \\ \lambda & 4 & 1 \\ 2 & 1 & \lambda \end{bmatrix}.$$

(a) Show that 3 is the only real value of λ for which A is singular. [4]

(b) Consider the system of equations

$$\begin{bmatrix} 1 & 3 & -2 \\ 3 & 4 & 1 \\ 2 & 1 & 3 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \end{bmatrix} = \begin{bmatrix} 1 \\ 4 \\ \mu \end{bmatrix}.$$

(i) Determine the value of μ for which the equations are consistent.

(ii) Solve the equations in that case. [6]

(c) Consider the system of equations

$$\begin{bmatrix} 1 & -1 & -2 \\ -1 & 4 & 1 \\ 2 & 1 & -1 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \end{bmatrix} = \begin{bmatrix} a \\ 5 \\ 1 \end{bmatrix}.$$

where a is an integer.

(i) Find the inverse of the matrix of coefficients, giving the answer in exact form.

(ii) Given that $y = x^2$, determine the value of a and hence the value of x and of y . [9]

9. [Maximum mark: 17]

Consider the differential equation $\frac{dy}{dx} = \frac{y-x}{y+x}$, where $x, y > 0$.

It is given that $y = 2$ when $x = 1$.

(a) Solve the differential equation, giving your answer in the form $f(x, y) = 0$. [9]

(b) The graph of y against x has a local maximum between $x = 2$ and $x = 3$. Determine the coordinates of this local maximum. [4]

(c) Show that there are no points of inflexion on the graph of y against x . [4]