

Markscheme

November 2021

Biology

Higher level

Paper 2

14 pages

© International Baccalaureate Organization 2021

All rights reserved. No part of this product may be reproduced in any form or by any electronic or mechanical means, including information storage and retrieval systems, without the prior written permission from the IB. Additionally, the license tied with this product prohibits use of any selected files or extracts from this product. Use by third parties, including but not limited to publishers, private teachers, tutoring or study services, preparatory schools, vendors operating curriculum mapping services or teacher resource digital platforms and app developers, whether fee-covered or not, is prohibited and is a criminal offense.

More information on how to request written permission in the form of a license can be obtained from <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.

© Organisation du Baccalauréat International 2021

Tous droits réservés. Aucune partie de ce produit ne peut être reproduite sous quelque forme ni par quelque moyen que ce soit, électronique ou mécanique, y compris des systèmes de stockage et de récupération d'informations, sans l'autorisation écrite préalable de l'IB. De plus, la licence associée à ce produit interdit toute utilisation de tout fichier ou extrait sélectionné dans ce produit. L'utilisation par des tiers, y compris, sans toutefois s'y limiter, des éditeurs, des professeurs particuliers, des services de tutorat ou d'aide aux études, des établissements de préparation à l'enseignement supérieur, des fournisseurs de services de planification des programmes d'études, des gestionnaires de plateformes pédagogiques en ligne, et des développeurs d'applications, moyennant paiement ou non, est interdite et constitue une infraction pénale.

Pour plus d'informations sur la procédure à suivre pour obtenir une autorisation écrite sous la forme d'une licence, rendez-vous à l'adresse <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.

© Organización del Bachillerato Internacional, 2021

Todos los derechos reservados. No se podrá reproducir ninguna parte de este producto de ninguna forma ni por ningún medio electrónico o mecánico, incluidos los sistemas de almacenamiento y recuperación de información, sin la previa autorización por escrito del IB. Además, la licencia vinculada a este producto prohíbe el uso de todo archivo o fragmento seleccionado de este producto. El uso por parte de terceros —lo que incluye, a título enunciativo, editoriales, profesores particulares, servicios de apoyo académico o ayuda para el estudio, colegios preparatorios, desarrolladores de aplicaciones y entidades que presten servicios de planificación curricular u ofrezcan recursos para docentes mediante plataformas digitales—, ya sea incluido en tasas o no, está prohibido y constituye un delito.

En este enlace encontrará más información sobre cómo solicitar una autorización por escrito en forma de licencia: <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.

Section B

Extended response questions – quality mark

- Extended response questions for HLP2 each carry a mark total of **[16]**. Of these marks, **[15]** are awarded for content and **[1]** for the quality of the answer.
- **[1]** for quality is awarded when:
 - the candidate's answers are clear enough to be understood without re-reading.
 - the candidate has answered the question succinctly with little or no repetition or irrelevant material.

Candidates that score very highly on the content marks need not necessarily automatically gain **[1]** for quality (and *vice versa*).


Section A

Question		Answers	Notes	Total
1.	a	a negative correlation/decrease (in biomass) as temperature rises in added-nutrients (mesocosms); b little/no (significant) change in biomass as temperature increases in control (mesocosms);		2 max
	b	a autotroph biomass decreases <u>and</u> heterotroph biomass increases with higher temperatures; b decrease in autotrophs is greater/larger/more than increase in heterotrophs OR little difference in biomass (between auto and heterotrophs) at highest temperature/27°C; c autotrophs show smaller and smaller gains in biomass from initial as temperature rises/WTTE; d heterotrophs no gain in biomass at 21°C then larger and larger gains as temperature rises;		2 max
	c	<i>rate of photosynthesis increases as temperature rises because:</i> a temperature is the limiting factor for photosynthesis; b higher temperatures increase enzyme activity; c faster molecular motion/more molecular kinetic energy/more frequent enzyme-substrate collisions; d Calvin cycle/light independent reactions (of photosynthesis) speed up;		2 max
	d	<i>biomass of autotrophs decreases as temperature rises because of:</i> a more herbivory/grazing/feeding by (zooplankton/heterotrophs); b higher populations/numbers/biomass of zooplankton/heterotrophs; c more mortality/more decomposition/decay of autotrophs/phytoplankton; d <u>respiration</u> (rate higher than photosynthesis rate in autotrophs/phytoplankton);		2 max

(continued...)

(Question 1 continued)

Question		Answers	Notes	Total
1.	e	a increased temperature raises biomass; b increased nitrate raises biomass more than increased temperature; c increased nitrate and temperature raises biomass by same amount as nitrate alone;		3 max
	f	a water availability/rainfall/humidity; b light/sunlight (intensity) / daylength; c salinity of <u>soil</u> / high/low <u>soil</u> pH; d chemical pollution/herbicides/allelopathy/parasitic weeds;	Mark the first two answers only. Do not accept carbon dioxide or weather conditions.	2 max
	g	<p><i>advantages of mesocosms/converse problems with studies in natural environments</i></p> a easier to manipulate/control variables/conditions / less susceptible to outside influences OR easier to replicate OR take up less space;	Allow only one mark for an advantage and one mark for a disadvantage as this is a discuss question.	2 max
		<p><i>disadvantages of mesocosms/converse opportunities with studies in natural environments</i></p> b some trophic levels missing/incomplete food chains in mesocosms OR large animals cannot be included / ethical concerns about enclosing animals in mesocosms OR some variables lacking in mesocosms / doesn't show what happens in natural ecosystems;		


Question			Answers	Notes	Total									
2.	a	i	<p>a parental alleles shown as X^H and X^h (female) and X^H and Y (male);</p> <p>b Punnett square with genotypes of offspring shown as $X^H X^H$ and $X^H Y$ and $X^H X^h$ and $X^h Y$;</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td></td> <td>X^H</td> <td>Y</td> </tr> <tr> <td>X^H</td> <td>$X^H X^H$</td> <td>$X^H Y$</td> </tr> <tr> <td>X^h</td> <td>$X^H X^h$</td> <td>$X^h Y$</td> </tr> </table>		X^H	Y	X^H	$X^H X^H$	$X^H Y$	X^h	$X^H X^h$	$X^h Y$		2
	X^H	Y												
X^H	$X^H X^H$	$X^H Y$												
X^h	$X^H X^h$	$X^h Y$												
	a	ii	$X^H X^h$;		1									
2.	b	i	<p>all four upper arms with one A and both chromosomes with one B and one b on the lower arms;</p> 	<i>The chromatids can be shown as single lines rather than the wider versions in the question.</i>	1									
	b	ii	prophase I;		1									
	c		<p>a located on the same chromosome;</p> <p>b genes/gene loci close together (on the same chromosome);</p> <p>c do not follow (the law of) independent assortment;</p> <p>d more chance of recombination if genes are further apart;</p> <p>e inherited together unless crossing over/recombination occurs;</p> <p>f ratios of offspring in dihybrid crosses are different from expected/non-Mendelian</p> <p style="text-align: center;">OR</p> <p>more offspring with parental phenotype combinations than expected;</p>		2 max									

(continued...)

(Question 2 continued)

Question		Answers	Notes	Total
	d	a cortical reaction (after first sperm nucleus enters the egg); b vesicles/cortical granules release their contents/enzymes (from the egg/zygote); c zona pellucida/glycoprotein coat/outer coat hardened / fertilization membrane formed; d <u>enzymes</u> of sperm/acrosome cannot digest (hardened coat) OR glycoproteins/ZP3 (in zona pellucida) altered so sperm cannot bind;		2 max

Question		Answers	Notes	Total
3.	a	cells absorb water by <u>osmosis</u> and swell/increase in volume OR cells burst/lyse;		1
	b	leukemia/other diseases of the hematopoietic system / skin burns;		1 max
	c	a depolarization of part of axon/membrane triggers/causes depolarization of next part; b local currents; c diffusion of sodium ions between depolarized part and next/polarized part (of axon); d resting potential reduced/polarization of membrane becomes less /change from -70 to -50mV; e sodium channels open when -50mV/threshold potential reached; f entry of sodium ions causes depolarization; g saltatory conduction in myelinated neurons/axons;	<i>Allow answers in an annotated diagram</i>	3 max


Question 4a and 4c: are common with SLP2 Q2a and 2c			
4.	a	<p>circle/bracket around peptide bond / arrow pointing to peptide bond / peptide bond labelled;</p>  <p style="text-align: center;">Peptide bond Peptide bond</p>	<p><i>Allow either peptide bond</i></p> <p><i>Allow if adjacent C=O and NH groups are included in the circle/bracket, but do not allow if other parts of the molecule are included.</i></p> <p style="text-align: right;">1</p>
	b	<p>a polypeptide wound into a helical structure / alpha/α helix OR polypeptide folded back on itself forming a pleated sheet / beta/β pleated sheet;</p> <p>b stabilized/held in shape by/due to hydrogen bonds (between C=O and N-H groups);</p> <p>c secondary structures are regular/unvarying (within polypeptides/proteins);</p>	<p><i>Allow annotated diagrams</i></p> <p style="text-align: right;">2 max</p>
	c	contracts/flattens/becomes less domed/increases volume of thorax;	1

Question 5a: is common with SLP2 Q3a						
Question		Answers		Notes	Total	
5.	a		Detritivores	Saprotrophs	Accept not autotrophic/not photosynthetic instead of heterotrophic. Do not accept that both groups are decomposers or consumers for the similarity.	2
		Similarity	heterotrophic OR feed on/obtain nutrients from dead organic matter/dead organisms;			
		Difference	internal digestion/digestion in gut OR enzymes secreted into gut OR food ingested before digestion	external digestion OR enzymes secreted into surroundings OR food digested before being absorbed;		
	b	a genes for flowering are activated/gene activation/changes to gene expression; b shoot apex changes from producing leaves/stem to producing flowers; c daylength/duration of the day/night length/photoperiod measured/detected/responded to; d short day plants flower when they have a long night/period of darkness OR long day plants only flower when they have a short night/period of darkness; e so short day plants/SDPs flower in late summer/fall/autumn/winter OR so long day plants/LDPs flower in spring/(early) summer;			3 max	
	c	a apical meristem (of shoot/stem) produces cells/elongates the stem OR cell division/mitosis in tip/apex of shoot/stem; b auxin stimulates cell/stem growth/extension/enlargement; c elongation of cells causes stem to grow (in length);			2 max	

Section B

Clarity of communication: [1]

The candidate's answers are clear enough to be understood without re-reading. The candidate has answered the question succinctly with little or no repetition or irrelevant material.

Question		Answers	Notes	Total
6.	a	<p>a ribose drawn as pentagon and labelled sugar/ribose; b base drawn with correct link to (C₁ of) ribose and labelled base/nitrogenous base; c phosphate drawn with correct link to (C₅ of) ribose and labelled P/phosphate; d two (or more) ribonucleotides drawn with correct link (C₃ to C₅)</p> 		4 max

(continued...)

(Question 6 continued)

Question		Answers	Notes	Total
6.	b	a synthesis of RNA/mRNA / transcription of DNA to RNA; b RNA nucleotides linked together to form a strand/chain; c RNA strand assembled on DNA template/antisense strand / copy made of sense strand; d <u>RNA polymerase</u> carries out transcription/links RNA nucleotides; e uncoiling/separation of DNA strands; f 3' end of nucleotides linked to 5' end of (growing RNA) strand; g <u>complementary base pairing</u> (is the basis of copying the base sequence); h <u>uracil</u> instead of <u>thymine</u> in RNA; i starts at/RNA polymerase binds to a promoter; j regulated by transcription factors/DNA binding proteins/nucleosomes;	<i>Annotated diagrams can be used.</i>	7 max

(continued...)

(Question 6 continued)

Question		Answers		Notes	Total
6.	c				4 max
		<i>continuous variation</i>	<i>discrete variation</i>		
		a no distinct categories / intermediates / many possible phenotypes	distinct categories / non-overlapping classes / few possible phenotypes;		
		b multiple genes/polygenic	one/few influencing genes;		
		c environmental influences	not influenced by environment;		
d height/weight/skin colour/intelligence/other example	blood groups/number of eggs/ other example;				

Question		Answers	Notes	Total																		
7.	a	a polarity of water; b hydrogen bonds between water molecules; c cohesion between water molecules/water molecules stick together; d cohesion allows tensions/low pressures/transpiration pull/movement upward/against gravity; e adhesion to cellulose/cell walls generates tensions/pull (in xylem) OR adhesion to xylem walls/vessel walls causes capillary rise/upward movement; f solvent for many substances / many substances dissolve; g liquid at most temperatures experienced by plants / liquid so can flow;	<i>Polarity of water and/or hydrogen bonding can be shown in an annotated diagram.</i>	4 max																		
	b	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%; text-align: center;"><i>Xylem</i></th> <th style="width: 50%; text-align: center;"><i>Phloem</i></th> </tr> </thead> <tbody> <tr> <td>a transports water/mineral ions</td> <td>sucrose/sugars/amino acids/organic/carbon compounds/products of photosynthesis/food;</td> </tr> <tr> <td>b from roots to leaves</td> <td>from source/leaves to sink/roots;</td> </tr> <tr> <td>c dead/no membranes/no organelles</td> <td>living/membranes present/some organelles;</td> </tr> <tr> <td>d no cross/end walls/hollow/continuous tubes</td> <td>sieve plates/perforated walls/separate elements;</td> </tr> <tr> <td>e flow due to low pressures/tension/suction</td> <td>flow due to high pressure/pressure gradient;</td> </tr> <tr> <td>f thicker walls</td> <td>thinner walls</td> </tr> <tr> <td>g lignified walls / gives support / forms wood</td> <td>does not provide support/strength;</td> </tr> <tr> <td>h wider lumen</td> <td>narrower lumen</td> </tr> </tbody> </table>	<i>Xylem</i>	<i>Phloem</i>	a transports water/mineral ions	sucrose/sugars/amino acids/organic/carbon compounds/products of photosynthesis/food;	b from roots to leaves	from source/leaves to sink/roots;	c dead/no membranes/no organelles	living/membranes present/some organelles;	d no cross/end walls/hollow/continuous tubes	sieve plates/perforated walls/separate elements;	e flow due to low pressures/tension/suction	flow due to high pressure/pressure gradient;	f thicker walls	thinner walls	g lignified walls / gives support / forms wood	does not provide support/strength;	h wider lumen	narrower lumen		4 max
<i>Xylem</i>	<i>Phloem</i>																					
a transports water/mineral ions	sucrose/sugars/amino acids/organic/carbon compounds/products of photosynthesis/food;																					
b from roots to leaves	from source/leaves to sink/roots;																					
c dead/no membranes/no organelles	living/membranes present/some organelles;																					
d no cross/end walls/hollow/continuous tubes	sieve plates/perforated walls/separate elements;																					
e flow due to low pressures/tension/suction	flow due to high pressure/pressure gradient;																					
f thicker walls	thinner walls																					
g lignified walls / gives support / forms wood	does not provide support/strength;																					
h wider lumen	narrower lumen																					

(continued...)


(Question 7 continued)

Question		Answers	Notes	Total
7.	c	a light-dependent reactions produce ATP/reduced NADP; b ATP generated by chemiosmosis/by photophosphorylation/by ATP synthase; c reduced NADP produced by/using electrons from Photosystem I; d RuBP + CO ₂ to glycerate 3-phosphate (in light independent reactions); e glycerate 3-phosphate reduced to triose phosphate (in light independent reactions); f ATP/reduced NADP used in the light-independent reactions; g reduced NADP provides electrons/hydrogen / to reduce (glycerate 3-phosphate) OR reduced NADP used to convert glycerate 3-phosphate to triose phosphate; h ATP provides energy (for reduction of glycerate 3-phosphate); i ATP needed to regenerate RuBP j ATP/reduced NADP run out in darkness k <u>Calvin cycle</u> only possible with light/in the day/is indirectly dependent on light;		7 max

Question		Answers	Notes	Total
8.	a	a change to conformation/shape/tertiary structure/3-D shape; b bonds within the protein/intramolecular bonds broken/changed; c pH and temperature (outside tolerated ranges) can cause denaturation; d vibrations/heat at high temperatures breaks bonds; e high pH/low pH/extreme pH alters ionization/charges (of amino acids and breaks ionic bonds); f protein cannot carry out its function OR <u>active site</u> of <u>enzymes</u> cannot bind substrates/catalyze reaction/no enzyme-substrate complex; g permanent/irreversible change (usually) OR soluble proteins become insoluble/precipitate;	Allow any mark points if made clearly on an annotated graph or diagram.	4 max
	b	a antigens stimulate antibody production; b antibodies produced by lymphocytes; c macrophages/phagocytes ingest/engulf pathogens and display antigens from them; d T-cells activated by binding antigen/by macrophage displaying antigen; e activated T-cells cause activation of B-cells; f mitosis/division of (activated) B-cells (to produce a clone of cells) g plasma cells formed from divided/activated/growing/differentiating B-cells; h plasma cells/plasma B-cells secrete antibodies; i clonal selection / plasma cells make same type of antibody/antibody specific to same antigen; j some activated B-cells become memory cells;		7 max

(continued...)

(Question 8 continued)

Question		Answers		Notes	Total
8.	c			<p>Accept <i>mpd</i> in a graph.</p> <p>Accept <i>mpa</i>, <i>mpb</i> or <i>mpc</i> on an annotated diagram.</p>  <p>[Source: Enzyme inhibition curves, ImranKhan1992, Available at: https://commons.wikimedia.org/wiki/File:Enzyme_kinetics_curve#/media/File:Enzyme_kinetics_curve.png CC0 1.0 Universal (CC0 1.0) Public Domain Dedication https://creativecommons.org/publicdomain/zero/1.0/deed.en Source adapted.]</p>	4 max
		competitive	non-competitive		
		a binds to/blocks <u>active site</u>	binding away from active site/to allosteric site;		
		b inhibitor and substrate are (chemically) similar	inhibitor different from substrate;		
		c binding of <u>substrate</u> prevented (because active site is occupied)	active site changed (by inhibitor binding elsewhere) preventing substrate binding;		
		d inhibition reduced by increasing substrate concentration	inhibition not affected by increased substrate concentration;		
e useful as pharmaceuticals/toxins	useful as end-product inhibitors;				

References:

All other texts, graphics and illustrations © International Baccalaureate Organization 2021