

Markscheme

May 2023

Chemistry

Standard level

Paper 2

© International Baccalaureate Organization 2023

All rights reserved. No part of this product may be reproduced in any form or by any electronic or mechanical means, including information storage and retrieval systems, without the prior written permission from the IB. Additionally, the license tied with this product prohibits use of any selected files or extracts from this product. Use by third parties, including but not limited to publishers, private teachers, tutoring or study services, preparatory schools, vendors operating curriculum mapping services or teacher resource digital platforms and app developers, whether fee-covered or not, is prohibited and is a criminal offense.

More information on how to request written permission in the form of a license can be obtained from <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.

© Organisation du Baccalauréat International 2023

Tous droits réservés. Aucune partie de ce produit ne peut être reproduite sous quelque forme ni par quelque moyen que ce soit, électronique ou mécanique, y compris des systèmes de stockage et de récupération d'informations, sans l'autorisation écrite préalable de l'IB. De plus, la licence associée à ce produit interdit toute utilisation de tout fichier ou extrait sélectionné dans ce produit. L'utilisation par des tiers, y compris, sans toutefois s'y limiter, des éditeurs, des professeurs particuliers, des services de tutorat ou d'aide aux études, des établissements de préparation à l'enseignement supérieur, des fournisseurs de services de planification des programmes d'études, des gestionnaires de plateformes pédagogiques en ligne, et des développeurs d'applications, moyennant paiement ou non, est interdite et constitue une infraction pénale.

Pour plus d'informations sur la procédure à suivre pour obtenir une autorisation écrite sous la forme d'une licence, rendez-vous à l'adresse <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.

© Organización del Bachillerato Internacional, 2023

Todos los derechos reservados. No se podrá reproducir ninguna parte de este producto de ninguna forma ni por ningún medio electrónico o mecánico, incluidos los sistemas de almacenamiento y recuperación de información, sin la previa autorización por escrito del IB. Además, la licencia vinculada a este producto prohíbe el uso de todo archivo o fragmento seleccionado de este producto. El uso por parte de terceros —lo que incluye, a título enunciativo, editoriales, profesores particulares, servicios de apoyo académico o ayuda para el estudio, colegios preparatorios, desarrolladores de aplicaciones y entidades que presten servicios de planificación curricular u ofrezcan recursos para docentes mediante plataformas digitales—, ya sea incluido en tasas o no, está prohibido y constituye un delito.



En este enlace encontrará más información sobre cómo solicitar una autorización por escrito en forma de licencia: <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.



Subject Details: Chemistry standard level Paper 2 Markscheme


Candidates are required to answer **ALL** questions. Maximum total = **[50 marks]**.




1. Each row in the “Question” column relates to the smallest subpart of the question.
2. The maximum mark for each question subpart is indicated in the “Total” column.
3. Each marking point in the “Answers” column is shown by means of a tick (✓) at the end of the marking point.
4. A question subpart may have more marking points than the total allows. This will be indicated by “**max**” written after the mark in the “Total” column.
The related rubric, if necessary, will be outlined in the “Notes” column.
5. An alternative word is indicated in the “Answers” column by a slash (/). Either word can be accepted.
6. An alternative answer is indicated in the “Answers” column by “**OR**”. Either answer can be accepted.
7. An alternative markscheme is indicated in the “Answers” column under heading **ALTERNATIVE 1** etc. Either alternative can be accepted.
8. Words inside chevrons « » in the “Answers” column are not necessary to gain the mark.
9. Words that are underlined are essential for the mark.
10. The order of marking points does not have to be as in the “Answers” column, unless stated otherwise in the “Notes” column.
11. If the candidate’s answer has the same “meaning” or can be clearly interpreted as being of equivalent significance, detail and validity as that in the “Answers” column then award the mark. Where this point is considered to be particularly relevant in a question it is emphasized by **OWTTE** (or words to that effect) in the “Notes” column.
12. Remember that many candidates are writing in a second language. Effective communication is more important than grammatical accuracy.
13. Occasionally, a part of a question may require an answer that is required for subsequent marking points. If an error is made in the first marking point then it should be penalized. However, if the incorrect answer is used correctly in subsequent marking points then **follow through** marks should be awarded. When marking, indicate this by adding **ECF** (error carried forward) on the script.
14. Do **not** penalize candidates for errors in units or significant figures, **unless** it is specifically referred to in the “Notes” column.
15. If a question specifically asks for the name of a substance, do not award a mark for a correct formula unless directed otherwise in the “Notes” column. Similarly, if the formula is specifically asked for, do not award a mark for a correct name unless directed otherwise in the “Notes” column.

16. If a question asks for an equation for a reaction, a balanced symbol equation is usually expected, do not award a mark for a word equation or an unbalanced equation unless directed otherwise in the “Notes” column.
17. Ignore missing or incorrect state symbols in an equation unless directed otherwise in the “Notes” column.

Question		Answers	Notes	Total
1.	(a)	$\text{H}_2\text{O}_{(l)} + \text{HCl}_{(g)} \rightarrow \text{Cl}^-_{(aq)} + \text{H}_3\text{O}^+_{(aq)}$ ✓✓	One for the equation and one for the state symbols. Do not accept $\text{H}_2\text{O}_{(l)} + \text{H}^+_{(g)} \rightarrow \text{H}_3\text{O}^+_{(aq)}$ Do not accept equilibrium sign.	2
1.	(b)	«pH = $-\log_{10}[\text{H}^+] = -\log_{10}0.5 \Rightarrow 0.30$ ✓		1
1.	(c)	«Ethanoic acid» partially ionizes/dissociates/OWTTE OR lower [H+] ✓	Do not accept weak acid only. Accept converse argument.	1
1.	(d)	conductivity/conductance meter/probe OR ammeter «with power supply» ✓	Ignore any reference to indicators or any chemical methods. Accept Cl ⁻ or ethanoate ion selective probe.	1
1.	(e)	HCl higher conductivity «due to higher [ion]» ✓	Accept explanation if alternative given in d. Accept converse argument. Apply ECF for incorrect method.	1
2.	(a)	(i) <div style="display: flex; align-items: center; justify-content: center; margin: 10px 0;"> <div style="text-align: center; margin-right: 20px;">  <p>2s</p> </div> <div style="text-align: center; margin-right: 20px;">  <p>2p</p> </div> </div> arrows AND identifies 2s AND 2p sub orbitals ✓	Accept "hooks" to represent the electrons.	1

Question			Answers	Notes	Total
2.	(a)	(ii)		<p>$P_{x,y}$ or z can be used. M2 cannot be awarded if labels of orbital types are missing or incorrect</p> <p>Node of p orbital must be at the origin</p>	2
2.	(b)		valence electron further from nucleus/«atomic» radius larger «down the group» ✓ «electron» more shielded/ less attractive force/easier to remove ✓		2
2.	(c)	(i)	tetrahedral ✓		1
2.	(c)	(ii)		<p>Accept a combination of dots /crosses /lines in the Lewis structure</p> <p>Lone pair not required for shape</p>	2
2.	(c)	(iii)	ammonia has intermolecular/IMF hydrogen bonds «phosphine does not» ✓ phosphine «and ammonia» dipole-dipole/London dispersion forces/instantaneous dipole attractions/Van der Waals forces ✓ hydrogen bonds stronger ✓	<p>Accept converse argument.</p> <p>Award 1 for stating that NH_3 is more polar than phosphine so the dipole-dipole forces are stronger</p>	3
2.	(d)	(i)	«in a closed system» the rate of the forward reaction equals the rate of the reverse reaction. ✓		1

Question			Answers	Notes	Total
2.	(d)	(ii)	$[\text{NH}_3]^2/([\text{N}_2][\text{H}_2]^3)$ ✓		1
2.	(d)	(iii)	alternate pathway AND lowers activation energy/ E_a ✓		1
2.	(d)	(iv)	 <p>correct shape curve starting at the origin, without touching the x axis at high energy. ✓ (E_a) catalysed < (E_a) uncatalysed on x axis. ✓</p>	<i>Ignore any shading under the curve.</i>	2
2.	(d)	(v)	change in AND volume OR pressure OR temperature OR concentration of H_2/N_2 /reactants/ NH_3 /product ✓	<i>Do not accept pH. Accept any valid method.</i>	1

Question			Answers	Notes	Total
3.	(a)	(i)	compounds of the same family AND general formula OR compounds of the same family AND differ by a common structural unit/ CH_2 ✓	Accept contain the same functional group for same family.	1
3.	(a)	(ii)	 <p>2-chlorobutane ✓</p>  <p>1-chloro-2-methylpropane ✓</p>	Accept 1-chloromethylpropane for M2, but not 2-methyl-1-chloropropane.	2
3.	(a)	(iii)	 <p>✓</p>	Allow any orientation of methyl groups. Ignore square brackets and "n". Continuation lines must be shown.	1
4.	(a)		+6/VI ✓	Do not accept 6/6+	1
4.	(b)	(i)	Zinc more reactive/ <<better>> reducing agent/ <<more>> easily oxidized/loses electrons <<more>> easily. ✓	Accept "zinc higher in the activity «series»" Accept "zinc has a negative electrode potential/Cu has a positive electrode potential".	1

Question			Answers	Notes	Total
4.	(b)	(ii)	Anode (negative electrode): $\text{Zn}_{(s)} \rightarrow \text{Zn}^{2+}_{(aq)} + 2e^- \checkmark$ Cathode (positive electrode): $\text{Cu}^{2+}_{(aq)} + 2e^- \rightarrow \text{Cu}_{(s)} \checkmark$	Award [1 max] for equilibria. Award [1 max] for equations at the wrong electrodes. State symbols not required for mark.	2
5.	(a)	(i)	$\ll 100 - (7.09 + 5.11 + 16.22 + 14.91) = \gg 56.67 \ll \% \gg \checkmark$		1
5.	(a)	(ii)	n(N): 7.09g/14.01g mol ⁻¹ , n(H): 5.11g/1.01 g mol ⁻¹ , n(S): 16.22g/32.07 g mol ⁻¹ , n(Co): 14.91g/58.93 g mol ⁻¹ and n(O): 56.67g/16.00 g mol ⁻¹ OR n(N): 0.506, n(H): 5.06, n(S): 0.506, n(Co): 0.253 and n(O): 3.54 ✓ 0.506/0.253, 5.06/0.253, 0.506/0.253, 0.253/0.253, 3.54/0.253 OR 2.00, 20.0, 2.00, 1.00 14.00 ✓ $\text{N}_2\text{H}_{20}\text{S}_2\text{CoO}_{14} \checkmark$	Award [3] for the correct final formula Accept $(\text{NH}_4)_2\text{Co}(\text{SO}_4)_2 \cdot 6\text{H}_2\text{O}$	3
5.	(a)	(iii)	$(\text{NH}_4)_2\text{Co}(\text{SO}_4)_2 \cdot 6\text{H}_2\text{O}$ OR $\text{Co}(\text{NH}_4)_2(\text{SO}_4)_2 \cdot 6\text{H}_2\text{O} \checkmark$	Accept $(\text{NH}_4)_2\text{Co}(\text{SO}_4)_2(\text{H}_2\text{O})_6$.	1
5.	(b)	(i)	$\text{Ba}^{2+}(\text{aq}) + \text{SO}_4^{2-}(\text{aq}) \rightleftharpoons \text{BaSO}_4(\text{s}) \checkmark$	Accept single arrow in place of equilibrium sign.	1

Question			Answers	Notes	Total
5.	(b)	(ii)	<p>«1.20g/395.29 g mol⁻¹ salt = 2 x 3.04 x10⁻³ «mol» SO₄²⁻ => 6.08 x x10⁻³ «mol» ✓ «233.40 g mol⁻¹ x 6.08 x10⁻³ => 1.42«g» ✓ OR «(1.20g/400) x 2 g mol⁻¹ => 6.00 x 10⁻³ «mol» ✓ «233.40 g mol⁻¹ x 6.00 x10⁻³ => 1.40«g» ✓</p>	<p>Award [2] for correct final answer. Accept x2 in any step. Award [1] for half the answer, 0.70«g».</p>	2
6.	(a)	(i)	<p>«ΔH°_{rxn} = ΣΔH°_f (Products) – ΣΔH°_f (Reactants) => -395.8 - (-296.8)» = -99.0«kJ mol⁻¹» ✓</p>		1
6.	(a)	(ii)	<p>SO₂ (aq) + H₂O(l) ⇌ H₂SO₃ (aq) AND SO₃ (aq) + H₂O (l) → H₂SO₄ (aq) ✓</p>	<p>Accept single arrow for the first equation.</p>	1
6.	(a)	(iii)	<p>significant/large/0.8 difference in <u>electronegativity</u>/oxygen more <u>electronegative</u> ✓ oxygen «dipole partially» negative/sulfur «dipole partially» positive OR oxygen more negative/higher electron density «around it than sulfur» ✓</p>	<p>Accept suitable diagram showing the O–S dipole.</p>	2
6.	(b)	(i)	<p>«q = -mcΔT = 50.00g x 4.18J K⁻¹g⁻¹ x (35.0-20.0)°C => -3140.0 «J» ✓ «(3140/0.1)/1000 => -31.4 «kJ mol⁻¹» ✓</p>	<p>Award [1 max] for +31.4 kJ mol⁻¹ Award [2] for correct final answer.</p>	2

Question			Answers	Notes	Total
6.	(b)	(ii)	Source of systematic error: heat loss «to the surroundings» ✓ Improvement: insulate reaction apparatus/put a lid on the beaker OR use a bomb/calibrated calorimeter OR use of windbreak around the dish/apparatus ✓		2
6.	(b)	(iii)	«1.0/15.0 x 100 =» 6.7«%» ✓ OR $\frac{\sqrt{0.5^2 + 0.5^2}}{15.0} \times 100\% \approx 5\%$	<i>Do not allow 6.6%</i> <i>Accept "5%" if the formula $\sqrt{\Sigma(\Delta A)^2}$ is used.</i>	1
6.	(b)	(iv)	more precise/more divisions per degree «on the thermometer» OR more precise balance OR larger quantities of sulfur/water OR larger temperature change ✓	<i>Accept burette/pipette «to measure water volume».</i> <i>Do not accept more repetitions.</i>	1
6.	(b)	(v)	« -297 kJ mol ⁻¹ - -31.4kJ mol ⁻¹ /-297 kJ mol ⁻¹ x 100 =» 89.4 «%» ✓ alternate: « -297 kJ mol ⁻¹ - -50.0 kJ mol ⁻¹ /-297 kJ mol ⁻¹ x 100 =» 83.2 «%» ✓		1