

Markscheme

May 2026

Chemistry

Standard level

Paper 2

© International Baccalaureate Organization 2026

All rights reserved. No part of this product may be reproduced in any form or by any electronic or mechanical means, including information storage and retrieval systems, without the prior written permission from the IB. Additionally, the license tied with this product prohibits use of any selected files or extracts from this product. Use by third parties, including but not limited to publishers, private teachers, tutoring or study services, preparatory schools, vendors operating curriculum mapping services or teacher resource digital platforms and app developers, whether fee-covered or not, is prohibited and is a criminal offense.

More information on how to request written permission in the form of a license can be obtained from <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.

© Organisation du Baccalauréat International 2026

Tous droits réservés. Aucune partie de ce produit ne peut être reproduite sous quelque forme ni par quelque moyen que ce soit, électronique ou mécanique, y compris des systèmes de stockage et de récupération d'informations, sans l'autorisation écrite préalable de l'IB. De plus, la licence associée à ce produit interdit toute utilisation de tout fichier ou extrait sélectionné dans ce produit. L'utilisation par des tiers, y compris, sans toutefois s'y limiter, des éditeurs, des professeurs particuliers, des services de tutorat ou d'aide aux études, des établissements de préparation à l'enseignement supérieur, des fournisseurs de services de planification des programmes d'études, des gestionnaires de plateformes pédagogiques en ligne, et des développeurs d'applications, moyennant paiement ou non, est interdite et constitue une infraction pénale.

Pour plus d'informations sur la procédure à suivre pour obtenir une autorisation écrite sous la forme d'une licence, rendez-vous à l'adresse <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.

© Organización del Bachillerato Internacional, 2026

Todos los derechos reservados. No se podrá reproducir ninguna parte de este producto de ninguna forma ni por ningún medio electrónico o mecánico, incluidos los sistemas de almacenamiento y recuperación de información, sin la previa autorización por escrito del IB. Además, la licencia vinculada a este producto prohíbe el uso de todo archivo o fragmento seleccionado de este producto. El uso por parte de terceros —lo que incluye, a título enunciativo, editoriales, profesores particulares, servicios de apoyo académico o ayuda para el estudio, colegios preparatorios, desarrolladores de aplicaciones y entidades que presten servicios de planificación curricular u ofrezcan recursos para docentes mediante plataformas digitales—, ya sea incluido en tasas o no, está prohibido y constituye un delito.

En este enlace encontrará más información sobre cómo solicitar una autorización por escrito en forma de licencia: <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.

Subject Details: Chemistry Standard Level Paper 2 Markscheme

Candidates are required to answer **ALL** questions. Maximum total = **[50 marks]**.

1. Each row in the “Question” column relates to the smallest subpart of the question.
2. The maximum mark for each question subpart is indicated in the “Total” column.
3. Each marking point in the “Answers” column is shown by means of a tick (✓) at the end of the marking point.
4. A question subpart may have more marking points than the total allows. This will be indicated by “**max**” written after the mark in the “Total” column. The related rubric, if necessary, will be outlined in the “Notes” column.
5. An alternative word is indicated in the “Answers” column by a slash (/). Either word can be accepted.
6. An alternative answer is indicated in the “Answers” column by “**OR**”. Either answer can be accepted.
7. An alternative markscheme is indicated in the “Answers” column under heading **ALTERNATIVE 1** etc. Either alternative can be accepted.
8. Words inside chevrons « » in the “Answers” column are not necessary to gain the mark.
9. Words that are underlined are essential for the mark.
10. The order of marking points does not have to be as in the “Answers” column, unless stated otherwise in the “Notes” column.
11. If the candidate’s answer has the same “meaning” or can be clearly interpreted as being of equivalent significance, detail and validity as that in the “Answers” column then award the mark. Where this point is considered to be particularly relevant in a question it is emphasized by **OWTTE** (or words to that effect) in the “Notes” column.
12. Remember that many candidates are writing in a second language. Effective communication is more important than grammatical accuracy.
13. Occasionally, a part of a question may require an answer that is required for subsequent marking points. If an error is made in the first marking point then it should be penalized. However, if the incorrect answer is used correctly in subsequent marking points then **follow through** marks should be awarded. When marking, indicate this by adding **ECF** (error carried forward) on the script.
14. Do **not** penalize candidates for errors in units or significant figures, **unless** it is specifically referred to in the “Notes” column.
15. If a question specifically asks for the name of a substance, do not award a mark for a correct formula unless directed otherwise in the “Notes” column. Similarly, if the formula is specifically asked for, do not award a mark for a correct name unless directed otherwise in the “Notes” column.
16. If a question asks for an equation for a reaction, a balanced symbol equation is usually expected, do not award a mark for a word equation or an unbalanced equation unless directed otherwise in the “Notes” column.
17. Ignore missing or incorrect state symbols in an equation unless directed otherwise in the “Notes” column.


Question			Answers	Notes	Total
1.	(a)	(i)	«[H ⁺] = 0.250 mol dm ⁻³ » pH = 0.602 ✓		1
1.	(a)	(ii)	HBr(aq) + KOH(aq) → KBr(aq) + H ₂ O(l) ✓		1
1.	(a)	(iii)	«n(KOH) = n(HBr) = 0.250 mol dm ⁻³ × 0.0200 dm ³ =» 0.00500 «mol» ✓		1
1.	(a)	(iv)	«V(KOH) = $\frac{0.00500 \text{ mol}}{0.220 \text{ mol dm}^{-3}}$ =» 0.0227 «dm ³ » / 22.7 «cm ³ » ✓		1


Question			Answers	Notes	Total
1.	(a)	(v)	ALTERNATIVE 1: <i>Method:</i> measure pH/use pH meter/universal indicator ✓ <i>Expected result:</i> lower pH/red for HBr OR higher pH/Orange/yellow for HCOOH ✓ ALTERNATIVE 2: <i>Method:</i> react with carbonate/hydrogencarbonate/«reactive» metal ✓ <i>Expected result:</i> HBr bubbles more vigorously/ produces bubbles «of gas» faster ✓ ALTERNATIVE 3: <i>Method:</i> measure conductivity/use conductivity meter ✓ <i>Expected result:</i> HBr higher conductivity ✓ ALTERNATIVE 4: <i>Method:</i> measure temperature of reaction with alkali/«solid» base/metal oxide ✓ <i>Expected result:</i> HBr greater temperature «change» ✓	<i>Expected result must match the method.</i> <i>Accept specific bases or metals for alternatives 2 and 4.</i>	2
1.	(b)		«(7 x 14.01 x 100)/337.51 => 29.06 % ✓		1
2.	(a)	(i)	<i>Change of state:</i> sublimation ✓ <i>Type of force:</i> London/dispersion forces ✓	<i>For M2, do not accept van der Waals' forces or intermolecular forces.</i>	2

Question			Answers	Notes	Total
2.	(a)	(ii)	endothermic «phase change» ✓ formation of vapour favoured OR equilibrium shifts to the right/vapour side ✓		2
2.	(a)	(iii)	Any two of: more «gas» molecules/moles OR concentration «of gas» increases ✓ molecules have more «kinetic» energy OR moving faster ✓ molecules collide «with flask wall» with greater force ✓ more frequent collisions ✓		2 max
2.	(a)	(iv)	$V = 0.500 \text{ dm}^3 / 5.00 \times 10^{-4} \text{ m}^3$ AND $T = 298 \text{ K}$ ✓ $\llbracket n = \frac{m}{M} = \frac{2.05 \times 10^{-3}}{2 \times 126.90} = \gg 8.077 \times 10^{-6} \text{ «mol»} \gg$ ✓ $\llbracket P = \frac{nRT}{V} = \frac{8.077 \times 10^{-6} \times 8.31 \times 298}{5.00 \times 10^{-1}} = \gg 0.0400 \text{ «kPa»} \gg$ ✓	Award [3] for correct final answer.	3
2.	(b)	(i)	-1 ✓	Do not accept 1– or I.	1
2.	(b)	(ii)	$2\text{S}_2\text{O}_3^{2-} \rightarrow \text{S}_4\text{O}_6^{2-} + 2\text{e}^-$ ✓		1

Question			Answers	Notes	Total
2.	(b)	(iii)	increase concentration of $\text{H}^+/\text{I}^-/\text{H}_2\text{O}_2$ OR increase temperature ✓	Accept decrease in pH.	1
2.	(c)		<i>Information from group number:</i> 7 valence electrons / s^2p^5 ✓ <i>Information from period number:</i> 5 «occupied electron» shells / energy levels ✓		2
3.	(a)	(i)	<i>Structure:</i> «lattice of» metal/Al /positive ions AND sea of/delocalized «valence» electrons ✓ <i>Forces:</i> electrostatic attraction «between cations and delocalized electrons» ✓	Do not accept “positive nucleus” for positive ions.	2

Question			Answers	Notes	Total
3.	(a)	(ii)	«layers of» cations slide over each other without disrupting bonding OR changing position of atoms does not disrupt bonding/forces of attraction OR changing shape does not disrupt bonding/forces of attraction OR metallic bonds are non-directional ✓		1
3.	(a)	(iii)	«Al has» higher charge density «than Mg» ✓ stronger «metallic » bonding/electrostatic forces «in Al» ✓	Accept Al has higher «ionic» charge «than Mg»	2
3.	(b)	(i)	disrupts regular arrangement of Al atoms OR Li and Al atoms are different sizes ✓ prevents atoms/layers sliding over each other ✓		2
3.	(b)	(ii)	«Li» has low density OR «Li» reduces density of the alloy «compared to Al metal» OR «Li» is lighter ✓		1

Question			Answers	Notes	Total
3.	(c)	(i)	$2\text{Li(s)} + 2\text{H}_2\text{O(l)} \rightarrow 2\text{LiOH(aq)} + \text{H}_2\text{(g)}$ ✓	Award [1] for balanced equation and [1] for correct state symbols.	2
3.	(c)	(ii)	Any one of: solution becomes warm ✓ lithium floats/moves on surface/disappears ✓ bubbles of gas/hydrogen / effervescence / fizzing ✓		1 max
3.	(c)	(iii)	 potential energy reactants E_a ΔH products reaction coordinate exothermic reaction / products lower energy «than reactants» ✓ E_a and ΔH correctly labelled ✓		2

Question			Answers	Notes	Total
4.	(a)	(i)	2-methylbutanal ✓		1
4.	(a)	(ii)	carbonyl ✓	<i>Do not accept “aldehyde”.</i>	1
4.	(a)	(iii)	120° ✓		1
4.	(a)	(iv)	 ✓	<i>Do not accept condensed or skeletal formula: all bonds must be shown.</i>	1
4.	(b)	(i)	propan-1-ol OR 1-propanol ✓	<i>Accept a structural formula but not a molecular formula.</i>	1
4.	(b)	(ii)	nucleophilic substitution AND «OH ⁻ /hydroxide ion» nucleophile/donates electron pair OR nucleophilic substitution AND Br ⁻ /bromide «ion» is substituted by OH ⁻ /hydroxide «ion» ✓	<i>Accept “S_N2 AND 1-bromopropane is a primary halogenoalkane”.</i>	1

Question			Answers	Notes	Total
4.	(c)	(i)	$\text{Cl}_2(\text{g}) \rightarrow 2\text{Cl}\cdot(\text{g}) \checkmark$		1
4.	(c)	(ii)	$\text{CH}_3\text{CH}_3 + \text{Cl}\cdot \rightarrow \cdot\text{CH}_2\text{CH}_3 + \text{HCl} \checkmark$ $\cdot\text{CH}_2\text{CH}_3 + \text{Cl}_2 \rightarrow \text{CH}_3\text{CH}_2\text{Cl} + \text{Cl}\cdot \checkmark$		2
4.	(d)		provides alternative reaction pathway $\checkmark$ activation energy of reaction reduced $\checkmark$		2
5.	(a)		<i>Overall reaction:</i> $\text{O}_3 + \text{O}\cdot \rightarrow 2\text{O}_2 \checkmark$ $\Delta H_{\text{reaction}}:$ $\llcorner -199.8 - 192.9 = \llcorner$ $-392.7 \llcorner \text{kJ mol}^{-1} \llcorner \checkmark$		2
5.	(b)		$\llcorner \text{bonds broken} = \llcorner 632 + 2(302) / 1236 \llcorner \text{kJ mol}^{-1} \llcorner \checkmark$ $\llcorner \text{bonds formed} = \llcorner 2(469) + 498 / 1436 \llcorner \text{kJ mol}^{-1} \llcorner \checkmark$ $\llcorner \Delta H = \text{bonds broken} - \text{bonds formed} = 1236 - 1436 = \llcorner -200 \llcorner \text{kJ mol}^{-1} \llcorner \checkmark$	Award [3] for correct final answer.	3