

© International Baccalaureate Organization 2026

All rights reserved. No part of this product may be reproduced in any form or by any electronic or mechanical means, including information storage and retrieval systems, without the prior written permission from the IB. Additionally, the license tied with this product prohibits use of any selected files or extracts from this product. Use by third parties, including but not limited to publishers, private teachers, tutoring or study services, preparatory schools, vendors operating curriculum mapping services or teacher resource digital platforms and app developers, whether fee-covered or not, is prohibited and is a criminal offense.

More information on how to request written permission in the form of a license can be obtained from <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.

© Organisation du Baccalauréat International 2026

Tous droits réservés. Aucune partie de ce produit ne peut être reproduite sous quelque forme ni par quelque moyen que ce soit, électronique ou mécanique, y compris des systèmes de stockage et de récupération d'informations, sans l'autorisation écrite préalable de l'IB. De plus, la licence associée à ce produit interdit toute utilisation de tout fichier ou extrait sélectionné dans ce produit. L'utilisation par des tiers, y compris, sans toutefois s'y limiter, des éditeurs, des professeurs particuliers, des services de tutorat ou d'aide aux études, des établissements de préparation à l'enseignement supérieur, des fournisseurs de services de planification des programmes d'études, des gestionnaires de plateformes pédagogiques en ligne, et des développeurs d'applications, moyennant paiement ou non, est interdite et constitue une infraction pénale.

Pour plus d'informations sur la procédure à suivre pour obtenir une autorisation écrite sous la forme d'une licence, rendez-vous à l'adresse <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.

© Organización del Bachillerato Internacional, 2026

Todos los derechos reservados. No se podrá reproducir ninguna parte de este producto de ninguna forma ni por ningún medio electrónico o mecánico, incluidos los sistemas de almacenamiento y recuperación de información, sin la previa autorización por escrito del IB. Además, la licencia vinculada a este producto prohíbe el uso de todo archivo o fragmento seleccionado de este producto. El uso por parte de terceros —lo que incluye, a título enunciativo, editoriales, profesores particulares, servicios de apoyo académico o ayuda para el estudio, colegios preparatorios, desarrolladores de aplicaciones y entidades que presten servicios de planificación curricular u ofrezcan recursos para docentes mediante plataformas digitales—, ya sea incluido en tasas o no, está prohibido y constituye un delito.

En este enlace encontrará más información sobre cómo solicitar una autorización por escrito en forma de licencia: <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.

Mathematics: analysis and approaches
Standard level
Paper 2

15 May 2026

Zone A morning | **Zone B** morning | **Zone C** morning

Session number

1 hour 30 minutes

--	--	--	--	--	--	--	--	--	--

Instructions to students

- Write your session number in the boxes above.
- Do not open this examination paper until instructed to do so.
- A graphic display calculator is required for this paper.
- Section A: answer all questions. Answers must be written within the answer boxes provided.
- Section B: answer all questions in the answer booklet provided. Fill in your session number on the front of the answer booklet, and attach it to this examination paper and your cover sheet using the tag provided.
- Unless otherwise stated in the question, all numerical answers should be given exactly or correct to three significant figures.
- A clean copy of the **mathematics: analysis and approaches SL formula booklet** is required for this paper.
- The maximum mark for this examination paper is **[80 marks]**.



Please **do not** write on this page.

Answers written on this page
will not be marked.



Full marks are not necessarily awarded for a correct answer with no working. Answers must be supported by working and/or explanations. Solutions found from a graphic display calculator should be supported by suitable working. For example, if graphs are used to find a solution, you should sketch these as part of your answer. Where an answer is incorrect, some marks may be given for a correct method, provided this is shown by written working. You are therefore advised to show all working.

Section A

Answer **all** questions. Answers must be written within the answer boxes provided. Working may be continued below the lines, if necessary.

1. [Maximum mark: 5]

Eight students run a 400-metre race. Their race time, T , and the length, L , of their legs are shown in the table.

Leg length (L cm)	85	82	78	91	76	84	80	88
Race time (T seconds)	65.2	67.3	70.0	60.8	72.5	66.1	68.9	62.4

The equation of the regression line of T on L for this data can be written in the form $T = aL + b$.

- (a) Find the value of a and the value of b . [2]
- (b) Write down the value of the Pearson's product-moment correlation coefficient, r . [1]
- (c) Use the equation of the regression line of T on L to predict the time of a student with a leg length of 79 cm. [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....



2. [Maximum mark: 6]

A ship is sailing directly towards a vertical cliff of height h metres.

diagram not to scale



When the ship is at point A, the angle of elevation to the top of the cliff is 15° . After sailing a further 70 metres towards the cliff, the ship reaches point B, and the angle of elevation to the top of the cliff is 40° .

Point C is at the base of the cliff, and $BC = x$ metres.

(a) Find an expression in terms of h and x for

(i) $\tan 40^\circ$;

(ii) $\tan 15^\circ$.

[2]

(b) Hence, find the value of x .

[2]

(c) Find the value of h .

[2]

(This question continues on the following page)



(Question 2 continued)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....



12EP05

Turn over

3. [Maximum mark: 5]

The volume of air inside a balloon, V , measured in cubic metres, after t minutes is given by

$V = 5 + 20e^{-kt}$, where $t \geq 0$ and k is a positive constant.

- (a) Write down the initial volume of air inside the balloon. [1]

After 4 minutes, the volume of air inside the balloon is half the initial volume.

- (b) Find the value of k . [2]

- (c) Find the time at which the volume of air inside the balloon is 8 cubic metres. [2]

This image shows a full page of white paper with horizontal dotted lines, typical of primary school writing paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

4. [Maximum mark: 6]

The following table shows the probability distribution of a discrete random variable X , for $1 \leq X \leq 6$, such that

$$P(X=1)=k \text{ and } P(X=r+1)=\frac{1}{2}P(X=r),$$

where $r \in \mathbb{Z}^+$, $1 \leq r \leq 5$ and $k \in \mathbb{R}$.

x	1	2	3	4	5	6
$\mathbf{P}(X=x)$	k	a	$\frac{8}{63}$	$\frac{k}{8}$	b	$\frac{1}{63}$

- (a) Write down an expression in terms of k for

- (i) a ;

- (ii) b .

[2]

- (b) Find the value of k .

[2]

- (c) Hence, find the value of $E(X)$.

[2]


[illegible]

5. [Maximum mark: 7]

Two circles have a common centre, O . Points A and B lie on the circumference of the larger circle, which has radius $OA = R$. Points C and D lie on $[OB]$ and $[OA]$ respectively, and they also lie on the circumference of the smaller circle. The smaller circle has radius $OC = r$ and the acute angle $\angle DOB = \angle AOC = \theta$ radians.

This is shown in the following diagram.

diagram not to scale



The area of the sector OAB is 50 cm^2 and its perimeter is 40 cm . The area of the sector ODC is 18 cm^2 .

- (a) Find the value of θ . [5]
- (b) Hence, find the value of r . [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....



6. [Maximum mark: 7]

A particle moves along a straight line with an initial displacement at O. Its velocity, $v \text{ m s}^{-1}$, at time t seconds is given by

$$v(t) = (3t^2 - 10t + 4)e^{-0.5t} - 4 \cos t, \text{ where } 0 \leq t \leq 6.$$

(a) Find the maximum displacement of the particle. [4]

(b) Determine the intervals of time when the acceleration of the particle is negative. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....



Do **not** write solutions on this page.


Section B

Answer **all** questions in the answer booklet provided. Please start each question on a new page.

7. [Maximum mark: 15]

All lengths in this question are in metres.

A sphere has diameter $[RS]$, where $R(5, -3, 2)$ and $S(-3, 3, -4)$.



(a) Determine

- (i) the coordinates of the centre of the sphere;
- (ii) the radius of the sphere.

[4]

(b) Find the volume of the sphere.

[2]

A cuboid has a rectangular base of length x , width x^2 and height y . The cuboid has a volume of 1000 cubic metres and surface area A .

(c) (i) Write down an equation for the volume of the cuboid in terms of x and y .

(ii) Show that $A = 2\left(x^3 + \frac{1000}{x} + \frac{1000}{x^2}\right)$.

[4]

The surface area has a minimum value when $x = k$.

(d) (i) Find the minimum value of A .

(ii) Find the value of $\frac{d^2A}{dx^2}$ when $x = k$.

(iii) Use your answer to part (d)(ii) to justify that A is a minimum when $x = k$.

[5]



Do **not** write solutions on this page.

8. [Maximum mark: 14]

The waiting time, T minutes, of patients at a clinic can be modelled by a normal distribution with mean μ and standard deviation σ . The waiting times of all patients are independent of each other.

3.8% of the patients have a waiting time of less than 20 minutes, while 7.3% of the patients have a waiting time of more than 30 minutes.

(a) (i) Find the value of μ and the value of σ .

(ii) Hence, find the probability that a patient chosen at random has a waiting time of between 15 and 22 minutes.

[7]

The doctor at the clinic only sees patients with an appointment.

Records show that 82.6% of patients attend their appointment.

The probability of a patient attending their appointment is independent of any other patient.

(b) On a particular day, 20 patients each made an appointment to see the doctor.

(i) Find the probability that at least 13 of these patients attended their appointment.

(ii) Given that at least 13 of these patients attended their appointment, find the probability that more than 2 patients did not attend their appointment.

[7]



Do **not** write solutions on this page.

9. [Maximum mark: 15]

The geometric sequence $a_1, a_2, a_3, \dots$ has common ratio r .
The sum to infinity, A_∞ , of this sequence is 5.

(a) Find an expression for a_1 in terms of r . [1]

A second geometric sequence $a_1^2, a_2^2, a_3^2, \dots$ has common ratio q .

(b) Show that $q = r^2$. [2]

The sum to infinity, B_∞ , of this second sequence is 16.

(c) (i) Show that $41r^2 - 50r + 9 = 0$.

(ii) Find the value of r .

(iii) Hence, find the value of a_1 . [5]

A third sequence has its n th term given by $c_n = \log_k(a_n) + k$, where $k \in \mathbb{Z}^+$, $k > 1$.

(d) Show that this third sequence is arithmetic. [4]

Let C_{20} denote the sum of the first 20 terms of the third sequence.

(e) Find the maximum value of k such that $C_{20} < 0$. [3]

