

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: d1b66ae6

$-x + y = -3.5$

$x + 3y = 9.5$


If (x, y) satisfies the system of equations above, what is the value of y ?

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: 70feb725

During a month, Morgan ran r miles at 5 miles per hour and biked b miles at 10 miles per hour. She ran and biked a total of 200 miles that month, and she biked for twice as many hours as she ran. What is the total number of miles that Morgan biked during the month?

- A. 80
- B. 100
- C. 120
- D. 160

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	

ID: e1248a5c

In the system of equations below, a and c are constants.

$$\frac{1}{2}x + \frac{1}{3}y = \frac{1}{6}$$

$$ax + y = c$$


If the system of equations has an infinite number of solutions (x, y) , what is the value of a ?

A. $-\frac{1}{2}$

B. 0

C. $\frac{1}{2}$

D. $\frac{3}{2}$

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	

ID: 52cb8ea4

$$7x - 5y = 4$$

$$4x - 8y = 9$$

If (x, y) is the solution to the system of equations above,
what is the value of $3x + 3y$?

- A. -13
- B. -5
- C. 5
- D. 13

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: d7bf55e1

A movie theater sells two types of tickets, adult tickets for \$12 and child tickets for \$8. If the theater sold 30 tickets for a total of \$300, how much, in dollars, was spent on adult tickets? (Disregard the \$ sign when gridding your answer.)

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: f718c9cf

$5x + 14y = 45$

$10x + 7y = 27$

The solution to the given system of equations is (x, y) . What is the value of xy ?

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: 466b87e3

$$y = \frac{1}{2}x + 8$$

$$y = cx + 10$$

In the system of equations above, c is a constant. If the system has no solution, what is the value of c ?

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: e2e3942f

$$y = 2x + 1$$

$$y = ax - 8$$

In the system of equations above, a is a constant. If the system of equations has no solution, what is the value of a ?


- A. $-\frac{1}{2}$
- B. 0
- C. 1
- D. 2

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	<div><div></div><div></div><div></div></div>

ID: 1e11190a

Store A sells raspberries for **\$5.50** per pint and blackberries for **\$3.00** per pint. Store B sells raspberries for **\$6.50** per pint and blackberries for **\$8.00** per pint. A certain purchase of raspberries and blackberries would cost **\$37.00** at Store A or **\$66.00** at Store B. How many pints of blackberries are in this purchase?

- A. **4**
- B. **5**
- C. **8**
- D. **12**

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	

ID: 567ac7ab

One of the two equations in a linear system is $2x + 6y = 10$. The system has no solution. Which of the following could be the other equation in the system?

- A. $x + 3y = 5$
- B. $x + 3y = -20$
- C. $6x - 2y = 0$
- D. $6x + 2y = 10$