Question ID d1b66ae6

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	•••

ID: d1b66ae6

$$-x+y=-3.5$$

$$x + 3y = 9.5$$

If (x, y) satisfies the system of equations above, what is the value of y?

Question ID 70feb725

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	•••

3.2

ID: 70feb725

During a month, Morgan ran r miles at 5 miles per hour and biked b miles at 10 miles per hour. She ran and biked a total of 200 miles that month, and she biked for twice as many hours as she ran. What is the total number of miles that Morgan biked during the month?

- A. 80
- B. 100
- C. 120
- D. 160

Question ID e1248a5c

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	•••

ID: e1248a5c

3.3

In the system of equations below, a and c are constants.

$$\frac{1}{2}x + \frac{1}{3}y = \frac{1}{6}$$

$$ax + y = a$$

If the system of equations has an infinite number of solutions (x,y), what is the value of a?

A.
$$-\frac{1}{2}$$

- В. 0
- c. $\frac{1}{2}$
- D. 2

Question ID 52cb8ea4

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	•••

ID: 52cb8ea4

$$7x - 5y = 4$$

$$4x - 8y = 9$$

If (x,y) is the solution to the system of equations above, what is the value of 3x + 3y?

- A. -13
- B. **-5**
- C. **5**
- D. 13

Question ID d7bf55e1

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	•••

ID: d7bf55e1

3.5

A movie theater sells two types of tickets, adult tickets for \$12 and child tickets for \$8. If the theater sold 30 tickets for a total of \$300, how much, in dollars, was spent on adult tickets? (Disregard the \$ sign when gridding your answer.)

Question ID f718c9cf

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	•••

ID: f718c9cf

3.6

$$5x + 14y = 45$$

 $10x + 7y = 27$

The solution to the given system of equations is (x, y). What is the value of xy?

Question ID 466b87e3

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	•••

ID: 466b87e3

$$y = \frac{1}{2}x + 8$$

$$y = cx + 10$$

In the system of equations above, c is a constant. If the system has no solution, what is the value of c?

Question ID e2e3942f

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	•••

ID: e2e3942f

$$y = 2x + 1$$

$$y = ax - 8$$

In the system of equations above, a is a constant. If the system of equations has no solution, what is the value of a?

A.
$$-\frac{1}{2}$$

- В. **0**
- C. **1**
- D. **2**

Question ID 1e11190a

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	•••

ID: 1e11190a

3.9

Store A sells raspberries for \$5.50 per pint and blackberries for \$3.00 per pint. Store B sells raspberries for \$6.50 per pint and blackberries for \$8.00 per pint. A certain purchase of raspberries and blackberries would cost \$37.00 at Store A or \$66.00 at Store B. How many pints of blackberries are in this purchase?

- A. **4**
- B. **5**
- C. 8
- D. **12**

Question ID 567ac7ab

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	•••

ID: 567ac7ab

3.10

One of the two equations in a linear system is 2x + 6y = 10. The system has no solution. Which of the following could be the other equation in the system?

A.
$$x + 3y = 5$$

B.
$$x + 3y = -20$$

C.
$$6x - 2y = 0$$

D.
$$6x + 2y = 10$$

Question ID 73b3b7d8

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	•••

ID: 73b3b7d8

3.11

$$5y = 10x + 11$$

 $-5y = 5x - 21$

The solution to the given system of equations is (x,y). What is the value of 30x?

Question ID a71b1bc1

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	

ID: a71b1bc1

3.12

A piece of wire with a length of 32 inches is cut into two parts. One part has a length of x inches, and the other part has a length of y inches. The value of x is x more than x times the value of x?

Question ID b5f62071

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	

ID: b5f62071

3.13

$$48x - 64y = 48y + 24$$
$$ry = \frac{1}{8} - 12x$$

In the given system of equations, r is a constant. If the system has no solution, what is the value of r?

Question ID 1b1deebe

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Systems of two linear equations in two variables	•••

ID: 1b1deebe

$$ax + by = 72$$
$$6x + 2by = 56$$

In the given system of equations, a and b are constants. The graphs of these equations in the xy-plane intersect at the point (4, y). What is the value of a?

- A. **3**
- B. **4**
- $\text{C.}\ 6$
- D. **14**