

CANDIDATE  
NAME

--

CENTRE  
NUMBER

--	--	--	--	--

CANDIDATE  
NUMBER

--	--	--	--

**MATHEMATICS**

**9709/51**

Paper 5 Mechanics 2 (M2)

**October/November 2019**

**1 hour 15 minutes**

Candidates answer on the Question Paper.

Additional Materials: List of Formulae (MF9)

**READ THESE INSTRUCTIONS FIRST**

Write your centre number, candidate number and name in the spaces at the top of this page.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

**DO NOT WRITE IN ANY BARCODES.**

Answer **all** the questions in the space provided. If additional space is required, you should use the lined page at the end of this booklet. The question number(s) must be clearly shown.

Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place in the case of angles in degrees, unless a different level of accuracy is specified in the question.

Where a numerical value for the acceleration due to gravity is needed, use  $10 \text{ m s}^{-2}$ .

The use of an electronic calculator is expected, where appropriate.

You are reminded of the need for clear presentation in your answers.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

The total number of marks for this paper is 50.

This document consists of **12** printed pages.





2 A particle is projected from a point on horizontal ground with speed  $15 \text{ m s}^{-1}$  at an angle of  $\theta^\circ$  above the horizontal. The particle strikes the ground 2 s after projection.

(i) Find  $\theta$ . [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

(ii) Calculate the time after projection at which the direction of motion of the particle is  $20^\circ$  below the horizontal. [4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....



4 A small ball  $B$  is projected with speed  $30 \text{ m s}^{-1}$  at an angle of  $60^\circ$  above the horizontal from a point  $O$ . At time  $t$  s after projection the horizontal and vertically upwards displacements of  $B$  from  $O$  are  $x$  m and  $y$  m respectively.

(i) Express  $x$  and  $y$  in terms of  $t$  and hence find the equation of the trajectory of the ball. [4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(ii) Find the value of  $x$  for which  $OB$  makes an angle of  $45^\circ$  above the horizontal. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....





6 *A* and *B* are two fixed points on a vertical axis with *A* 0.6 m above *B*. A particle *P* of mass 0.3 kg is attached to *A* by a light inextensible string of length 0.5 m. The particle *P* is attached to *B* by a light elastic string with modulus of elasticity 46 N. The particle *P* moves with constant angular speed  $8 \text{ rad s}^{-1}$  in a horizontal circle with centre at the mid-point of *AB*.

(i) Find the speed of *P*. [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(ii) Calculate the tension in the string *BP* and hence find the natural length of this string. [7]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....

.....

.....







$ABC$  is the cross-section through the centre of mass of a uniform prism which rests with  $AB$  on a rough horizontal surface.  $AB = 0.4\text{ m}$  and  $C$  is  $0.9\text{ m}$  above the surface (see diagram). The prism is on the point of toppling about its edge through  $B$ .

- (i) Show that angle  $BAC = 48.4^\circ$ , correct to 3 significant figures. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

A force of magnitude 18 N acting in the plane of the cross-section and perpendicular to  $AC$  is now applied to the prism at  $C$ . The prism is on the point of rotating about its edge through  $A$ .

(ii) Calculate the weight of the prism. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(iii) Given also that the prism is on the point of slipping, calculate the coefficient of friction between the prism and the surface. [4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

