

MARK SCHEME for the October/November 2012 series

0610 BIOLOGY

0610/51

Paper 5 (Practical Test), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2012 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

Page 2	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0610	51

Question	Mark scheme		Guidance A = accept R = reject I = ignore AW = alternative wording to convey the same meaning
1 (a)	three results in W1 ; three results in W2 ; W1 lower number bubbles than W2 /ORA; Gradual decrease in number of bubbles in W1/W2 ;	[4]	(W1 has less sugar CHECK SUPERVISORS REPORT)
(b) (i)	respiration / fermentation;	[1]	I. – aerobic or anaerobic. Ignore excretion.
(ii)	carbon dioxide;	[1]	A. chemical formula if correct.
(iii)	limewater; cloudy / milky / AW ;	[2]	A. ecf If test matches gas named in (ii) I. cloudy if used with emulsion / ethanol test A. hydrogen carbonate / bicarbonate indicator to yellow I. pH indicator
(c)	temperature control / avoid temperature fluctuation / to keep them at same temperature / AW; (warm water) increase in rate of reaction / activates yeast / increases respiration / AW ; correct reference to enzyme activity;	[max 2]	I. need warmth to produce bubbles A. ref. to increased collisions I. denaturation I. optimum

Page 3	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0610	51

(d)	Description	Explanation	[max 3]	A. ecf from 1(a) Explanation must link to correct description A. reverse argument I. reference to presence / absence of bung
	W1 lower number bubbles than W2 / AW;	Less yeast in W1 / W2 has been (reacting) in warm water longer / AW;		
	No: bubbles decrease from trial 1 to trial 2 and /or trial 3 (for W1 and /or W2 / AW;	Sugar / substrate decreasing;		

Page 4	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0610	51

<p>(e)</p>	<p>Any 2 sources of error and 2 linked suggestions of improvement. e.g.</p> <p>Error : change in temperature / different starting temperatures / different length of time in warm water; Improvement : (monitor with thermometer and) add hot / cold water (to keep constant) / use water bath / start testing at same time / AW;</p> <p>Error : varying amounts of yeast; Improvement : use same mass yeast /AW;</p> <p>Error : (inaccurate) timing; Improvement : use stop watch / AW;</p> <p>Error:(variable)shaking of tube; Improvement : shake for same amount of time / at same rate / AW;</p> <p>Error: inaccurate counting of bubbles / different sized bubbles; Improvement : use gas syringe / data logger / displacement / measuring cylinder / repeat (experiment) ;</p> <p>AVP;</p>	<p>[max 4]</p>	<p>N.B. Improvement should be specific to an error and refer to an experimental method. Read through each error and improvement together to look for correct answers.</p> <p>I. temperature alone I. 'keep at constant temperature' alone I. large beaker with exact temperature A. two people testing at same time</p> <p>I. decrease in sugar concentration</p> <p>I. length of time</p> <p>I. delivery tube at different depths A. do not shake tubes</p> <p>A. increase number trials / test tubes I. differences in apparatus I. pH I. controls I. average / mean</p>
	<p>[Total: 17]</p>		

Page 5	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0610	51

<p>2 (a)</p>	<p>Drawing: O: outline;</p> <p>S: size and proportion;</p> <p>D: details;</p> <p>Label : one from Lamina / blade / (network of) vein(s) / midrib / petiole or (leaf) stalk / description of margin e.g. serrated or jagged edge;</p>	<p>[4]</p>	<p>Answers must relate to specimens R. shading R. majority of sketched / artistic lines but I. minor / isolated overlaps or breaks.</p> <p>R. single line for petiole R. serrated edge with single line drawn through it</p> <p>Drawing at least half page</p> <p>Minimum – midrib, veins each side of midrib and petiole.</p> <p>indicate correct label with tick next to it. I. spine. I. sharp I. stem</p>
<p>(b) (i)</p>	<p><i>similarity:</i> midrib / (network of)veins / petiole / leaf stalk / description of margin / green colour / AW / AVP;</p>	<p>[1]</p>	<p>Answers must relate to specimens I. size / shape /sharp. Give ECF BOD for incorrect drawing label</p>

Page 6	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0610	51

(ii)	<p>2 <i>differences</i> from:</p> <p>entire v divided (into leaflets) / simple v compound / AW;</p> <p>leaf v <u>leaflets</u>;</p> <p>pointed tip v rounded tip;</p> <p>AVP;</p>	[max 2]	<p>Answers must relate to specimens Must have a comparative answer.</p> <p>A. into small/er leaves I. many / more leaves</p> <p>I. size e.g. wider / longer / AW</p>
(iii)	<p>Any one from:</p> <p>Network of veins / midrib / broad leaf / wide blade</p>	[1]	<p>Must relate to W3</p> <p>I. large</p>
(c) (i)	<p>line to or within palisade cell;</p>	[1]	<p>A. any correct indication of palisade cell. A. label c(i)</p>
(ii)	<p>start / entry from outside through lower stoma;</p> <p>end on or in labelled cell / c(i) cell;</p>	[2]	<p>A. lines drawn</p> <p>Max 1 if no arrows or arrows in wrong direction</p>

Page 7	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0610	51

<p>(d) (i)</p>	<p>Any three from:</p> <p>idea of mesophyll cells / blade / lamina / AW decomposed first / veins or midrib remain ;</p> <p>midrib / veins harder or tougher (so remain) / lamina softer or weaker / AW ;</p> <p>by decomposers / bacteria / fungi / microorganisms or detritivores / named examples;</p> <p>digestion / respiration / decay (by decomposers);</p> <p>AVP;</p>	<p>[max 3]</p>	<p>I. leaf gets smaller A. 'skeleton' of leaf left</p> <p>A. eaten by I. decomposed (in question)</p> <p>I. decolourise I. reference to mass</p>
<p>(ii)</p>	<p>A – labelling of axes and linear scaling;</p> <p>S – size</p> <p>P – plot;</p> <p>L – line;</p>	<p>[4]</p>	<p>A. 'mass / g' as minimum.</p> <p>plots to fill more than half of grid along both axes ± 1.0 mm / $\frac{1}{2}$ small square.</p> <p>Any 1 incorrect = 0 A. an accurate curve connecting all points or joined point to point by a ruled line R. sagging / bulging lines R. extrapolation > 1 small square</p> <p>histogram / bar chart [max 3] A, S and P. no numbers on axes [max. 2]– S and L</p>

Page 8	Mark Scheme	Syllabus	Paper
	IGCSE – October/November 2012	0610	51

(iii)	Increase in mass at start / first 6 months / AW; (Overall or after 6 months) mass decreases; Correct reference to figures;	[3]	A. weight A. minimum of two mass results with correct units once or a calculated difference.
(iv)	Any two from: temperature / warmth / /hot climate / sunlight / energy / light intensity; moisture / humidity / wet conditions / water; amount of, microorganisms / decomposers / (named) decomposer;	[2]	I. environmental conditions / oxygen A. tropical conditions = 2 A. too many leaves for number of decomposers
		[Total: 23]	