

**CAMBRIDGE INTERNATIONAL EXAMINATIONS**

Cambridge Ordinary Level

## **MARK SCHEME for the October/November 2014 series**

# **5014 ENVIRONMENTAL MANAGEMENT**

**5014/11**

Paper 1, maximum raw mark 120

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2014 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

<b>Page 2</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge O Level – October/November 2014</b>	<b>5014</b>	<b>11</b>

**Section A**

- 1 (a) (i)** SE Asia, Australia and the Pacific; [1]
- (ii)** South and Central America; [1]
- (iii)** North America; [1]
- (b)** any relevant advantage, such as:  
 export earnings from sales of oil;  
 revenue used to improve infrastructure/build schools/hospitals/transport routes, etc.;  
 fuel/petrol/diesel for transport;  
 power source for industry;  
 raw material for industry/petrochemicals; [3]
- (c) (i) hot deserts:**
- EITHER solar;  
 because cloudless skies/abundant sunshine/maximum insolation;
- OR wind;  
 because trade winds are strong/constant/few obstacles to wind movement;
- (ii) equatorial climate regions:**
- EITHER HEP;  
 because abundant rain/many rivers;
- OR biomass/biofuels;  
 because abundance of trees/vegetation; [4]
- 2 (a) (i)** any figure between 24° and 30° inclusive; [1]
- (ii)** Africa larger/more than twice as large;  
 both either side of the Equator/in the tropics; [2]
- (iii)** it needs hot/warm temperatures; [1]

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge O Level – October/November 2014	5014	11

- (b) (i) mosquitoes lay eggs/breed in (stagnant) water; [1]
- (ii) any relevant idea, such as:
- advantages for people: new land for farming/industry/building/any sensible use;  
straight routes can be built;
- disadvantages for the environment:  
changes the ecosystem;  
loses habitats;  
death of wildlife;  
may reduce rainfall locally/less moisture for plants;
- At least one advantage needed for maximum marks.* [3]
- (iii) stops insect being able to bite/contact the person;  
stops mosquito becoming infected by biting an infected person;  
the mosquitoes (mainly) bite between dusk and dawn;  
insecticide kills the insects;  
relatively cheap method; [2]
- 3 (a) (i) plots at 335 in 1980, 355 in 1990 AND 380 in 2000 all joined by a line and to 2010; [1]
- (ii) 45; [1]
- (iii) 2090–2094; [1]
- (iv) start of the food chain for fish; [1]
- (b) (i) sulfur dioxide;  
nitrogen oxides;  
released when fossil fuels are burnt;  
coal-fired power stations/industry/vehicle exhausts;  
mix with water/rain droplets; [4]
- (ii) kills fish in rivers/lakes;  
acid soils have poor yields; [2]
- 4 (a) (i) bar for 2008 at 650 000; [1]
- (ii) much faster 2008–2012;  
600 000 in 40 years/68–08 but 450 000 in 4 years/08–12;\*  
15 000 per year 68–08 and 112 500 per year 08–12;\*\*
- Accept a tolerance on the figures of 15 000 either side.*  
*Accept a tolerance of 1000 either side.* [2]

<b>Page 4</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge O Level – October/November 2014</b>	<b>5014</b>	<b>11</b>

(b) any sensible suggestion, such as:

development of new industry;  
 people seek better paid jobs in city;  
 attracted by better social facilities/hospitals/schools etc.;  
 attracted by the entertainment facilities;  
 high birth rate because young migrants;  
 rural – urban migration;  
 immigrants settle in cities for work;

[3]

(c) any sensible suggestion, such as:

*no cars* – efficient/regular/cheap public transport;  
 legislation/penalties;

*energy* – renewable/solar/wind/used to make energy;  
 energy efficient homes;

*waste* – re-use/recycle/compost;

*water* – re-use waste water (for gardens etc.);  
 water saving appliances;  
 water meters;

[4]

Page 5	Mark Scheme	Syllabus	Paper
	Cambridge O Level – October/November 2014	5014	11

### Section B

- 5 (a) (i) letter order **E, D, C, B, A**;

*All correct for two marks.*

*Three correct for one mark.*

[2]

- (ii) cyclone (**E**), drought (**D**) and flood (**B**);

*All three and no others for one mark.*

[1]

- (iii) hazard plus minimal detail;  
another hazard plus minimal detail;  
further detail;

*short-term events:*

some only last a few minutes;

most are over within hours or days;

volcanoes and droughts can last longest, but often just months at most;

*long-term events:*

possible for some to keep happening for several years, or keep repeating themselves;

such as droughts (e.g. Sahel);

and occasionally a volcano (e.g. on Montserrat);

*All three choices in the question are possible choices.*

[3]

- (b) (i) X = destructive / convergent / converging

Y = constructive / divergent / diverging

[2]

- (ii) earthquakes occur at plate boundaries most tectonic activity being concentrated on plate boundaries / strongest / on top of plate boundary / epicentre;

plates are moving;

ref. ripple effect e.g. gets less moving away;

an explanation about what is happening at destructive / conservative plate boundaries

which leads to earthquake formation (e.g. friction / jolting);

[3]

- (iii) 9.2 in 2004;

[1]

- (iv) 2004–2007;

includes top three years for earthquake numbers;

10 in 2005, 7 in 2004 and 6 in 2006 / 27 of the total number of 43 in this 4-year period

*Accept 63%.*

[3]

- (v) suggests that the risk is (very) high / since at least one earthquake of magnitude 6.0 or more occurred in every year / since the average in the 10-year period was more than four strong earthquakes a year;

[1]

- (vi) appropriate scale accurately marked on y-axis and y-axis labelled;

*All plots correct using bars for two marks.*

*At least four correct plots for one mark.*

[3]

Page 6	Mark Scheme	Syllabus	Paper
	Cambridge O Level – October/November 2014	5014	11

- (vii) *magnitude on Richter scale/earthquake strength:*  
referring to those of exceptional strength such as the 9.2 and 8.6, and/or by referring to the logarithmic nature of Richter scale;

*nature of the earthquake:*

such as depth of the focus/length of ground shaking/frequency/strength of after-shocks;

low lying coastal locations are also at risk from tsunamis;

*density of population:*

highest in urban areas, many coastal areas;

least in mountainous areas/none in the islands of Indonesia that are not inhabited;

high density of high rise buildings increases risks to people living or visiting there;

*time of day earthquake occurred:*

people more alert to what is happening during the day and more likely to be able to reach open spaces;

*human factors related to:*

earthquake proofing of buildings;

preparations in advance (with examples such as education/food supplies/shelters/medical facilities);;

differences between rich and poor neighbourhoods in terms of house structure also in terms of inferior locations of slums on hillsides where landslides are more likely to be triggered;

[5]

- (c) (i) ocean location where sea-water heats up most/is warm (around the Equator);  
26/27 °C are needed for cyclone formation;

further details about how this triggers off rising air currents/leading to condensation of water vapour/formation of towering cumulonimbus clouds/formation of deep area of low pressure;

[3]

- (ii) (end of summer season) when sea-water temperatures are at their highest/sea-water takes longer to heat up than land surfaces which means later than the time when the Sun is overhead;

[1]

- (iii) Philippines is much closer to the source area/cyclones reach the Philippines first;

*further supporting use of the map such as:*

location of the islands in relation to Japan and Hong Kong/or to tracks of cyclones which become more varied away from the source so that only some carry on towards Hong Kong or Japan whereas fewer miss the Philippines;

[2]

- (d) (i) *evidence for heavy rainfall:*  
(severe) flooding (everywhere);  
flash floods;  
(most of the dead were) from drowning;  
houses swept into rivers and out to sea;

[2]

Page 7	Mark Scheme	Syllabus	Paper
	Cambridge O Level – October/November 2014	5014	11

(ii) island nature of the country so very vulnerable to effects of cyclones/ cyclones happen (every year/ often/ regular) since one of the closest land areas to the source/ comment about the way the tracks of the cyclones bend northwards; [1]

(iii) *physical factors:*  
 wind strength was too weak;  
 to trigger mobile phone text messages;  
 great wind strength usually expected from typhoons hitting the Philippines;  
 but on this occasion it was flooding which did the damage;  
 massive amounts of rainwater must have fallen to make the rivers flood so badly showing the force of nature;  
 and perhaps its non-predictability (all natural hazard events are different);  
 Cagayan de Oro geographical factors of steep-sided mountains:  
 proximity to the sea;  
 deforested slopes\*;

*human factors:*

poverty meant slum houses /poor quality houses have been built;  
 lack of planning leads to building on sand banks in the middle of the river;  
 lack of money spent by government with examples such as to build shelters;  
 lack of flood defences;  
 despite previous warnings about a location between steep mountain sides and the sea;  
 lack of sending advance warnings;  
 not looking at advance weather information as would be the case in a more developed country;  
 lack of shelters;  
 deforested slopes\*;  
 \* *Credit once only.*

*or a mixture of the two:*

can never prevent large losses of life from natural hazards;  
 on the other hand, most developed countries are much better prepared than was the Philippines, especially considering that typhoons are regular events and there is a known time of the year when they will occur; [7]

Page 8	Mark Scheme	Syllabus	Paper
	Cambridge O Level – October/November 2014	5014	11

6 (a) (i) accurate plots for the three percentages;  
sectors correctly labelled; [2]

(ii) *lakes and rivers*

it is fresh / sweet water / does not need desalination;  
easily accessible surface supplies;  
widely available / widespread distribution;  
reliable source / large amounts of water can be readily available;

small amount comparatively;

most at risk from pollution / problems of dirty water supply;

surface waters used as places of disposal for human wastes / ref. water-borne diseases;

in some places natural contamination as well / other hazards (dangerous animals);

may destroy habitats supported by existence of lakes and rivers;

*Max. two marks.*

*glaciers*

it is fresh water / does not need desalination;

clean water supply;

more water released in summer when often it is most needed;

very extensive supply (biggest reservoir of fresh water on Earth) / supplies some of the world's major surface rivers (e.g. Ganges);

located in some of the most inaccessible places away from people;

winter freezing can cut off supplies to people;

store decreasing as mountain glaciers are melting;

*Max. two marks.*

[4]

(iii) *possible labels:*

rainwater to fill the aquifer;

arrows or labels to show water seeping underground through the aquifer;

aquifer labelled as permeable or porous rock either in key or on diagram;

impermeable (impervious) rock labelled in key or on diagram;

(limestone / sandstone / chalk / shale) in correct place in key or on diagram;

(granite / marble / basalt / slate) in correct place in key or on diagram;

additional labelling about impermeable acting as a water trap for the permeable;

labelling for folding of rocks / downfold / syncline;

[3]



Page 9	Mark Scheme	Syllabus	Paper
	Cambridge O Level – October/November 2014	5014	11

- (iv) contamination by terrestrial activities;  
ref. pollution control measures;
- running out of water in the aquifer, use > replenishment;  
ref. water conservation measures;
- collapse of ground;  
constructing buildings/dykes to take account/recharge of aquifer;
- saltwater intrusion in coastal sites;  
water conservation;
- overexploitation leads to less water elsewhere/other countries/ref. to conflict;  
political discourse/agreement;
- ref. engineering problems/cost of drilling/hard to extract;  
aid for money/expertise from outside;

*At least two marks needed from each of problems and from solutions.* [6]

- (b) (i) *high water stress:*  
Asia, because it has about 59–60% of total world population for 35–38% of world's water resources.  
Europe with 12–14% of population for 7–9% of water.

*low water stress:*  
South America, because it has only 5–6% of the world population for 25–27% of the world's water resources.  
Oceania, because it has only 1–2% of population for 5–6%.  
N and C America it has only 5–7% of population for 15%.

Asia/Europe and South America/Oceania/N and C America;  
use of supporting values for each;;

[3]

Page 10	Mark Scheme	Syllabus	Paper
	Cambridge O Level – October/November 2014	5014	11

(ii) *physical reasons:*

Africa hotter climates on average;  
more evaporation/less precipitation effectiveness;

continent has varied distribution of rainfall;  
large areas/many countries with a hot desert climate (e.g. Sahara desert);

e.g. Sahel noted for droughts;  
and unreliable precipitation from year to year;  
O.R.A. for Europe.

*human reasons:*

lower levels of economic development in Africa;  
developing countries less able to afford to manage their water resources by dam  
building/river control/water transfer/extraction from underground sources/desalination;

the biggest use of water in Africa is for agriculture;  
irrigation not needed as much in the cooler climates of Europe because economies are  
less agriculture dependent;  
O.R.A. for Europe.

*One mark for identifying a reason. Second mark for elaboration/development/  
exemplification.* [4]

(c) (i) sea-water is (forced) through (thousands) of fine membranes (to take out the salt). [1]

(ii) *suggestions include:*

a lot of energy is needed;  
so cost of fuel used since fuel costs in the oil producing countries of the Middle East will  
be lower;  
lower percentage of salt in sea-water in some locations;  
such as near river mouths, so that less energy is used for its separation;  
costs involved in importing technology/skilled personnel;  
developing countries may need to import technology/skilled personnel;  
economy of scale argument;

*One suggestion with some elaboration or two suggestions for two marks.* [2]

(iii) (very) expensive;

more expensive than obtaining fresh water from rivers and aquifers;  
cheapest desalination is 1 \$US compared with only 20 cents for rivers;  
desalination can cost as much as 5 \$US making it 25 times more expensive;  
comment stressing the massive size of the difference meaning that desalination will only  
be used where surface and groundwater supplies are inadequate; [2]

(iv) 38% circled or otherwise clearly identified; [1]

Page 11	Mark Scheme	Syllabus	Paper
	Cambridge O Level – October/November 2014	5014	11

- (v) they can afford it;  
lots of (valuable) oil;  
rich in energy sources;  
oil/gas;
- few/no alternative supplies/not water rich;  
as desert countries;
- population centres are close to the coast;  
sea-water is available;
- increasing demand for water;  
as rapid population growth/increased standard of living/urbanisation/tourism; [3]

- (vi) *increase unlikely:*  
can be justified by reference to massive costs;
- in an era of rising world energy costs/future energy crisis;  
likely to be increased only in countries where the water need is great and nothing cheaper is available;
- increase likely:*  
in response to increased world need for water;
- due to rising world populations;  
rising standards of living;  
leading to increased consumption of water per head;  
as (energy prices fall/alternative energy becomes available) will be more likely;  
more food output to feed world's people will need more irrigation water;  
desalination might be the only local/national alternative, despite its costs; [2]

- (d) (i) most likely answer is to refer to water-efficient methods of irrigation, such as:
- trickle drip irrigation;  
root zone/clay pot irrigation;  
the method described emphasising how the water is targeted at plant roots;  
calculate water need of crop and just use that/not water excessively;  
to reduce wastes by seepage and evaporation;  
changing crops to ones which need less water for successful growth/increased use of drought resistant varieties/saline tolerant plants;  
water re use/reclamation/recycling; [3]
- (ii) salination;  
leaching (of minerals)/infertile;  
eutrophication;  
reduced river flow downstream from usage area;  
loss of wetland habitat;  
loss of biodiversity;  
waterlogged;
- Credit one development mark for any of these.* [4]

[Total: 120]