Question ID 2b15d65f

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear functions	

ID: 2b15d65f 3.1

An economist modeled the demand Q for a certain product as a linear function of the selling price P. The demand was 20,000 units when the selling price was \$40 per unit, and the demand was 15,000 units when the selling price was \$60 per unit. Based on the model, what is the demand, in units, when the selling price is \$55 per unit?

- A. 16,250
- B. 16,500
- C. 16,750
- D. 17,500

Question ID be9cb6a2

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear functions	

ID: be9cb6a2

3.2

The cost of renting a backhoe for up to 10 days is \$270 for the first day and \$135 for each additional day. Which of the following equations gives the cost y, in dollars, of renting the backhoe for x days, where x is a positive integer and $x \le 10$?

A.
$$y=270x-135$$

B.
$$y = 270x + 135$$

C.
$$y = 135x + 270$$

D.
$$y = 135x + 135$$

Question ID b988eeec

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear functions	

ID: b988eeec

3.3

The functions f and g are defined as $f(x)=\frac{1}{4}x-9$ and $g(x)=\frac{3}{4}x+21$. If the function h is defined as h(x)=f(x)+g(x), what is the x-coordinate of the x-intercept of the graph of y=h(x) in the xy-plane?

Question ID af2ba762

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear functions	

ID: af2ba762

3.4

According to data provided by the US Department of Energy, the average price per gallon of regular gasoline in the United States from September 1, 2014, to December 1, 2014, is modeled by the function F defined below, where F(x) is the average price per gallon x months after September 1.

$$F(x) = 2.74 - 0.19(x - 3)$$

The constant 2.74 in this function estimates which of the following?

- A. The average monthly decrease in the price per gallon
- B. The difference in the average price per gallon from September 1, 2014, to December 1, 2014
- C. The average price per gallon on September 1, 2014
- D. The average price per gallon on December 1, 2014

Question ID 16889ef3

Assessment	Test	Domain	Skill	Difficulty	
SAT	Math	Algebra	Linear functions		

ID: 16889ef3

3.5

Oil and gas production in a certain area dropped from 4 million barrels in 2000 to 1.9 million barrels in 2013. Assuming that the oil and gas production decreased at a constant rate, which of the following linear functions f best models the production, in millions of barrels, t years after the year 2000?

A.
$$f(t) = \frac{21}{130}t + 4$$

B.
$$f(t) = \frac{19}{130}t + 4$$

C.
$$f(t) = -\frac{21}{130}t + 4$$

D.
$$f(t) = -\frac{19}{130}t + 4$$

Question ID 6989c80a

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear functions	

ID: 6989c80a

3.6

$$F(x) = \frac{9}{5}(x - 273.15) + 32$$

The function F gives the temperature, in degrees Fahrenheit, that corresponds to a temperature of x kelvins. If a temperature increased by 2.10 kelvins, by how much did the temperature increase, in degrees Fahrenheit?

- A. **3.78**
- B. **35.78**
- C. 487.89
- D. **519.89**

Question ID 78391fcc

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear functions	

ID: 78391fcc

-11	-10	-9	-8	•
21	18	15	12	

The table above shows some values of x and their corresponding values f(x) for the linear function f. What is the x-intercept of the graph of

y = f(x) in the xy-plane?

A.(-3,0)

Χ

f(x)

- B. (-4,0)
- C. (-9,0)
- D. (-12,0)

3.7

Question ID a04050d8

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear functions	

ID: a04050d8

3.8

Energy per Gram of Typical Macronutrients

Macronutrient	Food calories	Kilojoules	
Protein	4.0	16.7	
Fat	9.0	37.7	
Carbohydrate	4.0	16.7	

The table above gives the typical amounts of energy per gram, expressed in both food calories and kilojoules, of the three macronutrients in food. If the 180 food calories in a granola bar come entirely from p grams of protein, f grams of fat, and c grams of carbohydrate, which of the following expresses f in terms of p and c?

A.
$$f = 20 + \frac{4}{9}(p+c)$$

B.
$$f = 20 - \frac{4}{9}(p+c)$$

C.
$$f = 20 - \frac{4}{9}(p - c)$$

D.
$$f = 20 + \frac{9}{4}(p+c)$$

Question ID daad7c32

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear functions	

ID: daad7c32 3.9

An object hangs from a spring. The formula $\ell = 30 + 2w$ relates the length

 \mathcal{E} , in centimeters, of the spring to the weight w, in newtons, of the object.

Which of the following describes the meaning of the 2 in this context?

- A. The length, in centimeters, of the spring with no weight attached
- B. The weight, in newtons, of an object that will stretch the spring 30 centimeters
- C. The increase in the weight, in newtons, of the object for each one-centimeter increase in the length of the spring
- D. The increase in the length, in centimeters, of the spring for each one-newton increase in the weight of the object

Question ID 023c0a8d

Assessment	Test	Domain	Skill	Difficulty
SAT	Math	Algebra	Linear functions	

ID: 023c0a8d

3.10

For the function f, if f(3x) = x - 6 for all values of x, what is the value of f(6)?

- A. -6
- B. **-4**
- C. 0
- D. 2